

Aviation Noise Effects Research Workshops

Synthesis of Meeting Content

and

Final Annoyance/Sleep Projects

**Federal Aviation Administration
Office of Environment and Energy
January 2011**

Contents

1	Background for the Research Roadmap Workshops	1
1.1	Increase in air transport capacity needed	1
1.2	Current FAA noise compatibility policy based on early studies	1
1.3	Goals for the research.....	2
1.4	Context for the initial research efforts.....	2
2	First Workshop – Ottawa Forum, Defining Basic Research Issues	3
2.1	Results of SD questions and answers:.....	3
2.2	Results of annoyance questions and answers:.....	3
3	Second Workshop – Discussion of Research Roadmap Concepts	5
3.1	Annoyance discussions and projects	5
3.2	Sleep disturbance discussions and projects	7
4	Third Workshop – Stakeholder Participation	11
4.1	Annoyance projects.....	11
4.2	Sleep projects	13
4.3	Stakeholder discussions	15
4.3.1	Annoyance related topics	15
4.3.2	Sleep related topics	15
	Appendix A Summary of First Workshop - Ottawa Forum Discussions	17
	Appendix B Summary of Second Workshop Discussions	25
	Appendix C Summary of Third Workshop - Stakeholder Discussions	31
	Appendix D Information Briefs	41
	<u>A. ANNOYANCE</u>	43
1.	Vincent Mestre - Chapter 3: Annoyance and Aviation Noise, ACRP Synthesis 9 “Effects of Aircraft Noise: Research Update on Selected Topics”	43
2.	Fields, Personal Impact vs. Public Actions: Two Types of Community Response	46
3.	Fields, The place of annoyance in impact assessment and its validity	51
4.	Fields, Existing Data: Community Noise-Response Surveys, pp. 1-3.....	57
5.	Fields, Possible Future Research to Close Knowledge Gaps	66
6.	Van Kamp and Brown, Excess Response In Annoyance From Step Changes &Policy Relevance	71
7.	Fidell, Brief On Aircraft Noise-Induced Annoyance.....	73
8.	Woodward & Mestre, “Is the Schultz Curve Still a Useful Measure of Community Annoyance with Aircraft Noise?”	75
9.	Luz, Potential Role of In Situ Studies in the FAA Roadmap for Research on Aircraft Noise Annoyance	77
10.	Hume, Rationale & Value for conducting research to develop a standardized complaint handling system (SCHS)	81

11. Fidell, Information Brief on Aircraft Noise Complaints83

B. SLEEP DISTURBANCE.....85

12. Vincent Mestre - Chapter 4: Sleep Disturbance and Aviation Noise, ACRP Synthesis 9 “Effects of Aircraft Noise: Research Update on Selected Topics”85

13. Griefahn and Basner, Aircraft noise effects on sleep87

14. McGuire, Sleep Disturbance Information Brief96

15. Basner, Information Brief - Sleep Disturbance – Methodology101

16. Fidell, Brief on Noise-Induced Sleep Disturbance106

Figures

Figure 1 U.S. Trends: decline in population exposed to levels exceeding 65 DNL 1

Figure 2 Summary of proposed sleep projects..... 8

Figure 3 First-order model of annoyance and noise exposure25

1 Background for the Research Roadmap Workshops

1.1 Increase in air transport capacity needed

The Federal Aviation Administration (FAA) is engaged in developing the Next Generation Air Transportation System (NextGen), a comprehensive overhaul of the national airspace system to make air travel more convenient and dependable, while at the same time reducing in absolute terms the impact of aviation on community noise. Though it is clear that aircraft noise has been reduced for millions of people over the past 30 years despite increasing air traffic, Figure 1, noise issues continue to generate community reactions that can slow efforts to increase the capacity required for NextGen. If air transport capacity is to increase to meet coming demand, our understanding of aircraft noise and its effects on people needs to be improved and FAA policy reviewed in light of this better understanding.




Figure 1 U.S. Trends: decline in population exposed to levels exceeding 65 DNL

1.2 Current FAA noise compatibility policy based on early studies

The technical bases for FAA's noise policies were last reviewed in 1992.¹ Currently, this policy identifies a value of 65 dB Day-Night Average Sound Level (DNL) as the threshold of significant impact for purposes of the National Environmental Policy Act (NEPA) analyses of FAA major actions and for examination of noise mitigation measures. This threshold corresponds to about 13% of the population which will report high annoyance (the "Schultz" curve²). The policy is to be based on the best available scientific evidence on the effects of aircraft noise and should this relationship be outdated, a policy review/update would be appropriate.

¹ FICON: "Federal Agency Review of Selected Airport Noise Analysis Issues," August 1992.

² Schultz T.J. "Synthesis of social surveys on noise annoyance," J. Acoustical Society of America, Vol. 64, No. 2 August 1978.

1.3 Goals for the research

Research would provide the needed scientific basis for examining or updating FAA noise policy and insure that decisions about major FAA actions and any FAA sponsored airport noise studies would be informed by the best available information. Three goals have been identified. First, *with the proper technical evidence, FAA could update land use compatibility guidelines, the NEPA significance thresholds, and criteria for judging/targeting mitigation measures.*

Second, *application of up-to-date research results would help build public trust in noise analyses* and, through better communication, increase understanding about aircraft noise, its effects and the likely changes that can be expected from airport/airspace projects.

Third, *updated research results can focus noise abatement or airport/airspace design efforts for efficiency and help to balance noise with other environmental considerations.*

1.4 Context for the initial research efforts

The FAA will ultimately address four areas of research:

1. Noise effects on health and welfare – how aviation noise affects the health and wellbeing of communities that experience aircraft noise
2. Noise in National Parks and wildernesses – how aviation noise affects visitors and National Park system management objectives for natural sounds in parks
3. NextGen noise modeling enhancements - other operational regimes and unconventional aircraft may need to be realistically modeled for assessment of noise
4. Overall costs of aircraft noise on society – monetizing the costs of aircraft noise for evaluation with respect to the costs of other environmental effects such as air quality and greenhouse gas production

The three meetings summarized in this document were directed at developing research projects to examine the effects of noise on health and welfare, and specifically on annoyance and Sleep Disturbance (SD).

- Section 2 summarizes the major sleep and annoyance issues identified in the Ottawa Forum.
- Section 3 narrows the issues and outlines possible projects to address these issues.
- Section 4 presents the resultant, refined annoyance and sleep projects to be pursued, and presents stakeholder reactions to these research projects.

The first two meetings (the Forum in Ottawa, and the workshop in Washington, D.C.) were dominated, as planned, by discussions of researcher ideas and concerns, while the third meeting focused on questions and concerns raised by airports, communities, and the aviation industry. Before and between meetings, two expert panels, one for sleep and one for annoyance, developed and refined the research roadmap through teleconferences, using the comments and discussions of the public meetings.

The main body of this report summarizes each of the three meetings, while Appendices A, B, and C provide more detail on each. Additionally Appendix D contains the “Information Briefs” prepared by various experts summarizing the state of knowledge in the areas of annoyance and SD, the subjects of the three meetings.

2 First Workshop – Ottawa International Forum: Defining Basic Research Issues

The FAA organized and sponsored a one-day forum following InterNoise 2009 to convene as many international experts as could be available to discuss specific research questions addressing the effects of aircraft noise on people. The research questions were developed over several weeks preceding the forum by FAA with two small planning panels and addressed specific issues associated with SD and annoyance caused by aircraft noise. The forum consisted of two facilitated discussions, a morning session addressing SD and an afternoon session addressing annoyance. A total of 15 research questions were discussed (8 for SD, 7 for annoyance).³ The discussions provided the following primary findings:

2.1 Results of SD questions and answers:

- Though people rated use of existing study data in the near-term more important than conduct of new studies, there was recognized difficulty, at least in a rigorous “meta-study” sense of making comparisons or synthesizing all study results.
- There was some support to study U.S. versus Europe and/or to study different house types to show repeatability of responses.
- Some support was shown for the use of the Electroencephalography (EEG) as a means to measure awakenings.
- The concept of using two types of contours was raised – one for annoyance (like DNL) the other for some measure of awakenings. Norway uses such a two criteria system, choosing whichever gives the largest area for decision making.
- More in-depth discussion needed for what types of studies should be conducted.
- There can be different definitions of vulnerable groups; there is uncertainty whether these people experience different reactions. The implications of not studying vulnerable groups should be discussed.
- The group had little enthusiasm for pursuing an epidemiologic study on the effects of (nocturnal) aircraft noise. However, a broader sleep and health research community may address this in future workshops.
- Sleep disturbance metrics should be understandable by the public.
- Sleep disturbance data are not nearly as extensive as annoyance data.
- Policy goals cannot be set on effects alone, but should include costs and feasibility; however, there was no clear expression of how costs relate to preventing SD.
- Norway provides a recommended level indoors and a required level—cost being the determinant of how much below the required level is achievable.
- We have no control over the shape of exposure-response relationships.
- It may be helpful to establish significance by placing aircraft-induced awakenings within the context of other awakenings. For this, broader sleep and health research community help may be needed.

2.2 Results of annoyance questions and answers:

- A strong consensus was clear that the relationship of percent of Highly Annoyed (% HA) to exposure needs to be updated, for aircraft only, and the exposure should be maintained as an Leq type of metric.
- Current ISO and ANSI standards need to be considered, but the update should also look at the more recent survey results.

³ Appendix A provides detail of the discussions, excerpted from the full forum summary report which is available at <http://www.fican.org/pdf/faa/IntlForumSummaryReport-11-19-09.pdf>.

- Many factors were offered that could reduce the scatter of the annoyance versus noise exposure survey data: number of aircraft, community relationship with airport, alternative exposure metrics, etc.
- Several attendees discussed the need to quantify noise exposure in a manner that more closely reflects actual experience –e.g., time indoors/outdoors, effects of house construction on indoor levels, etc.
- Socioeconomic effects were discussed, but some felt that research rejects the hypothesis that annoyance reactions are influenced by socioeconomic status.
- Scatter can occur not only in the independent variable of level, but in the determination of %HA – over the years there have been different scales, different questions, applied to different communities.
- Supplemental metrics were discussed as well and judged as very useful for communication with the public, but probably difficult to apply to land use planning (policy).
- Consensus in elements of this discussion is leading FAA to pursue near-term research using existing data.
- FAA will continue to keep the following as potential research areas, albeit at different priority levels: SD, daytime annoyance, induced house vibrations and audible rattle, interference with learning, and speech interference indoors and outdoors.
- Multiple effects should not be combined, but determined separately and presented as information, not necessarily with any standards set. International standards and guidance should be consulted.
- Discussion of need for up-to-date synopses of state of knowledge of many effects of noise. One potential source is ICBEN.
- Annoyance responses tend to be different in steady-state versus step-changes in exposure.
- Should policy be based on steady state or step-changes in exposure?
- Look for opportunities to study projects with known anticipated step changes.
- General support was shown for using the focus group approach to test different methods of information presentation and to find the most effective approaches.
- EU has published (2002) a set of rules on how to communicate with public.
- The Airport Cooperative Research Program (ACRP) projects are investigating best practices and developing guidebooks; discussion suggests more scientific approach could be used to study improving communication.
- There was general support for examining historical information on how communities reacted to new runways. The approach should be to study new runway situations over past 10 years, gathering systematic data – history, publicity, local newspapers – not social survey or socio-economic factors, but political and organizational variables. The FAA Office of Environment and Energy (AEE) feels that it is likely that such a study can be conducted in the United States (U.S.) in the near term; would be interested in similar studies outside U.S.

3 Second Workshop – Washington, DC: Discussion of Research Roadmap Concepts

The FAA held a two-day workshop in Washington, D.C., in December 2009, with the purpose of soliciting expertise and opinions about the effects of noise on humans and communities, focusing on SD and annoyance. The FAA began the meeting with an overview of the need for the research, a discussion of the roadmap development process, and an outline of the draft roadmap. Experts gave background presentations on: 1) Aviation Noise Impact: A Historical Perspective; 2) Sleep and Waking Functions: What aspects of sleep are important for healthy functioning?; and 3) An Introduction to Research on Traffic Noise Effects on Sleep. The discussions following each of the presentations raised issues previously discussed in the Ottawa Forum, Section 2, but provided additional details sufficient to develop a series of proposed projects for the research roadmap. The following sections provide the key issues and project concepts discussed.⁴

3.1 Annoyance discussions and projects

Initially, an important distinction was made between the surveyed annoyance used to develop the dose-response curves and annoyance expressed as public or community reaction. Surveyed annoyance (or other types of surveyed responses) is what must be used to formulate FAA noise impact/noise compatibility policy, while public or community reactions are what airports experience directly and to which they must often react.

The following key issues were raised during the discussion and need to be considered in defining the research on aircraft noise and annoyance:

- **Factors that affect annoyance** - The current single relationship between %HA and annoyance may be inadequate because of a number of factors which need to be investigated systematically with research such as:
 - Has annoyance increased over time?
 - Is it different for different aircraft?
 - Is it different in locations dominated by low frequency noise or in different areas of an airport
 - Is it affected by airport/community interactions?
 - Is it due to a step change?
 - Other issues not identified at the workshop include:
 - Differences in exposure-response relationships between transportation modes
 - Determining whether a model based on noise metrics other than DNL or a model based on DNL's separate components might be better than the current DNL model
- **Predicting community reactions in the form of public action** - Understanding the factors that may be related to these reactions could help in predicting beforehand such outcomes and managing for them.
- **Noise complaint data as an aid to airport management** -
 - Complaints about noise tend to identify unusual or unexpected events or circumstances.
 - Patterns of complaints (aside from those by the few individuals who complain very frequently) may reveal changes at an airport previously judged to be inconsequential.

⁴ Appendix B provides the complete summary of the first workshop discussions that is excerpted from the full summary report available at: http://www.fican.org/pdf/faa/DC_Final_Summary_Report.pdf.

- Limited research into alternative uses of noise complaint data could assist airports in tracking trends and identifying changes that may not be incidental or occasional.
- There was some disagreement among workshop participants regarding what could be learned from currently available data versus the need for new data, especially in the U.S.

A.1: Initial Projects:

An initial project could focus on identifying previous work that addresses the key issues identified above, assembling and making accessible as much of this previous work as possible. This project would help determine whether existing data could be reanalyzed to answer some of our research questions. Other initial projects include identification of past airport or airspace developments that resulted in significant changes in community noise levels, and selection of acceptable methods for computing the effects of aircraft noise on people.

A.2: Follow-on Analysis of Collected Information:

Once the preliminary projects have identified useful studies, data, projects, and noise effects calculation methods, the follow-on projects would use that information in an effort to develop improved models of the relationship between noise exposure and annoyance to determine whether public action against noise can be predicted and to provide airports and agencies with methods for making constructive use of complaints. All projects will identify gaps in information or knowledge that can help in the design of future studies.

A.3: New Airport Community Noise Studies:

While studying how existing data can improve our understanding, it is anticipated that these efforts would need to be supplemented with new community studies in order to more definitively improve upon the model (or develop multiple models) that better capture the relationship between noise exposure and annoyance.

Additional Discussion Topics:

During the workshop, additional topics were discussed that are not addressed explicitly in any of the above projects.

- Meta-lab or lab studies – to compare reactions to low frequency noise with the Tokita and Nakamura⁵ human reaction relationship. Possible use of the NASA low-frequency listening room was suggested.
- Use of virtual technologies – Are there any known applications of virtual technologies to help understand annoyance – visual or audio virtual realities?
- Getting information directly from the public – Is there some way to acquire annoyance or other judgments directly from the public through use of the internet, social networking applications, or other? (See <http://soundaroundyou.com/> for a method being used in Europe to build a database of opinion about soundscapes using mobile phones or PDAs.)
- Implementation needs – If FAA does move toward changing land use compatibility guidelines or indicators of noise impact, such changes would likely need extensive intra-government/intra-agency coordination and cooperation.
- Simple description of DNL 65 – Many attendees thought that it would be very helpful in working with the public to have FAA provide a clear, concise statement of why 65 DNL is the compatibility policy. The description might also include what effects occur at 65 DNL.

⁵ Tokita, Y, Nakamura, S. Frequency Weighting Characteristics for Evaluation of Low Frequency Sound, 1981 International Conference on Noise Control Engineering, Nederlands Akoetisch Genootschap, Delft, The Netherlands, 39-742, 1981.

3.2 Sleep disturbance discussions and projects

Present FAA policy addresses land use compatibility and impact solely in terms of type of land use and the level of aircraft-produced DNL. While DNL takes into account the increased sensitivity to noise during nighttime hours by including a 10dB penalty on nighttime flights, researchers have found that other noise metrics relate better to the effects of nighttime aircraft noise on sleep. Accordingly, one part of FAA's focus for research is the relationship between nighttime aircraft noise and its effects on sleep.

The following key issues were identified that could assist FAA in evaluating policy relative to nighttime aircraft noise and SD:

- **Factors that might cause populations to respond differently to nighttime noise** - Much of the recent research on noise and sleep has been conducted in Europe. Can those studies and results apply to U.S. populations?
- **Noise metric that correlates with SD** - Are there sufficiently reliable models for relating noise metrics to SD?
- **Time of night effects** - Some research has shown that study subjects awaken more easily from noise as morning approaches. Having the ability to estimate this difference would permit a distinction between the SD effects of late-night arrivals and of early morning departures.
- **Relationship of noise induced SD to next-day effects** - Do studies reliably identify the performance/sleepiness effects of SD caused by nighttime noise?
- **A given population's reaction to different levels of nighttime operations** - One means for reducing the effects of aircraft noise on sleep would be to provide additional sound insulation. Sound insulation decidedly reduces speech interference and general noise intrusion indoors. But how has such reduction of interior noise levels affected SD?
- **Lnight correlation with noise-induced SD** – World Health Organization-Europe has recommended use of Lnight for setting standards in Europe for nighttime noise. Research, however, has focused on the relationship between single noise events and the probability of awakening. Can these different approaches be reconciled?
- **Other studies of SD for research of aircraft noise and SD** - Considerable work has been done on understanding the causes and effects of SD. Can any of this work help advance the limited knowledge on the effects of noise-produced SD?

S.1 - Initial Projects:

- **Project S.1.1 - Meta study of reports on SD** - As with the annoyance/community reaction issues, this initial project is needed to determine what previous studies, data, and results might be useful to address the key issues.

S.2 Follow-on Analyses of Collected Information - Potential projects listed below were discussed.

- Project S.2.1 – Compare SD across populations.

Discussions Supporting or Limiting the Research Topics

Because FAA seeks to examine the effects of nighttime aircraft noise on U.S. populations, and because most noise/sleep research has been conducted in other countries, Project S.2.1 is important. The discussions at the workshop raised the likelihood that use of non-U.S. data without some scientific justification could easily lead to challenges, possibly legal ones.

If the association of noise with SD is clear, Project S.2.2 will help set a course for FAA action. If there is a noise metric that reliably correlates with an objective indicator of SD, then FAA can consider using it to adjust its noise analysis and mitigation methods and policies.

In general, there was considerable skepticism that adverse health effects, especially long-term health effects, produced by noise-induced SD could be identified with anything less than a long-term, very expensive study. Health effects, such as high blood pressure, can have many contributing factors, and it is unlikely that a contribution from SD due to aircraft noise can be singled out. Hence, using current data, Project S.2.3 looks only for a relationship between objective indicators of SD and short-term performance effects.

4 Third Workshop – San Diego, CA: Stakeholder Participation

The FAA held a one day workshop in San Diego in March 2010 following the annual UC Davis conference on aviation and the environment. Some 59 aviation, government and interested individuals attended. The primary purpose of the third workshop was to present the research roadmap projects associated with annoyance and SD and solicit reactions, comments and concerns of airports, communities and other stakeholders. The key issues developed in the preceding workshop in D.C. were related to the specific projects, and the projects were described. Some of the specific purposes of the projects could not all be explained at the workshop since the primary intent of the workshop was to provide the maximum opportunity for participant discussion.

In the previous workshop, the FAA invited subject matter experts to write brief papers discussing the current state of knowledge and prospects for further research using currently available data as well as acquiring new U.S. community noise survey data. These “information briefs” were available to attendees at this third roadmap workshop, and are provided in this document in Appendix D.

The following sections summarize the annoyance and SD projects, then summarize the comments and concerns expressed by the attendees.⁶

4.1 Annoyance projects

Annoyance should be thought of as two distinct types:

- Private annoyance or reaction or attitude – ascertained only from social surveys
- Public action or behavior – comprising complaints, organized opposition, legal action

What we know about private annoyance

- Determined by asking residents to rate their annoyance with aircraft noise on a scale ranging from not at all to extremely annoyed
- This method does not introduce significant bias in the responses
- Reported annoyance increases with increased noise
- There may be no lower limit of noise with no reported annoyance
- Annoyance reports are influenced by multiple non-acoustic factors
- Annoyance is different for different sources of noise (e.g., aircraft, rail, highway)
- Demographic factors such as age, gender, social status, income, education, appear to have no reliable effect on reports of annoyance⁷
- There is no clear “break point” in the data where annoyance transitions from gradual to rapid increase with noise level; “significance” must be determined as a matter of policy
- There is a lack of recent annoyance data for U.S. populations
- ISO is in the process of developing an updated relationship between aircraft noise and reported annoyance

⁶ For the full summary report of the second workshop, see <http://www.fican.org/faaworkshop.html>.

⁷ Although there may be developing some alternative analyses: see Maarten Kroesen, *et al*, “Estimation of the effects of aircraft noise on residential satisfaction,” Transportation Research Part D 15 (2010) 144-153.

Roadmap Project A1

Review Available Studies/Data. There are some 628 surveys cataloged.⁸ These should be reviewed with respect to the key issues (see Section 3.1). Are secondary analyses possible for some of the studies, singly or in combination? Identify gaps and design additional studies. ISO is currently reviewing existing survey data for a possible update of the %HA relationship (Schultz curve), as mentioned under “What we Know about Private Annoyance,” above.

Roadmap Project A2

Conduct New Surveys in U.S.*⁹ This is intended to be a comprehensive set of telephone interviews around multiple airports. Data to update noise contours, to document non-acoustic measures taken by airports and noise abatement procedures implemented would be collected in addition. The intent of this study would be to document changes, if any, between the multiple sources of transportation noise used by Schultz to develop the annoyance curve in his 1978 paper, while during the same evaluation, to assess whether there has been a substantive shift in the degree of high annoyance in communities exposed to aircraft noise since the phaseout of Stage 1 (and Stage 2) aircraft in the early to mid-80s and in 1999. The study would also shed light on research topics such as difference in responses due to step change versus gradual change in noise exposure, type/number of aircraft operations, alternative noise metrics, and non-acoustic factors.

Roadmap Project A3

Retrospective Study of Community Reactions.* The objective of this research is to develop analysis methods to help identify communities that may react negatively and strongly to the noise environment resulting from airport/airspace projects. Such knowledge could:

- Improve the effectiveness of public outreach during the NEPA process;
- Ensure that study assumptions and analyses address critical community concerns;
- Provide an opportunity during the NEPA process to explore reasonable alternatives that would lower the likelihood of adverse community action;
- Yield information that may be useful to help manage public expectations;
- Help airports and communities investigate abatement alternatives that are raised in such forums as round-tables or during general community outreach processes.

The results of this research are not intended to alter the basic NEPA requirements and procedures—only to assist the proponent to better understand the likely effects on surrounding communities and plan for them, either by modifying the project alternatives, providing supplemental metrics, or by identifying and reporting additional analysis deemed important to surrounding communities.

Roadmap Project A4

Develop Standardized Noise Complaint Handling System.* In the U.S. and other developed nations, many thousands of formal complaints are generated every year about noise due to transportation systems, particularly aircraft noise, but there is no standardized methodology available to capture and evaluate this freely provided data stream in order to understand what issues are generalizable across airports versus those that are truly airport-specific, and what common approaches may be used to reduce and/or address complaints. This proposed research project sets out to answer two main questions:

⁸ Bassarab, R., *et al*, “An Updated Catalog of 628 Social Surveys of Residents’ Reaction to Environmental Noise (1943 – 2008)” WR 09-18, November 2009,

http://www.faa.gov/about/office_org/headquarters_offices/aep/research/science_integrated_modeling/media/An%20Updated%20Catalog%20of%20628%20Social%20Surveys.pdf .

⁹ Projects with an asterisk (*) are being submitted for possible funding by the Transportation Research Board, Airport Cooperative Research Program, <http://www.trb.org/ACRP/Public/ACRP.aspx>.

- What can complaints usefully tell us and how could we use them to improve airport operations?
- What is the best way of handling complaints in a standardized format utilizing modern technology to improve communication and transparency across the aviation industry and with the residents in communities near airports?

The project would include interviewing airport staff, residents, airlines, and aviation agencies to understand current complaint management and value of a standardized complaint handling system. Current complaint handling would be investigated. Complaints from selected airports would be analyzed.

Roadmap Project A5

Test Methods for Communicating about Aircraft Noise with the Public. The approach would be to work with panels to test various ways of talking about what changes would occur and where, using such measures as changes in numbers of operations and distributions of aircraft sound levels by location. There has been at least one pilot test in the U.K. to explore how best to communicate these technical issues with the public.¹⁰ The study used a group of citizens, both living near airports and distant from airports, to test different methods of presenting information. The study identified some useful findings that should be further explored in the U.S. One of the clearest findings was:

“Universal acknowledgement that bar charts, for specific locations illustrating the numbers of events within ranges of maximum sound levels for given periods of the day, were the most informative and easiest to interpret of all the metrics viewed.”

4.2 Sleep projects

What we know about noise and SD

- Noises can awaken people
- People are awakened more readily in a laboratory setting than in their home
- There is considerable variation in awakening responses from person to person
- For most people, the chance of awakening from one event is quite small <10% for events less than ~75 dB(A) at the ear
- Subjective judgments of sleep quality are generally uncorrelated with objective measures
- Few people will awaken from events less than ~30 –40 dB(A)
- People normally awaken “spontaneously” several times a night, depending on how “awakening” is determined
- There is no consensus on the “best” method for studying noise induced awakenings

Roadmap Project S1

Meta study of reports of SD. This initial project is needed to determine what previous studies, data, and results might be useful to address the key issues (see Section 3.2). A first step would be to clearly identify the important variables associated with each of the key issues. The previous studies would be reviewed to identify those issues that have been included or addressed. Needed information that is not available will represent a gap in knowledge that will be used to formulate follow-on studies.

¹⁰ Hooper, P. *et al*, “OMEGA Community Noise Study, Indices to enhance understanding & management of community responses to aircraft noise exposure,” Manchester Metropolitan University / University of Southampton January 2009.

Roadmap Project S2

Compare Sleep Disturbance Studies of U.S. Populations with Results of Studies of Other Populations*¹¹. The most recent U.S. SD studies are those of S. Fidell. These studies used behavioral awakenings (the subject was instructed to press a button when awakened) and hence need to be compared with other studies that used the same technique, of which there is at least one. A statistical comparison should reveal similarity or differences of the populations studied. Reasonable similarity could be used to justify application of other European or other country study results to the U.S. Cultural differences should be documented if possible. Additional differences include different house construction techniques and window-opening practices. Weakness of the correlations would suggest need for additional U.S. studies - probably modeled on an accepted EU approach.

Roadmap Project S3

Compare Sleep Disturbance Models and Prediction Results for Realistic Scenarios of an Entire Night of Operations. One standardized method is available,¹² but other approaches should be developed and compared for a given set of realistic nighttime aircraft noise events and incorporate the populations affected. Time of night should be included.

Roadmap Project S4

Review and Examine Available Studies of Next-Day Effects for Sufficiency and Determine whether Additional Studies are Warranted. Next day self-reports are generally regarded as unreliable. Studies, both of noise-induced SD and other SD studies should be reviewed for objective measures of next-day effects such as reaction times. If non-noise studies indicate thresholds of disturbance that produce next-day effects, then the task is to determine, possibly from Project S3, under what conditions such disturbance thresholds would be reached due to noise.

Roadmap Project S5

Review and Examine Available Studies to Identify Populations that Experienced Variable Nighttime Exposures and Attempt Separating Effects by Exposure. At some airports, runway use or operations can vary from night to night. If such an airport has been a site for a SD study, it may be possible to separately examine subject nights, segregated by noise exposure. Such a study could provide insight into how changing nighttime noise affects a single population. Application of results would permit evaluation of the benefits of altering nighttime operations, such as changed flight operations or runway use, or by providing additional sound insulation.

Roadmap Project S6

Use Available Sleep Disturbance Models and Compare Nightly Awakenings with Corresponding Values of L_{night} . Most SD studies include for each subject, for each night, the levels of the individual aircraft noise events as heard in the sleeping room. If these levels are, or can be converted to, Sound Exposure Levels (SEL), then it is a simple matter to compute $L_{\text{night, inside}}$ for each subject night. Models that predict SD can also be applied to each night of operations to determine the associated probability of disturbance/awakening. Plotting of probability of disturbance versus $L_{\text{night, inside}}$ will show whether there is any correlation between the two variables.

¹¹ Included as one part of a submitted problem statement to ACRP; also being examined as part of a FICAN supported analysis.

¹² American National Standard, ANSI S12.9-2008, Part 6: "Methods for Estimation of Awakenings Associated with Outdoor Noise Events Heard in Homes," July 3, 2008.

Roadmap Project S7

Review and Examine Available Non-Noise Sleep Disturbance Studies of Health Effects for Applicability to Disturbances Produced by Noise. Assistance from SD researchers will be required to identify applicable studies and to properly interpret study results for application to noise-induced disturbance.

Roadmap Project S8

Work with the National Institutes of Health to Determine whether Previous or Pending Reach has or could Include Noise and Sleep.

4.3 Stakeholder discussions

During the third workshop, as the various projects were described, stakeholders were invited to ask questions and comment. They raised many issues about the relationship of the proposed research to policy, land use, dealing with community reactions and how noise metrics relate to these issues. The following sections summarize the discussions and provide links to the specific discussion that are documented in Appendix C. In Appendix C, links back to this section are provided as well.

4.3.1 Annoyance related topics

The relationship of policy to science and annoyance: Q1 - Q4

The relationship of aircraft noise and background noise in determining annoyance: C1- Q6

Community reactions that occur at levels below 65 dB DNL: Q7- Q9

Complaints, sources of and reasons for, subjective nature of: C2 - C9

Outreach and communication with communities: C10 - C14

4.3.2 Sleep related topics

Relationship of SD / awakening to various noise metrics: Q11 - Q13

Length of sleep: Q14

Limitations of available SD data: C17 - Q15

Practical applications of sleep research to policy/land use compatibility: Q16 - Q17

Difficulties of limiting night flights and regional planning: C26 - C37

Appendix A - Summary of First Workshop - Ottawa Forum Discussions

SLEEP DISTURBANCE

The following excerpt first states each of the eight SD questions, and then summarizes the ensuing discussions

- 1. Is it possible to design a new research project that will provide significant information in the short-term to markedly strengthen FAA's review and reformulation of policy regarding night-time flights?**

Barbara Griefahn gave an introductory presentation on SD research–

- Know that noise can cause SD
- Sleep disturbance can have many effects:
 - Sleep structure
 - Next day performance
 - Health related issues
- Contribution of noise to long-term health effects not quantified, and will be difficult to determine
- Major gaps in knowledge of SD effects on individual vulnerabilities

Group Discussion –

- Though people rated use of existing study data in the near-term more important than conduct of new studies, there was recognized difficulty, at least in a rigorous “meta-study” sense of making comparisons or synthesizing all study results - different methods, different / unknown window conditions, different climates and house constructions – though there is some opinion that people are the same everywhere in their likely reactions to aircraft noise awakenings. There was some support that it would be useful to study U.S. versus Europe and/or to study different house types to show repeatability of responses.
- 2. If there should be a new study for short-term research, how should it be designed? Specifically, is there a preferred measure of SD - behavioral awakenings, motility, etc. What are the strengths and weaknesses of these various measures and do some address the differences between “spontaneous” and “aircraft noise induced” awakenings better than others?**

Mathias Basner gave a brief introduction to the measures of SD

- Summarized basics of SD
- Highlighted difficulty in identifying cause for SD
 - A very sensitive measure gives too many reactions to associate one with aircraft noise and may be expensive to administer
 - Too insensitive a measure may miss important changes in sleep
 - Leans toward using ECG as a predictor for EEG awakenings as compromise; picks up awakenings that would likely be missed by button-push type method, which likely requires awakening to last for more than about 1 minute

Group Discussion –

- Those who spoke (about four people) seemed to support the use of the EEG as a means to measure awakenings.
 - At this point, the concept of using two types of contours was first raised – one for annoyance (like DNL) the other for some measure of awakenings – and Norway uses such a two criteria system, choosing whichever gives the largest area for decision making.
 - Ratings suggest either ambiguity on the importance of this question, or that it is less important as a research question. However, at this point in developing the research agenda, all research issues are being retained for consideration.
 - *Preliminary AEE assessment: for questions 1 and 2, although discussions didn't lead to answers to the questions or clear directions on how to handle the research questions, the discussions do suggest that more in-depth discussion is needed on what types of studies should/could be conducted.*
- 3. Should a new study incorporate vulnerable groups (children, diseased, elderly, shift workers) and if so, how?**

Group Discussion –

- Different definitions of “vulnerability” are possible. For the military, Post Traumatic Stress Disorder clearly identifies a vulnerable group. Children are sometimes thought of as vulnerable, though no one knew of any conclusive work regarding SD. Some people identify themselves as “noise sensitive,” and there is some uncertainty whether these people experience different reactions, possibly cardio-vascular effects, from those who do not identify themselves as noise sensitive. On the other hand, some people may be identified as physiologically noise sensitive, and little is known about their reactions to noise.
 - This question is rated as high importance by a small plurality (18 rated as high, 14 rated as medium).
 - *Preliminary AEE assessment: discussion needs to center on value of studying vulnerable groups.*
- 4. Should there be an epidemiologic study on the effects of (nocturnal) aircraft noise?**

Group Discussion –

- Though Mathias made the point that epidemiologic studies do not have to be long, there was little enthusiasm for pursuing this type of study in the near term, as is also reflected in the ratings of importance.
- *Preliminary AEE assessment: plan to invite broader sleep and health research community (e.g., Stanford University Center for Human Sleep Research) to address this question.*

5. For data collection and analysis, what is the most appropriate descriptor of an aircraft noise event – is either SEL or Lmax sufficient, or should additional variables such as event time history or frequency content be investigated?

Group Discussion –

- People clearly rated this as a research question of high importance. Judging from the discussion, this rating is based on the widely expressed importance of communicating clearly with the public, but also on concerns about setting impact thresholds (repeated in discussion of question 7, below). The participants were not in complete agreement that any descriptor should be used to identify a threshold of impact or of acceptability/unacceptability. Discussions ranged from developing indices that permit trading permits for air traffic noise (the MIME project, www.mimeproject.com/portal/Actions.do¹³), a clearly regulatory approach, to providing only information such as numbers and levels of operations, to describing, in some way, the number of awakenings produced.
- Facilitator made the point that the thresholds originally developed for and by the U.S. EPA were based on first examining the relationship of effects – annoyance, speech interference, complaints (nothing known then about SD) – then identifying a level that would minimize these, and that, if set lower would result in little additional important benefits.

6. How should SD results be extended to an entire night; to populations, to sub-populations?

Nick Miller discussed translation from single event to entire night of aircraft operations

- Results of all SD research is for probability of disturbance from a single event
- But during the night there may be many operations of different levels at different times of night

7. What metric(s) are most suited to regulation? (Lnight, % “impacted”) and why?

(Note that, due to time constraints, and flow of the discussion, participant discussion flowed right into question 7, with little time spent specifically on question 6. Ratings for these two questions are significantly different, with 6 generally not thought of as high in importance, while 7 is rated by more people as high in importance.)

Group Discussion –

- Some participants expressed concern that limited research data couldn't be extended to the entire country, taking into account city background noise versus rural background noise, though others pointed out that the Schultz curve has been applied universally to explain reactions to aircraft noise and this approach could be used for sleep awakenings as well. Also, considerable analysis (by J. Fields) showed that background sound has little if any effect on annoyance. It was noted, however, that the nature of background noise in a sleep situation is likely to be a phenomenon quite different and separate from the effects (if any) of background levels on annoyance. There is also an ANSI standard available for determining

¹³ The MIME concept is to buy and sell the right to produce annoyance, similar to emissions trading.

awakenings. Sleep disturbance contours could be useful information for potential home buyers.

- *Preliminary AEE assessment for 5, 6, 7: these are questions that need to be further explored in determining what studies should be conducted.*

8. Exposure-response relationships are usually “s-shaped” continuous functions, and not “all-or-nothing” relationships. In this situation, what is the best way to select scientifically based limit values or goals for mitigation measures?

Mathias Basner discussed issue of selecting “thresholds” or criteria

- Not only is there no clear division between effect and no effect, but it is likely that there are a number of s-curves applicable to different sensitivities to awakening.

Group Discussion –

- Two primary points were made. First, SD data are not nearly as extensive as the annoyance data. Second, policy goals can not be set on effects alone, but should include costs and feasibility, but there was no clear expression of how costs relate to preventing SD, though Norway provides a recommended level indoors and a required level – cost being the determinant of how much below the required level is achievable. Are there cost savings to be had through limiting SD? People rated this question more than any other question low in importance.
- Field and lab studies differ (Basner); also sleep test subjects are not randomly selected while annoyance survey subjects are.
- Complexities of SD were also discussed including habituation for sleep (generally little evidence, at least not complete habituation or wouldn't be awakenings to measure), self-selection for living near airports (no evidence of self-selection).
- *Preliminary AEE assessment: we have no control over the shape of exposure-response relationships. What may be helpful to establish significance is placing aircraft-induced awakenings within the context of other awakenings. For this, again, broader sleep and health research community help may be needed.*

ANNOYANCE

1. Assuming %HA versus DNL is an important measure of noise impact, what types of research would:

- Reduce the scatter of annoyance versus DNL?
- Update the relationship of annoyance to DNL - e.g., to account for changing conditions such as increased sensitivity to noise or increasing numbers of quieter operations (does “equal energy” apply), to focus solely on aircraft noise?
- Identify alternative or additional metrics to DNL that correlate with %HA?

Group Discussion –

- A strong consensus was clear that the relationship of %HA to exposure needs to be updated. The updated relationship should be for aircraft only, and the exposure should be maintained as a Leq (10Log number of events) type of metric. Current ISO (1996) and ANSI (S12.9) standards need to be considered, but an update should look at the more recent survey results.

- Factors mentioned that could reduce the scatter include (not in any particular order): 1) including number of aircraft operations in the independent variable, 2) exploring reasons for variations in community (not individual) response (the variations would not be socio-economic or demographic, but history of interaction with airport, political activity), 3) alternative metrics, especially those that are functions both of sound amplitude and frequency (e.g., EPNL, LLSEL, “integrated” loudness) since these may better correlate with human hearing as the sound is heard *indoors*– (requires new data), 4) differences between communities such as the sound isolation provided by homes typical to a community. Concept of equal energy [energy average] appeared to remain acceptable; Leq has held to be a good metric throughout many experiments but should evaluate others. Survey data have been collected over many years and may make possible examination of changes in reaction over time.
 - Several attendees discussed the need to quantify noise exposure in a manner that more closely reflects actual experience –e.g., time indoors/outdoors, effects of house construction on indoor levels, etc.
 - Socioeconomic effects were discussed, but research (according to attendees Schomer and Fields) rejects the hypothesis that annoyance reactions are influenced by socioeconomic status.
 - Scatter can occur not only in the independent variable of level, but in the determination of %HA – over the years there have been different scales, different questions, applied to different communities.
 - Supplemental metrics were discussed as well and judged as very useful for communication with the public, but probably difficult to apply to land use planning (policy).
 - *Preliminary AEE assessment: Consensus in elements of this discussion is leading FAA to pursue near-term research using existing data.*
- 2. Assuming impact should be based on more than annoyance, what further research is required, if any, to develop defensible relationships between aircraft noise and such effects as:**
- Sleep disturbance (discussed this morning)
 - Daytime annoyance (or other times of day)
 - Induced house vibrations and audible rattle
 - Interference with learning
 - Speech interference indoors and outdoors

Group Discussion –

- There was discussion of the effects on learning and on low frequency effects on houses. The ratings showed no strong support for researching this area further. However there are standards for sleep (ANSI 12.9 part 6) and for schools (ANSI S12.60-2002) that should be considered.
- *Preliminary AEE assessment: given that these are known noise effects, FAA will continue to keep these in mind as potential research areas, albeit at different priority levels. FAA is already involved in upcoming/ongoing research efforts in some cases, such as in children’s learning and SD.*

3. Assuming impact should be based on more than annoyance, what studies can be done to combine, relate or prioritize multiple effects in a way to inform a policy that needs to be implemented across the wide variety of airports in the country?

Group Discussion –

- Though there was some disagreement on having multiple effect metrics, this question was rated as of high importance by a strong majority of the participants. The consensus was that multiple effects should not be combined, but determined separately and presented as information, not necessarily with any standards set. International standards and guidance should be consulted.
- Discussion on need for up-to-date synopses of state of knowledge of many effects of noise. One potential source is International Congress on the Biological Effects of Noise (www.icben2010.org).
- *Preliminary AEE assessment: As noted re: Question 2, FAA acknowledges that there may be multiple effects. For now, it may be simpler to address the effects separately as suggested by the discussion.*

4. What research can identify whether impact from steady-state or gradual change in exposure can be assessed in the same manner as impact caused by a step change; if not how should it be done?

Group Discussion –

- A fairly strong difference of opinion was evident here, though judging by the ratings there is, if not strong differences, possibly some uncertainty of the importance of this question. The fundamental issues were: 1) current response data are based on steady-state, 2) from attempts to research this issue it appears abrupt changes are very rare, 3) abrupt changes and resulting reactions are what must commonly be addressed by airports and politicians after changes in airport/aircraft operations occur, 4) current analysis approaches provide information only about steady-state reactions and hence underestimate the reactions. The policy question is therefore, should information about abrupt change effects/reactions be provided as part of the study process, and if so, how should such abrupt change effects information be developed?
- The data available for quantifying reactions to abrupt changes is weak and can't be generalized, but it suggests there is "excess" change in reaction that may be equivalent to an additional 10 to 15 dB increase on top of the reaction expected from the steady-state reaction. This excess change appears to reduce toward the steady-state reaction only over a period of years.
- A five year study at Schiphol (cited by attendee van Kamp) showed clear incidence of "excess change" in response do to a change in exposure.
- *Preliminary AEE assessment: look for opportunities to study projects with known anticipated step changes.*

5. What research can inform the process of setting thresholds of impact?

Group Discussion –

- Participants had very little to say about setting thresholds, and the ratings showed a near majority thought it to be a question of low importance. The discussion turned to alternative/supplemental metrics – good for communication but probably not land use planning.
- *Preliminary AEE assessment: given limited discussion, would like to reopen discussion at workshop.*

6. What research can identify the types of information that should be provided, the forums/presentation formats, and the extent and timing of outreach that are most effective?

Group Discussion –

- General support for using the focus group approach to test different methods of information presentation and to find the most effective approaches. Ratings also show recognized high importance. The approach might start with using psychologists and students to inexpensively narrow down to most effective methods. The approach could also use neighbors from around airport(s) to test ways to communicate clearly. Ken Hume has done some focus group work and will provide Raquel with a website address.¹⁴ It might be useful to study airports that provide public access through the internet to flight tracks as a means that helps a community accept/understand airport operation.
- EU has published (2002) a set of rules on how to communicate with public.
- *Preliminary AEE assessment: ACRP projects investigating best practices and developing guidebook; discussion suggests more scientific approach could be used to study improving communication.*

7. What research will identify which acoustic and non-acoustic factors are correlated with negative community reactions such as complaints, legal action, and involvement of politicians that can occur after noise changes from airport actions or airspace redesign?

Group Discussion –

- General support for examining historical information on how communities reacted to new runways. The approach should be to study new runway situations over past 10 years, gathering systematic data – history, publicity, local newspapers – not social survey or socio-economic factors, but political and organizational variables. Ratings show high level of support for this question as well.
- *Preliminary AEE assessment: it is likely that such a study can be conducted in the U.S. in the near term; would be interested in similar studies outside U.S.*


¹⁴ Hooper, P. *et al*, “OMEGA Community Noise Study, Indices to enhance understanding & management of community responses to aircraft noise exposure,” Manchester Metropolitan University/University of Southampton January 2009.

Appendix B - Summary of Second Workshop Discussions

ANNOYANCE DISCUSSION

The annoyance roadmap aims to seek improvements to the current first-order approximation model used by FAA for a relationship between noise exposure and annoyance, shown below in Figure 3.

Simple model for annoyance



[FICON 1992, Federal Agency Review of Selected Airport Noise Analysis Issues]

Figure 3 First-order model of annoyance and noise exposure

The roadmap follows a path that starts with the simple model above and identifies issues that should be researched either with existing data or with follow-on field studies to improve upon the model (or develop multiple models) to better capture the relationship between noise exposure and annoyance. Improvements to the model(s) would provide FAA a scientific basis by which to update its policy on what it considers significant noise impact for environmental studies, on how it establishes criteria for airport-compatible land use, on when to adopt noise mitigation measures, and on how best to reduce the effects of noise.

Synthesis of Discussions on Research Topics

The discussions at the workshop covered many of the topics and thoughts raised previously in the Ottawa Forum, but provided additional details and brought new participants into the process. From these two meetings, sufficient ideas and perspectives have been aired to permit development of a draft research roadmap.

Discussions started with the important distinction between personal annoyance with aircraft noise and public or community action against aircraft noise. Annoyance can be determined only by social surveys of individuals exposed to known levels of noise. Traditionally, the results are reported as percent of the population who say they are highly annoyed. Public or community action is what is manifest as complaints to an airport, organized expression of dissatisfaction or, occasionally, legal action. The following issues address one or the other of these two phenomena.

KEY ISSUES RAISED DURING THE DISCUSSION THAT NEED TO BE CONSIDERED IN DEFINING THE RESEARCH ON AIRCRAFT NOISE AND ANNOYANCE

1. What factors affect annoyance?

The current single relationship between %HA and annoyance may be inadequate because of a number of factors which need to be investigated systematically with research:

- Has annoyance increased with time? Some recent research studies suggest that for a given level of exposure in terms of DNL or Lden, annoyance has increased
- Is annoyance different for different aircraft? All things being equal, would people in communities around general aviation airports with all or predominantly propeller aircraft report similar degrees of annoyance to people living around commercial jet airports or military bases?
- Is annoyance different in locations dominated by low frequency noise or in different areas around an airport? Many airports have observed that the noise environment along a runway, exposed to start of take-off noise is very different from that under the flight corridors. Residents have complained when standard computations show the levels to be normally compatible. This issue is intended to address whether reported annoyance is different in these areas and whether they should be analyzed differently from other areas.
- Is annoyance affected by airport/community interactions? Workshop attendees suggest that an important component of individual annoyance is the relationship the individual/community has toward the airport.
- Is annoyance due to a step change the same as annoyance for more gradual changes?

Note: There are a number of other known issues not discussed at the workshop, but need to be part of the research roadmap because they are not considered in current practice. These issues include differences in exposure-response relationships between transportation modes and determining whether a model based on noise metrics other than DNL or a model based on DNL's separate components might be better than the current DNL model.

2. Can community reactions in the form of public action be predicted?

Projects such as new or lengthened runways, re-designed airspace or new aircraft types sometimes result in significant community reactions including organized complaints to the airport, and to local or federal officials. Understanding the factors that may be related to these reactions could help in predicting beforehand such outcomes and managing for them.

3. Can noise complaint data be used as an aid to airport management?

Complaints about noise tend to identify unusual or unexpected events or circumstances. Patterns of complaints (aside from those by the few individuals who complain very frequently) may reveal changes at an airport previously judged to be inconsequential. Many airports collect complaint data and may respond with an acknowledgement or with follow-up investigation. But rarely do airports have the time or resources to construct and analyze patterns of complaints. Limited research into alternative uses of these data could assist airports in tracking trends and identifying changes that may not be incidental or occasional.

There was some disagreement among workshop participants regarding what could be learned from currently available data versus the need for new data, especially around the U.S. The FAA has invited subject matter experts to write brief papers discussing the current state of knowledge and prospects for

further research using currently available data as well as acquiring new U.S community noise survey data. These information briefs will be provided at the noise research roadmap workshop to be held in San Diego, CA in conjunction with the UC Davis symposium on March 4, 2010.

A.1. INITIAL PROJECTS - WHAT RESEARCH RELATIVE TO THE KEY ISSUES HAS ALREADY BEEN DONE?

From the discussions, it is clear that a great deal of research has been done on the relationship of community annoyance to aircraft noise, but there remains potential for investigating the issues above using already available data. The primary research of interest is based on surveys of populations affected by aircraft noise, either living around airports or living under flight corridors – or a combination of the two. This research has resulted in reports and, often, in databases of the survey responses, associated sound levels, and other variables of interest.

An initial project could focus on identifying previous work that address the key issues identified above, assembling and making accessible as much of this previous work as possible. This project would help us determine whether existing data could be re-analyzed to answer some of our research questions. Other initial projects include identification of past airport or airspace developments that resulted in significant changes in community noise levels, and selection of acceptable methods for computing the effects of aircraft noise on people.

A.2. FOLLOW-ON ANALYSIS OF COLLECTED INFORMATION

Once the preliminary projects A.1 have identified useful studies, data, projects and noise effects calculation methods, the follow-on projects would use that information in an effort to develop improved models of the relationship between noise exposure and annoyance, to determine whether public action against noise can be predicted, and to provide airports and agencies with methods for making constructive use of complaints. All projects will identify gaps in information or knowledge that can help in the design of future studies

A.3. NEW AIRPORT COMMUNITY NOISE STUDIES

While studying how existing data can improve our understanding, it is anticipated that these efforts would need to be supplemented with new community studies in order to more definitively improve upon the model (or develop multiple models) that better capture the relationship between noise exposure and annoyance.

Discussion Topics not included in above Projects

During the workshop there were mentions or discussion of several topics that are not addressed explicitly in any of the above projects.

- Meta-lab or lab studies – to compare reactions to low frequency noise with the Tokita and Nakamura⁵ human reaction relationship. Possible use of the NASA low-frequency listening room was suggested.
- Use of virtual technologies – Are there any known applications of virtual technologies to help understand annoyance – visual or audio virtual realities?
- Getting information directly from the public – Is there some way to acquire annoyance or other judgments directly from the public through use of the internet, social networking applications, or other? (See <http://soundaroundyou.com/> for a method being used in Europe to build a database of opinion about soundscapes using mobile phones or PDAs.)

- Implementation needs – If FAA does move toward changing land use compatibility guidelines or indicators of noise impact, such changes would likely need extensive intra-government/intra-agency coordination and cooperation.
- Simple description of 65 DNL – Many attendees thought that having from FAA a clear, concise statement of why 65 DNL is the compatibility policy would be very helpful in working with the public. The description might also include what effects occur at 65 DNL.

SLEEP DISTURBANCE DISCUSSIONS

Present FAA policy addresses land use compatibility and impact solely in terms of type of land use and the value of aircraft-produced DNL. While DNL takes into account the increased sensitivity to noise during nighttime hours by including a 10dB penalty on nighttime flights, researchers have found that other noise metrics relate better to the effects of nighttime aircraft noise on sleep. Accordingly, one part of FAA's focus for research is the relationship between nighttime aircraft noise and its effects on sleep.

Synthesis of Discussions into Research Topics

In general, there was agreement that the study data relating noise events to SD represent a very small sample of the populations exposed to nighttime noise. The samples are highly selective since the studies are demanding of the subjects' time and effort, and do not include children, the sick or those with sleep disorders.

There was no consensus on the value of examining/reviewing previous studies, however, there appeared to be sufficient support to do so, such that a review should be an initial step in the sleep research roadmap. These studies of noise (from any noise source) and sleep would be reviewed for their usefulness in addressing the research topics, either with data or results, or to determine the type and size of future studies required. The following topics represent a synthesis of the group discussions and roadmap concepts developed by the expert panel before the workshop and follow-on expert panel review.

KEY ISSUES TO BE CONSIDERED IN DEFINING RESEARCH ON AIRCRAFT NOISE AND SLEEP DISTURBANCE

The synthesis of discussions at the workshops and expert panel review and comments identified six issues that, if understood, could assist FAA in evaluating policy relative to nighttime aircraft noise.

1. Do different populations respond differently to nighttime noise?

Much of the recent research on noise and sleep has been conducted in Europe. This issue addresses whether those studies and results could apply to U.S. populations.

2. What noise metric correlates with SD?

Are there sufficiently reliable models that relate a noise metric to SD? There are reliable computer models that predict aircraft noise. This question seeks to determine whether there are reliable methods for using those predictions in estimating SD from night time aircraft operations.

3. Does time of night make a difference?

Some research has shown that study subjects awaken more easily from noise as morning approaches. Having the ability to estimate this difference would permit a distinction between the SD effects of late-night arrivals and of early morning departures.

4. What is the relationship of noise induced SD to next day effects?

Do studies reliably identify the performance/sleepiness effects of awakenings caused by night time noise? Such a relationship would suggest the health significance of being awakened by aircraft noise.

5. How does a given population react to different levels of nighttime operations?

One means for reducing the effects of aircraft noise on sleep would be to provide additional sound insulation. FAA has provided significant funding to support sound insulation of homes around airports throughout the U.S. This sound insulation decidedly reduces speech interference and general noise intrusion indoors. But how has such reduction of interior noise levels affected SD? Are there any previous studies of populations living in areas around airports that from one night to the next experience very different levels of aircraft noise, such as those that would occur for changing nighttime runway use? If so, analysis might be able to quantify the benefit of added sound insulation in terms of reduced SD.

6. How does Lnight correlate with number of noise induced SD?

The World Health Organization has recommended use of Lnight for setting standards in Europe for night time noise. Research, however, has focused on the relationship between single noise events and the probability of awakening. Can these different approaches be reconciled?

7. What other studies of SD can inform research of aircraft noise and SD?

Considerable work has been done on understanding the causes and effects of SD. Can any of this work help advance the limited knowledge on the effects of noise produced SD.

Other issues not discussed but that need to be part of the research roadmap because they are gaps in our understanding of aircraft-noise-induced SD include how to determine if an awakening was spontaneous versus one that was caused by aircraft noise.

S.1. INITIAL PROJECTS - WHAT RESEARCH RELATIVE TO THESE KEY ISSUES HAS ALREADY BEEN DONE?

Project S.1.1 - Meta study of reports on SD

As with the annoyance/community reaction issues, this initial project is needed to determine what previous studies, data and results might be useful to address the key issues. A first step would be to clearly identify the important variables associated with each of the issues. The studies would be reviewed to identify those that are included. Needed information that is not available represents a gap in knowledge that may be used either to formulate follow-on studies or that suggests further attention to the issue.

S.2. FOLLOW-ON ANALYSES OF COLLECTED INFORMATION

Potential projects listed below were discussed.

Project S.2.1 – Compare SD across populations

A limited number of U.S. and European studies collected similar awakening data; a few studies in both areas used “behavioral awakenings” – i.e., the subject pressed a button when awakened. These can be compared to statistically compute differences in responses. Reasonable similarity could be used to justify application of other European or other country study results to the U.S. Cultural differences should be documented if possible. Additional differences include different house construction techniques. Weakness of the correlations would suggest need for additional U.S. studies - probably modeled on an accepted EU approach.

Project S.2.2 – Evaluate available noise dose-sleep response relationships for practical application

There exist some models for estimating awakenings from single noise events and for a full night of operations. Do models contain time of night of the event as a variable, and if not, is it possible to derive the dependence from existing data? These models should be evaluated/tested for producing results that are reasonable and that could serve policy development. Identify strengths and weaknesses of the models.

Project S.2.3 – Examine relation of noise-produced SD indicators with next day effects

There are some studies that relate SD to next-day measures of performance, sleepiness or other effects. Are these sufficient to relate noise-produced SD to performance or are additional studies required?

Project S.2.4 – Examine SD for a population exposed to different numbers and levels of night time noise events

Most sleep studies accumulate all awakening and noise event data across all nights by subject. Can reanalysis evaluate nights separately by subject so that the disturbance can be correlated with nights having significantly different levels of noise? For example, changed runway use night-to-night would result in some areas receiving very different noise exposures, night-to-night.

Project S.2.5 – Explore relation between $L_{\text{night, outside}}$ and SD

The World Health Organization has proposed night noise guidelines for Europe using $L_{\text{night, outside}}$ as the metric of noise. Some studies have found that, though SD increases with increasing $L_{\text{night, outside}}$, better agreement between nighttime noise and disturbance is achieved by including number of operations. This project is to examine different methods for using available models of awakening (e.g., Project S.2.2) to examine the relationship between $L_{\text{night, outside}}$ and predicted awakenings.

Project S.2.6 – Use findings of non-noise SD studies to associate SD in terms of physiological metrics with follow-on health effects

- Identify expert sleep researcher(s)
- Consult with expert(s) on likelihood of using available sleep research results to inform investigations of noise-produced SD.

Project S.2.7 – Coordinate with NIH to determine whether any health studies have included noise, and whether any upcoming studies might be modified to include noise and sleep

These NIH studies should be valuable in connecting SD of any origin with health effects.

S.3. NEW NOISE/SLEEP STUDIES

Studies of the effects of noise on sleep are limited and technologies have been developed for better data collection. It is widely recognized that these studies have been conducted on very limited populations, especially in the U.S. Consequently, new studies will be designed and pursued, using findings of the above projects as guides to critical gaps in knowledge. The group discussions tended to support the need for these projects, but also identified considerations that may limit what can be learned from researching these topics. Discussions also identified additional variables that should be considered in any research efforts.

Appendix C - Summary of Third Workshop - Stakeholder Discussions

This appendix provides only the details of the stakeholder discussions. The full summary report of this third workshop is provided at: <http://www.fican.org/faaworkshop.html>

<<<FIRST ANNOYANCE DISCUSSION>>>

At this point in the workshop, attendees were given an opportunity to raise questions, issues, concerns and ideas. The following paragraphs summarize these comments and respond to them in the context of the research roadmap. Some liberty has been taken in clarifying the discussions. Some of the meeting member's comments/questions have been parsed in order to separately address the individual questions in an orderly manner. The connections made with the roadmap projects were not all provided at the workshop since the primary intent of the workshop was to offer the maximum opportunity for participant discussion. **These connections that were not provided are shown with this type font.**

The discussions are summarized in terms of Q(uestion), C(omment) and A(nswer), to signify that some attendee in the group has raised an issue (Q or C), and another person or several people –in some cases the FAA, but in other cases other attendees – have responded.

Q1: Does the Schultz curve address frequency of operations? Experience shows that the greater the frequency of loud events, the more likelihood of annoyance. [Return to **annoyance** topics]

A: In some ways, DNL and %HA are intended to address this issue since more loud events mean a higher value of DNL. **However, the research would examine previous surveys (Roadmap Project A1, Page 12) to determine if any of these surveys contain enough information about numbers of operations to learn whether numbers (frequency) should be included in an additional manner into the determination of the noise exposure metric. Possibly, if Project A1 shows a significance of number of operations, new surveys, Project A2, may include number of operations as one of the variables collected during the survey(s).**

Q2: Any results of the research used for policy decisions should be based on the best scientific evidence. When the effort first began to reduce noise, supposedly the policy was based on scientific evidence, but we still have noise problems. Why should this effort be better; what happens if, after the research is completed and implemented, we still have a noise problem?

A: As far as past policy is concerned, much progress has been made in reducing aircraft noise, largely through the phase-out of the older, noisier aircraft, and the introduction of the much quieter high-bypass ratio jet engines. On the other hand, the compatibility policy of 65 dB DNL was originally established as a compromise based on feasibility and the large land areas encompassed by 65 dB DNL. If the research results in an altered noise and land use compatibility policy, say 60 dB DNL, then, to the extent that jurisdictions restrict noise sensitive development at or above that threshold, the problem should be reduced. However, there are many situations in city airports where people will always live in high noise areas, and for those, only quieter aircraft and possibly sound insulation will reduce the noise problems. It is unlikely that the “problem” from the annoyance perspective will ever be eliminated unless aircraft become essentially inaudible around airports.

Q3: We have heard that noise levels explain only a part of the annoyance so that there are unscientific factors that play a role. How can noise be held responsible for these non-acoustic factors and how can the roadmap take this into account?

A: The understanding is that some things, such as attitudes toward the airport, toward the FAA, toward pilots can affect the extent and intensity of annoyance. All of the annoyance Roadmap Projects contain possibilities for identifying non-acoustic factors that might be important. **Project A1 would look at previous studies to learn if any other variables, such as anticipation of changing noise exposures, limited interactions at the time of the survey between airport and community, previous experiences that could have led to loss of community confidence in the airport, could be analyzed. Project A2 would include such variables in the design of the surveys. Project A3 would look for similar variables in examining community reactions. Projects A4 and A5 are both directed at improving the non-acoustic factors of community/airport relationships concerning noise and communicating about it.**

It is important to be clear, however, that annoyance is a result of both acoustic and non-acoustic factors. That some of these motivators are “non-acoustic” should not be taken to mean they are unscientific; it is just that we can not always fully identify these non-acoustic factors.

Q4: Communities and local jurisdictions would benefit if research and policy could address all “cumulative” noise, not just aircraft noise. Communities need a good basis for limiting non-compatible developments, and that basis would be more defensible if it addressed all sources of noise. It would be helpful if this research could also identify that other sources of noise need to ultimately be considered in determining land use compatibility.

A: There currently is no federal level noise policy, though the National Academy of Engineering is drawing up such a draft policy. However, this present FAA work will be directed at only aircraft noise as it is experienced by communities around airports. [Return to **annoyance** topics]

C1: Two surveys were conducted in Tempe Arizona before and after opening of a new runway at Phoenix International Airport. No reference was made to aircraft noise, but people identified aircraft noise as an issue, and at distances further from the airport than anticipated. So it seems it may be possible for people to identify the sources of noise that affect them, even when not directed to consider a specific source and that aircraft noise can be separated in people’s minds from other sources of noise. [Return to **annoyance** topics]

Q5: Is there a relationship between the Schultz curve, 65 DNL, background noise and annoyance from noise sources?

A: Most surveys that examined reactions to road and aircraft noise found people were able to separately judge aircraft noise; people seemed to have a compartmental judgment of those different noise sources.

Q6: To clarify, does the level of background noise affect people’s annoyance? For example, people living just outside 65 DNL in East Boston would reply differently from people living just outside 65 DNL in Jackson Wyoming.

A: We don’t have many surveys in areas like Jackson, Wyoming. But where researchers have tried surveys in suburban and urban areas, this does seem to be true. For a few done in more rural areas, the

results seem pretty mixed. You have to be careful because these studies have inconsistent levels of detail and results.

From an airport’s perspective, the research should focus on determining the Schultz curve for aircraft only, and for only the U.S., and whether this curve has moved and whether the level of significance should be changed. [Return to **annoyance** topics]

<<<End First Annoyance Discussion>>>
<<<SECOND ANNOYANCE DISCUSSION>>>

Q7: Communities at one Southern CA airport were very upset about a change from one aircraft type from King Air to Embraer: people identified the “vibrational (sic) level” that “drove them crazy.” The issue was one of 15 or 20 turboprops [per day?] overflying a community. Reactions were not an issue of traditional noise exposure, which was measured at approximately 45 dB CNEL. This continues to be a matter under investigation.¹⁵

A: There is no roadmap project focused specifically on low frequency noise at this time. The Center of Excellence, the Partnership for AiR Transportation Noise and Emissions Reduction (PARTNER) has studied and continues to study in some detail, human reaction to low frequency aircraft noise and appropriate methods for quantifying and assessing noise with significant low frequency energy.¹⁵ However, Projects A1 and A2 might reveal whether different aircraft types produce different degrees of reported annoyance. [Return to **annoyance** topics]

Q8: What obligation does FAA have to deal with reactions to change when noise levels are well below any concerns about health and welfare? Certainly, an airport will have to deal with a change that generates complaints, but what role does FAA play?

A: Part of the purpose of the research is to help guide FAA in identifying when federal action is appropriate. There is no expectation that everyone’s issues with aircraft noise will be addressed and all problems eliminated. The research does address public reactions or behaviors from the perspective of whether these reactions can be predicted (Project A3, below), whether there are better ways to communicate with the public (Project A5) about expected changes, and whether or not health and welfare are at issue. Thus, if research identifies how to better predict reactions, better collect and respond to complaints, and how better to communicate, FAA could, for example, offer guidance for managing these aspects of community / airport interactions.

Q9: How can the research distinguish between community reaction caused by a change at levels well below any compatibility threshold, and changed annoyance/behavior due to a change related to health impact, and what is FAA’s responsibility for dealing with either?

¹⁵ Later research showed that at several locations around the airport, the C-weighted maximum minus the A-weighted maximum was higher for the Embraer 120 than for most other aircraft using the airport, suggesting a non-typical presence of low-frequency versus high-frequency sound energy.

A: The research will consider whether some of the studies contributing to the annoyance curve were conducted around airports with “hot button” issues. We need to distinguish between these types of behaviors. However, if attitudes (private annoyance – survey based) does increase, all the details, acoustic or not, may not really matter – annoyance is annoyance, and it was a result of some sort of noise.

Again, the distinction needs to be made between attitude and behavior (private and public expressions of annoyance). The changes in attitude due to step changes in noise exposure can be addressed in **Projects A1 and A2 though currently, there is no project directed specifically at doing before and after surveys around airports that experience such a step change.** As to change in behavior, [Project A3] is directed specifically at whether, within the context of FAA responsibilities, it is possible to correctly anticipate when and where a change will result in community reactions. For changes outside of this responsibility, such as the one mentioned earlier caused by a change in aircraft type, it is possible that results [from Projects A4 and A5] will aid this type of ad hoc response that airports need to make to these types of complaints. **Project A4 could assist in developing universal causes of complaint - i.e., one type of turbo-prop seems not to bother people, while another type does - and Project 5 could help in communication with the public as well as add to understanding the underlying causes of the complaints.** [Return to **annoyance** topics]

<<<**End Second Annoyance Discussion**>>>
<<<**THIRD ANNOYANCE DISCUSSION**>>>

C2: There are many causes for complaints other than noise or even changes in noise. A newspaper article about the airport can raise complaints. These causes need to be noted in the complaint data if they are to be understood. Wide distribution of the noise complaint phone number for example can generate an increase in complaints. [Return to **annoyance** topics]

C3: Some airports maintain sufficient information to associate complaints with specific non-noise events. Misperceptions about changes or expected changes in operations can lead to increased complaints.

C4: Absence of complaints does not mean there are no noise issues. Perhaps very good outreach, including resources to track airport activities, limits complaints. Complaints need to be treated very cautiously. They may be “preventive” in the sense of trying to prevent an anticipated action.

C5: FAA also receives complaints, especially for small airports with no noise office. It would be useful if any organization that receives complaints had the same tools - the same complaint handling process available so that all complaints are to be treated uniformly and in a scientific manner. The FAA keeps track of complaints, and asks for written versions. If contours are available for the subject airport, the FAA will route complaints to FAA Airports Office if the complainant is inside the 65 DNL contour, and to FAA Airspace Office if the complaint is located outside of 65 DNL.

C6: The closing of El Toro might be useful for the retrospective study. Communities were apparently unaware of John Wayne overflights while El Toro was in operation creating noise, but after it closed, communities apparently became aware of John Wayne operations and complained that FAA had changed the airspace. John Leyerle collected considerable data that may be useful for such a study.

C7: It might be useful to relate noise levels to health effects (from stress perhaps) so that changing procedures to limit or move noise in quieter areas (outside the 65 DNL contour) could be better justified, rather than relying on annoyance. The point is the easy things have been done, and if making small

changes could be shown to be of a benefit to health, then the complexities of moving flight tracks would be easier to justify - especially if the need for these changes could be linked to NextGen.

A: FAA is trying to link health and welfare¹⁶ effects to noise as part of the NextGen efforts. The health and welfare effects are also being examined as part of the analysis of emissions. It is expected that noise and emissions will need to be balanced in terms of their health and welfare effects.

C8: Awakenings due to nighttime operations need to be included, even if these awakenings do not appear in the complaint data. People will awaken but do not get up to complain, and may not remember or bother to the next day.

A: Sleep disturbance is an important part of the research.

C9: In anticipation of a possible temporary change in departure procedures at San Diego, due to taxiway construction, the airport sent out some 6,000 mailers alerting residents likely to be affected (to the south of standard departures). The taxiway project was to begin 5 August and on that day the airport received 10 complaints about the changed departure procedures. Additionally, residents to the north who would be unaffected whether or not the projected changes in departures occurred started complaining as well. In fact, no changed departures were ever required. So by “trying to do the right thing” the airport produced more complaints. [Return to **annoyance** topics]

C10: Montreal continues to keep communities informed even though such information can provoke additional problems. Montreal tries to keep a dialog active. [Return to **annoyance** topics]

C11: David Southgate’s method (for showing community useful aircraft flight and noise information)¹⁶ was developed by responding to what communities wanted. Communities thought of DNL as hiding information. Now the most popular approach is the flight path movement chart which shows where the flight paths are located and the numbers of operations on those paths by time of day or year, which is similar to Ken Hume’s histogram method (described in reference of footnote 10). Australia hardly uses contours; the flight path approach gives much greater geographic spread – out to even 50 kilometers.

C12: San Diego is so consistent with its operations that regardless of which metric is used to communicate noise exposure, DNL, N70, SEL the results always come out looking the same.

C13: Primary need of the public is to know how many, how loud and how those interact with time of day. It is impossible to explain decibels. Time-weighted averages are interpreted as hiding information. Any policy that relies on complex noise metrics as a basis will not be well understood by the public.

A: FAA will ultimately need to base policy on metrics that use logarithms and that is why supplemental metrics are important. Nevertheless, it will be important to make sure that the public be given the full story. It is very unlikely that any overall metric other than DNL will be used, but much of the research is

¹⁶ It should be noted that in the EPA Report “Information on Levels of Environmental Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety,” NTIS PB-239 429, 1974, available at <http://www.nonoise.org/epa.htm> “health and welfare” is described as follows on page 7:

“The phrase ‘health and welfare’ as used herein is defined as ‘complete physical, mental and social well-being and not merely the absence of disease and infirmity’. This definition would take into account sub-clinical and subjective responses (e.g., annoyance or other adverse psychological reactions) of the individual and the public. As will be discussed below, the available data demonstrate that the most serious clinical health and welfare effect caused by noise is interference with the ability to hear. Thus, as used in this document, the phrase ‘health and welfare’ will necessarily apply to those levels of noise that have been shown to interfere with the ability to bear.”

targeted at providing more, understandable information. Research Projects A3, A4 and A5 all are intended to explore and identify the aircraft noise related factors to which the public responds. While land use compatibility will likely depend more on the findings of the survey projects (A1 and A2), understanding what factors can cause public actions and how to communicate meaningful information will derive from Projects A3, A4, and A5. Work in both the U.K. (see footnote 10) and in Australia (footnote Error! Bookmark not defined.) strongly suggests there are valuable methods of communicating with the public that rely very little on decibels.

Q10: Would FAA be willing to accept changes of effects well outside the 65 DNL as a tool for examining beneficial changes such as Continues Descend Arrival (CDA) and do this as part of Part 150 policy?

C14: Public wants the policy to be based on the same metrics that are used to explain the noise. [Return to **annoyance** topics]

<<<End Third Annoyance Discussion>>>
<<<SLEEP DISTURBANCE DISCUSSION>>>

Q11: Have any studies correlated awakenings with other noise metrics that we use?

A: This comparison could easily be made using the single event levels in existing studies to compute Lnight indoors and then use either empirical associated awakenings or one of the models of awakening to compare with Lnight. [Return to **SD** topics]

Q12: Are current studies over-predicting awakenings?

A: The laboratory studies do, but not the field studies.

C15: If we have studies considered worst case, perhaps they could be correlated with noise levels and help identify the relationship of the common noise metrics or levels with actual awakenings.

C16: The relation of remembered awakenings has been related to integrated metrics, but remembered awakenings are quite different from actual awakening. Actual awakenings have not been related to integrated metrics.

Q13: Use of higher background levels, a fan for example, increases our sleep. Has this ever been investigated in the studies?

A: Yes there have been some field studies in the U.S., and it is true that fans can reduce awakenings. But these studies used actimeter readings for body movement, which are not as reliable for determining SD as polysomnograms. [Return to **SD** topics]

Q14: What is the usual period of sleep? [Return to **SD** topics]

A: In the laboratory, eight hours are available, while in the real situation, people generally have somewhat more than seven hours.

C17: As far as the models go, at least ones based on the Castle Air Force Base, Denver airport data, the models are unaffected by rearranging the times of the events that awoke and the ones that didn't (soon to be published in Noise and Health¹⁷). At best, the models account for three or four percent of the variance. As shown in the information brief,¹⁸ in principle, any sound event can awaken someone. So when you try to generate real-world predictions, you discover that it's not really operating [on level] but on time of night, which is highly airport dependent. [Return to **SD** topics]

C18: Everything we've heard today says that there has to be more research done in the U.S.

C: Sleep deprivation needs to be studied in relationship to next day increased somnolence, ability to work, increased risk of injury. These effects occurred in (medical) residency situations where program requirements caused sleep deprivation and resulted in errors in diagnoses. Also, hearing loss increases with age, drug use, injury, etc., and these effects need to be accounted for in the studies. Finally, the effects on children should be considered, including school performance and delayed reading ability.

Q15: In field and lab studies are prior health/sleep problems identified?

A: Studies do not include people with these issues. [Return to **SD** topics]

Q16: What will be the practical application of the research results, especially in influencing land use decisions by municipalities?

A: Currently, 65 DNL is the criterion for compatibility. If research shows the increased effects on sleep, learning, etc. then we will need to update the compatibility criterion. If the Federal government changed its compatibility guidelines, it could make available Federal Grant-in-Aid funding for noise mitigation that is currently not available. Hypothetically, if a larger area should be declared non-compatible due to increased annoyance or SD not previously recognized, FAA would expand Federally funded noise planning to the enlarged area and expand eligibility for Federally funded noise mitigation to the larger area, and might potentially, though not necessarily, identify the larger area as a significant impact under NEPA and the area would be part of an environmental review of proposed airport development, for example. [Return to **SD** topics]

C19: These are useful comments, but it is still unclear how new information could help municipalities make better informed long-term decisions beyond funding and grant applications. Alternatively, from a land use point of view, the local municipality needs to understand the ultimate build-out of the airport. Generally, there are other connections that need to be made to benefit from the research, e.g., with International City Managers Group, to harmonize the research with potential applications. There are additional benefits to be gained from the research.

C20: FAA's role is to provide guidance on land use compatibility, and financial incentives for planning and mitigation, but FAA does not have control over land use.

C21: For ICAO, encroachment is a world-wide problem – “chasing in contours.” Any information that airports can use to go to land use decision-makers will help.

C22: Encroachment is a huge issue, and land use is controlled locally. One approach is to look for better ways to disclose information to home buyers.

¹⁷ <http://www.noiseandhealth.org/>.

¹⁸ See Information Brief 16 in Appendix D.

C23: FAA is open to many approaches. Whether FAA actions will be small steps or a giant leap has not been decided. In any case, the actions will be science driven.

C24: Encroachment depends upon perspective. Communities feel encroached upon when a new runway is constructed. Any actions must be cooperative with communities and airports. In Chicago, for 2010, 40 to 50 community planners will be working with airport planners in an effort to avoid future issues. Communication between communities and airports is necessary.

C25: Communities always look for examples. Federal compatibility guidelines can and do provide useful information for communities.

Q17: Should the 10 dB penalty be changed?

A: Cumulative metrics have been found not to correlate with SD. Sleep depends more on the level and number of single events. One possible perspective is as a matter of policy move away from limiting L_{night} , for example, to attempt to limit nighttime awakenings to, say, 15% of the population. Such an approach avoids specific noise metrics or weightings and is directed at the specific problem. [Return to **SD** topics]

C26: The ultimate remediation is to limit night flights. Also, consider using a dynamic metric that reflects how humans hear rather than using A- or C-weighting. [Return to **SD** topics]

C27: From a regional perspective, not every airport needs nighttime flights. Trucking to a central airport can serve to support overnight deliveries without having nighttime departures from every airport.

C28: Without a change in the legislative framework, any restrictions, curfews, have to go through the Part 161 process which has a fairly high bar for limitation of operations. In other words, nothing here from the research would automatically change this framework.

C29: Nothing prevents policy considering regional planning decisions.

C30: Airports would have to agree to work together for that type of action and it would have to go through the Part 161 process.

C31: Trucking alternatives would include not only noise considerations, but emissions as well. The trade-offs would need to be considered.

Q18: Is there any planning going on in a system-wide perspective? Each carrier – truck, airplane, train – makes its own decisions for market reasons. Does anyone care about system-wide transportation planning?

A: A GAO report recently encouraged FAA to do just that. State level efforts are made to put together state-wide plans. However, each airport is its own fiefdom, there being no one above them to say they have to coordinate their efforts.

C32: Every airport wants to build out to its maximum capacity, even if it solves a capacity problem for only a few years. Such an approach can also result in underutilized airports like Cincinnati and others for lack of a regional perspective.

C33: San Diego area was legislated in 2003 to have a regional plan that encompasses 16 airports within the area, and that plan is ongoing.

C34: DHL made a decision to fly out of only specific airports and to truck cargo from other airports. So they did take a regional perspective.

C35: There are also counter examples where time saving dictated short flights to deliver packages.

C36: Phoenix did a regional plan, but it had to be approved by each metropolitan planning organization and consensus is required; each region with an airport wanted maximum expansion. Eventually the plan stalled due to lack of consensus. There are no regional airports in Arizona, just city airports, so only a consensus plan will work.

C37: California has one highway authority state-wide which identifies state-wide requirements. Without that type of authority, nothing will change for the airports. [Return to **SD** topics]

<<<End Sleep Disturbance Discussion>>>

Appendix D - Information Briefs

We would like to acknowledge the following people for submitting the Information Briefs. These researchers are subject matter experts on the topics presented and have been involved in the aircraft noise, annoyance, and sleep disturbance fields for many years. We appreciate their time and efforts in this endeavor.

Mathias Basner, University of Pennsylvania

Lex Brown, Griffith University

Sanford Fidell, Fidell Associates, Inc.

Jim Fields, Independent Consultant

Barbara Griefahn, Leibniz Research Center, TU Dortmund University

Kenneth Hume, Manchester Metropolitan University

George Luz, Luz Associates

Sarah McGuire, Purdue University

Vincent Mestre, Landrum and Brown

Irene van Kamp, RIVM, The Netherlands

Jon Woodward, Landrum and Brown

INTRODUCTION

Based on discussions at the FAA's August International Forum and the December Workshop on Aircraft Noise Impacts Research, and in preparation for the follow-on workshop in San Diego on March 4, 2010, key topics for information briefs were identified. The information briefs are one or two pages of text briefly describing the state of practice, state of knowledge, evidence on an important hypothesis, or gaps in the state of knowledge currently not in the roadmap or not discussed at the August and December meetings. The briefs discuss aspects of aircraft noise and its resulting effects on surveyed annoyance, public actions or on sleep disturbance. The papers are not intended as exhaustive treatment of the topics, and not necessarily consistent with one another. They are the views of the identified individual researchers, and are presented unedited.

Several researchers contributed briefs, some addressing more than one of the identified aircraft noise effects. We have divided them, or excerpts from them, into the two categories of Annoyance and Sleep.

• ANNOYANCE

- **Vincent Mestre - Chapter 3: Annoyance and Aviation Noise, ACRP Synthesis 9 “Effects of Aircraft Noise: Research Update on Selected Topics”**

(This report is available at: <http://144.171.11.107/Main/Public/Blurbs/160286.aspx>; see report for references)

Annoyance remains the single most significant effect associated with aviation noise. Community annoyance is the aggregate community response to long-term, steady-state exposure conditions. However, to adequately support government noise policy-making efforts, it is necessary to synthesize the large amount of data contained in journal articles and technical reports to develop a useful exposure-response relationship. In his seminal journal article, Schultz (1978) reviewed data from social surveys concerning the noise of aircraft, street and expressway traffic, and railroads. Going back to the original published data, the various survey noise ratings were translated to Day-Night Average Noise Level (DNL) and, where a choice was needed, an independent judgment was made as to which respondents should be counted as “highly annoyed.” According to Schultz “. . . the basic rule adopted was to count as ‘highly annoyed’ the people who responded on the upper 27% to 29% of the annoyance scale . . .” (Schultz 1978).

For decades, environmental planners have relied heavily on the Schultz Curve for predicting the community annoyance produced by noise from transportation noise sources. Notwithstanding the methodological questions, errors in measurement of both noise exposure and reported annoyance, data interpretation differences, and the problem of community response bias, Schultz’s recommended relationship has historically been the most widely accepted interpretation of the social survey literature on transportation noise-induced annoyance.

Beginning with the publication of this original exposure-response curve, work has continued in many countries to conduct new field studies, develop databases with the results of dozens of new social surveys, and explore whether separate curves are needed to describe community responses to aircraft, street traffic, and railway noise. Based on an updating of the Schultz curve by Fidell et al. (1991), the Technical Section of the Federal Interagency Committee on Noise (FICON), stated in 1992 that there were no new descriptors or metrics of sufficient scientific standing to substitute for the present DNL cumulative noise exposure metric (Federal Interagency Committee on Noise 1992). The dose-response relationship, as represented by DNL, and the percentage of persons “highly annoyed” remains the best available approach for analyzing overall health and welfare impacts for the vast majority of transportation noise analyses. In later years, Fidell goes on to criticize the use of this type of simplistic 10 curve such as the one in FICON, in light of the high data variability, the effect of low- and high-noise exposure levels on the curve fit, and the lack of consideration of other variables in community response to noise.

A comprehensive review and critique of the Fidell et al. update was later published by Fields (1994) that raises questions about the use of the synthesis data to develop the commonly used annoyance/DNL dose-response relationship. The report arrives at several conclusions, including “the curve is NOT a measurement of the relationship between DNL and the percentage of the

population that would describe themselves as ‘highly annoyed’” and “if it is necessary to estimate the dose/response relationship . . . a single constituent survey provides a better estimate” (Fields 1994).

Fidell et al.’s expansion of the existing community annoyance research database and their revised prediction curve provided a considerable extension of the original Schultz meta-analysis (Fidell et al. 1991). However, because there were several debatable methodological issues involved in this update, Finegold et al. (1994) reanalyzed the Fidell et al. data focusing primarily on the choice of screening criteria for selecting which studies to include in the final database and the choice of a data fitting algorithm.

Using the new data set, a new logistic fit curve as the prediction curve of choice was developed and adopted by FICON in 1992 for use by federal agencies in aircraft noise-related environmental impact analyses (Federal Interagency Committee on Noise 1992). It was also adopted as part of the American National Standards Institute (ANSI) Standard on community responses to environmental noises (Acoustical Society of American 2006). Finegold et al. (1994) showed that if the data are broken down into separate curves for various types of transportation noises (aircraft, roadway, and rail noise) aircraft noise appears to be more annoying at the same DNL than road or rail noise.

Over the past decade, Miedema and Vos (1998) have compiled the most comprehensive database of community annoyance data yet available, and several studies have been published on the results of their analyses. It is a comprehensive review of an issue—separate, non-identical curves for aircraft, road traffic, and railway noise—that has been the subject of much debate since Shultz published his data in 1978. Caution should be exercised, however, when drawing conclusions about the state of knowledge regarding the relationship between various transportation noise sources and community annoyance.

The European Commission position on annoyance is based on a report recommending the percentage of persons “highly annoyed” be used as the descriptor for noise annoyance. Similar to Miedema and Vos (1999) the report distinguishes between aircraft, road, and rail traffic noise; recommends use of a separate pair of curves (“annoyed” and “highly annoyed”) for each; and clearly shows a tendency to treat aircraft, road, and rail noise as unique when estimating population that will be “annoyed” or “highly annoyed” by noise (Miedema and Vos 1999).

In their 1999 paper, Miedema and Vos further studied the effects of demographic variables (sex, age, education level, occupational status, size of household, dependency on the noise source, use of the noise source, etc.) and two attitudinal variables (noise sensitivity and fear of the noise source) on annoyance. The results are very interesting and suggest that fear and noise sensitivity has a large impact on annoyance. Additionally, in a 2002 report by Fidell et al., it is suggested that a good part of the excess annoyance is attributable to the net influence of non-acoustic factors.

Some of the most interesting research comes from Fidell’s “The Schultz Curve 25 Years Later: A Research Perspective” (2003). It presents the argument that although federal adoption of an annoyance-based rationale for regulatory policy has made this approach a familiar one, it is only

one of several historical perspectives, and not necessarily the most useful for all purposes. This tutorial article traces the development of the dosage-effect relationship on which FICON currently relies and identifies areas in which advances in genuine understanding might lead to improved means for predicting community response to transportation noise. It provides an important summary of how the annoyance synthesis was developed, and the inherent weakness of the DNL/dose-response relationship that was developed. Fidell is highly critical of U.S. policy that relies solely on the synthesized dose-response relationship.

Fidell and Silvati (2004) identified shortcomings of a fitting function endorsed by FICON for predicting annoyance in populations exposed to aircraft noise that are well-understood and well-documented. The authors argue that the U.S. National Environmental Policy Act (NEPA) (1969) requires the use of the best-available technology for disclosure of noise impacts of major federal actions, even though reliance on the FICON curve for meeting NEPA requirements does not use the best available technology.

To summarize, significant research has occurred since the 1985 aviation effects report was published. Although no current research suggests there is a better metric than DNL to relate to annoyance, there still remains significant controversy over the use of the dose-response annoyance curve first developed by Schultz and then updated by others. Further, investigations that report a distinct percentage of the populations that will be highly annoyed at a given DNL may be incorrectly interpreted as to having a more precise meaning than should be taken from the data. Lastly, a relatively new concept is that more research tends to support the idea that dose-response curves are different for aircraft, road, and rail noise sources. Areas of research that remain to be investigated include the relationship between single-event noise levels and annoyance. The expanding use of airport noise monitoring systems, flight-tracking systems, and geographic information systems may make the evaluation of annoyance and single-event noise rich for examination.

- **Fields, Personal Impact vs. Public Actions: Two Types of Community Response**

(Prepared by Jim Fields, March 16, 2010)

Summary:

Two very different results from having aircraft noise in a community are often confused in discussions of “community response”: private response (i.e. impact on residents) and public response (the public actions of residents). The impact on people is a private response to noise that is not directly observed by authorities or acousticians. The public response in the form of complaints or other public action is directly observed by authorities and becomes the basis for involving acousticians in noise issues. Many factors that have a strong effect on public actions may be largely irrelevant for gauging the number of community members who are impacted by noise. One consequence of this is that authorities and acousticians can easily form inaccurate views of the causes of noise impact on residents.

Two Types of Responses in Communities

Transportation noises in communities result in two separate, but related phenomena: residents are impacted and people take public action. The differences between the two phenomena are summarized in Table 1.

Private Response – Personal Impact: The impact of noise is a private, difficult-to-observe effect. Residents and other community members hear noise that they often do not want to hear and experience various disturbances in their normal lives such as speech interference or sleep disturbance. This results in a reduced quality of life. These private effects are directly measured through social surveys that ask people to describe their annoyance, disturbance, degree of activity interference, etc. The private effects are also known to occur because acoustical studies have identified the acoustical conditions that cause speech and other types of communication interference. The extent of these private effects can only be known through systematic, scientific research.

Public Response – Public Action: Although the public response is partly driven by the effects of noise on individuals, it is not a direct measure of the effect of noise on individuals. The public response is behavior that officials, members of communities, or acoustical consultants can observe directly such as: complaints to authorities, letters to the editor of newspapers, speeches by legislators, signatures on petitions, or attendance at public meetings.

Table 1: Differences between Personal Impact and Public Action

Type of community response	Who is impacted	Phenomena measured	Effect of noise that is directly measured	Method for measuring
Private response (Personal impact)	Residents and other members of communities	Effect on individuals	Reduced quality of life for residents and other people	<ul style="list-style-type: none"> • Social survey • Observation (sleep disturbance, etc.) • Controlled experiments (speech interference, etc)
Public response (Public action)	Public officials, airport operators	Behavior displayed publically	Increased actions in public that authorities address	<ul style="list-style-type: none"> • Counting complaints • Counting public actions (law suits, protests, petitions, etc.)

Factors Affecting Public Response (Public Actions)

One of the preconditions for public responses is some personal impact on residents. As a result the factors that lead to private responses and reduce the quality of life for residents will have some effect on the extent of public action. However, the public response also is affected by all the factors that can lead people to translate their feelings into visible action. These factors mean that observations of the public response may lead to erroneous conclusions about the levels and causes of noise impact and thus about the levels and causes of a reduced quality of life from noise. Table 2 summarizes some type of factors that could be major determinants of public action but have little or no effect on private welfare.

Table 2: Factors that May Affect Public Action but Have Little or No Effect on Personal Reactions

Type of variable	Hypotheses: Public actions will be especially high if::	Implications	Evidence that more important for actions than private impact
Motivation to take action	A person believes actions will affect policy or noise exposure	Communities with political influence are more likely to act	Logic
	A person has an investment in the community	Home owners are more likely to complain	Home ownership has a big effect on complaint rates but not on annoyance.
	The neighborhood does not have other more serious problems (for example high crime rates or poor public services)	Disadvantaged neighborhoods are less likely to act on noise	Social surveys show income has little or no effect on annoyance
	A person is confident about speaking with authorities	Highly educated residents are more likely to act	Social surveys show education has little or no effect on annoyance
	Unusual events provide a legitimate basis for the timing of the complaint	Actions are greater when there are unusual events or plans for changes.	Social survey evidence on reactions to changes is not consistent
	A person believes the basis for a complaint will be accepted as legitimate and credibly timed	People complain about sleep disturbance	Complainants do not say that noise is esthetically displeasing
Conditions facilitating public actions	Complaint processes are widely publicized	Complaint rates can vary widely with no change in private impact	Logic
	The authorities make it easy to register complaints	(see above)	Logic
	Community organizations make it easy for actions to be registered (for example by circulating petitions)	Previously well-organized communities complain more	Logic

Type of variable	Hypotheses: Public actions will be especially high if::	Implications	Evidence that more important for actions than private impact
Airport procedures affecting complaint statistics	Authorities systematically maintain data bases that track complain activity	Changes in data systems and recording forms may affect complaint statistics	Logic
	All personnel in contact with the public are able and prepared to record complaints	Many complaints may go unrecorded if only a formal complaint process is monitored	Logic
	Complaint personnel are trained to objectively record complaints	Poorly trained personnel may discourage complaint reports	Logic

Some of the motivational and organizational conditions that facilitate complaints are obviously of great relevance to complaints and action, but of little or no obvious relevance for private reactions. For example, whether the airport has a well maintained data base could not directly affect residents' annoyance. However, other variables' effects are not so obvious. Home owners have been found to be much more likely to complain, but to be only slightly more likely to be annoyed. One of the first surveys around London Heathrow airport found that high socio-economic status residents were not more annoyed than other residents, but were much more likely to complain (McKennell, 1970). The implications of using public actions as a measure of noise impact are clear from the table. Lower socio-economic status (SES), less politically connected communities could be incorrectly assumed to be unaffected by noise. In addition, airports that carefully accumulate complaint data could appear to have bigger noise problems than airports that ignore their communities.

Considerations for Research

Although there are scattered pieces of empirical evidence and theoretical bases for expecting the differences between personal impact (for example, annoyance) and public action, this subject has not been carefully or systematically studied for community noise. Secondary analyses of previously collected survey data could provide a firm empirical basis for comparing personal annoyance with respondents' reports of making complaints and participating in other public actions.

Progress in understanding public actions might be rapid since social theory about the formation of interest groups and the emergence of political action is available (Lesnick and Crowfoot, 1981, Fields, 1990). Although some insight could be gained by comparing respondent reports of annoyance and respondent reports of complaints, a broader understanding would require that

social survey information be supplemented by measures of community level reactions such as meetings, organizational activity, media campaigns, and legal actions. The danger exists that such studies would provide the tools for the political system to control public action while ignoring the actual impact on the quality of life for the inactive community members. However, it is also possible that such knowledge would clarify the now-blurred distinction between personal annoyance and visible public action with the result that there would be a clearer focus on privately expressed annoyance. Community planners might also more clearly understand that they must plan both for the equitable management of noise as well as for the undeniable pressures from community action that could distort an equitable management plan. The knowledge might also confirm that community involvement in the evaluation and mitigation of impacts could reduce public actions.

REFERENCES:

- Fields, J.M.: 1990 . Explaining Community Response at Low Noise Levels: Evidence and a Theoretical Perspective. Noise-Con 90, pp. 209-214
- Lesnick, M.T.; and Crowfoot, J.E.: 1981. A Bibliography for the Study of Natural Resource and Environmental Conflict. CPL Bibliographies, Chicago.
- McKennell, A.C.: 1970. Noise Complaints and Community Action, in J. D. Chalupnik (ed), Transportation Noises: A Symposium on Acceptability Criteria. pp. 228-244, University of Washington Press, Seattle.

- **Fields, Noise Annoyance: The place of annoyance in impact assessment and its validity**

(Prepared by Jim Fields, March 16, 2010)

Summary

Models of noise impact in residential areas have been developed on the basis of explaining subjective reactions to noise that are characterized as “annoyance” as measured in social surveys. Such measures of subjective reactions are accepted as the most direct method for determining how residents in a community feel about the impact of noise on their lives. The available evidence shows that individuals differ greatly in their annoyance levels but that the annoyance levels reported in surveys appear to be an accurate report of feelings. Methodological experiments in surveys show that annoyance measures are internally consistent, consistently related to noise level and similar to other subjective measures in their stability over time. Annoyance consistently increases as noise levels increase. Noise levels only partially explain annoyance scores for a number of reasons: humans do not have objective rules for relating a questionnaire scale label to their subjective state, feelings of annoyance within a single person vary some from day to day, different people feel differently about the same noise exposure, and other attitudes have some effect on annoyance. Methodological experiments have found some evidence that this variability in annoyance is not caused by questionnaire construction or a desire of respondents to artificially distort their responses to inflate questionnaire results. These experiments find that annoyance is not distorted by position in a questionnaire, not distorted by the extent to which noise effects have been discussed in a questionnaire and not distorted by knowledge of the survey sponsor.

Measuring Noise Annoyance

Noise annoyance is generally measured by asking residents questions in social surveys. Two annoyance questions that are recommended by international bodies (Fields *et al.*, 2001, ISO (International Standards Organization), 2003) are now the most frequently recommended questions:

[ASK ALL RESPONDENTS]

Q.V “Thinking about the last (..12 months or so..), when you are here at home, how much does noise from (..noise source..) bother, disturb, or annoy you; Extremely, Very, Moderately, Slightly or Not at all?”

Q.N “Next is a zero to ten opinion scale for how much (..source..) noise bothers, disturbs or annoys you when you are here at home. If you are not at all annoyed choose zero, if you are extremely annoyed choose ten, if you are somewhere in between choose a number between zero and ten. Thinking about the last (..12 months or so..), what number from zero to ten best shows how much you are bothered, disturbed, or annoyed by (..source..) noise?”

The questionnaires that contain these questions are almost always introduced as “environmental” or “neighborhood condition” surveys by interviewers who have been trained to conduct interviews in a neutral unbiased manner. The noise annoyance questions almost always appear early in questionnaires before the respondent is asked enough questions to infer that the topic of the survey as a whole concerns a particular noise source.

Questionnaires have contained other questions about interference with specific activities (sleep, speech, listening, relaxing, concentration, etc.) or have asked for the ratings of the noise on scales such as “satisfaction”, “acceptability”, and “disturbance”. These and other more complex multi-item indices have been found to be no more highly related to noise level than the simple questions presented above, which highlight a generally negative reaction with the three words “bother, annoy or disturb”.

The Validity of Noise Annoyance Measures

As for the attitudinal questions in other types of public opinion surveys, these attitudinal noise annoyance questions are assumed to be the most direct, accurate, and economical measurement of people’s feelings as they would express them in words to a neutral observer. There is, of course, no method for directly measuring feelings. All we can measure is people’s statements about their feelings. The validity and reliability of the questions must therefore be assessed indirectly through examining the methods that are used for gathering the information, determining whether the answers are consistent over time, logically consistent with other measures, and not distorted by factors that would indicate that respondents were deliberately misreporting their feelings.

Validity is defined as the extent to which a question actually measures some “true” underlying annoyance. The reliability is the extent to which repeated measures of the same individual’s annoyance are consistent. An understanding of the causes of less than perfect reliability will provide a basis for realistically applying the results from social surveys. Confidence in the validity of the measurement of annoyance depends partly upon the quality of the social survey measurement process. Since the annoyance construct is a subjective one, measurement of annoyance follows guidelines that eliminate as many sources of potential bias as possible. Some standard practices are as follows. Surveys conceal the focus of the questionnaire from the respondent as long as possible by being presented as studies of general environmental problems. The primary annoyance questions are presented early in the questionnaire in the context of a list of other environmental disturbances. Interviewers are carefully trained to ask all questions exactly as printed in the questionnaire so that the interviewer will not bias the respondents’ answers. Questions, such as the ones reprinted above are stated in a simple, unbiased manner. The selection of respondents is based on sampling techniques which ensure that interviewers’ feelings cannot bias the selection of respondents.

Methodological studies of the annoyance measures give further confidence that they are not biased by details of the interviewing process. British road traffic and railway surveys have found that answers are not affected by variations in the order of questions or the order in which the alternatives are presented (Fields and Walker, 1982b; Langdon, 1976b). A survey in Hamburg,

Germany found that annoyance responses were not distorted by the length of the questionnaire or several characteristics of the interviewer (Guski, Wichmann, Rohrman, and Finke, 1978). In post-interview debriefings it has been found that most people did not know about the subject of the questionnaire before beginning the interviews (Fields and Walker, 1982b; McKennell, 1963). A study around Roissy airport near Paris included a standardized scale which is designed to measure the extent to which a person generally tries to falsify results by choosing answers which are perceived to be socially acceptable (Francois, 1979a). No evidence was found for an upward distortion of annoyance ratings. In fact the respondents who scored the highest on the so-called “lie” scale were those with the lowest annoyance scores.

Other support for the validity of the annoyance measures comes from the fact that the annoyance responses correlate with other variables in a meaningful manner (McKennell, 1969). Annoyance responses are highly correlated with one another as well as with the somewhat more objective activity interferences, private behavior and public complaint reports. Annoyance is, of course, also related to noise level. The available research, therefore, indicates that social survey annoyance scales are valid, unbiased measures of annoyance.

The most important indicator of the validity of the annoyance measures is that they are related to noise in the way that is expected. Every large scale residential noise survey has found that there is the simple, reasonable relationship for a given situation: the lower the noise level, the less the average annoyance. The findings from surveys are consistent with the assumption that people would generally prefer that their home acoustical environment only includes the sounds they bring into their home while excluding transportation sounds, even of a low level. As long as a noise is present, some people would prefer a quieter environment, but the lower the level that noise becomes, the fewer the people who are annoyed. When 495 publications concerning 282 community surveys were examined, it was found that every one of the eight surveys that included at least a 10 dB range at low noise levels below 55 DNL found that annoyance continued to decrease as noise levels dropped to 45 DNL and below (Fields, 1992 p. 27). Very low noise levels have not been studied systematically to see whether there is a point at which annoyance completely disappears, although one survey in England of residents at least five miles from a railway line found that there was no annoyance with railway noise even though a few people reported hearing it (Hawkins, 1979b). Of course, the normal social survey of aircraft noise does not include residents from such low noise levels. It is thus to be expected that there will be some residents in these surveys who are annoyed at the lowest noise levels, that the noise level itself will explain only a modest amount of the variation in the differences between individuals’ answers to the subjective survey question, and that there will still be annoyed people at the lowest noise levels that can be found in an aircraft noise exposed community. Within these communities variation in annoyance question answers is to be expected because humans do not have objective rules for relating a questionnaire scale number to their subjective state, feelings of annoyance within a single person vary some from day to day, different people feel differently about the same noise exposure, and other attitudes have some effect on annoyance.

Measured annoyance scores have two characteristics which are inevitable in social science inquiries but which would indicate serious methodological errors in most physical science inquiries. Firstly, the annoyance responses to any single noise environment are highly variable and, secondly, the annoyance responses are affected by some aspects of the question wording.

The amount of random variation in the answers to the questions is measured in terms of the reliability of the measures, i.e. the extent to which repeated measures of the same concept are correlated. Measures of the reliability of annoyance indices consisting of several questionnaire items have generally been found to meet or exceed the standard, accepted social science criteria of $r = 0.80$ (Bullen and Hede, 1983b; Hall and Taylor, 1982). Even though standard reliability criteria are met there is still a great deal of variability. When the same individuals have been asked about their (unchanged) noise environments at intervals of from a month (Griffiths, Langdon, and Swan, 1980) to a year (Hall and Taylor, 1982) only about 35% of the variance in response ratings can be explained by their answers on the previous questionnaire. This level of reliability is not surprising if two aspects of the respondent's task are considered.

The first task is to consolidate immediately all of his diverse experiences and feelings about noise onto a single dimension. Without the opportunity to consider the problem carefully it is understandable that a purely random set of associations during the course of an interview could recall different experiences and feelings which lead to considerable random variation in the location that any one individual places himself or herself on an annoyance scale.

Even for respondents who are certain about their feeling there is still an equally difficult second task; the respondent must make a somewhat arbitrary choice between the words or numbers which the interviewer has offered. There are no objective rules that a respondent can draw on to determine whether the subjective feeling should be described as "very" or "moderately" annoyed or as "4" or "6" on an annoyance scale. Given these difficulties in measuring annoyance, it is to be expected that there will be considerable variation in the annoyance scores at any particular noise level and for the same person at different point in time.

The difficulties that respondents face in relating their complex feelings to a previously unseen survey scale explain the second important characteristic of the measurement of annoyance in the social surveys. That is, the number of people who are rated as "annoyed" depends on the form of the annoyance question. Since many people have difficulty in quickly organizing all of their thoughts on an open-ended question early in a questionnaire, fewer people indicate that they are annoyed by noise when asked to name any "things which bother you around here" than when they are specifically asked about an item (such as "road traffic noise") later in the questionnaire (McKennell, 1963; Kryter and Pearsons, 1963). The number of annoyance categories included in an annoyance question will affect answers because respondents use not only the words but also cues from the length of a scale to classify themselves. As a result the interpretations of the meaning of particular labels on annoyance questions must be made cautiously.

The Place of Noise Annoyance Measures

Objective measures of the effects of noise are important and could be more widely used than is common in community assessments and in discussions with communities about the implications of specific noise levels. The types of speech interference or sleep disturbance at different noise levels could be presented as relatively objective measures of the effects of noise in communities. This could provide a large set of valuable measures. However, the subjective annoyance measure provides some advantages that the “objective” measures lack because the annoyance measure gives the respondent’s single, combined, weighted judgment of all the effects.

Even though the various speech interference and disturbance measures provide objective measures of impact they cannot determine which levels of impact are relevant without other subjective assumptions. For example, the amount of speech interference at three feet for normal conversation outdoors could be described. But we must still rely on a more-or-less subjective judgment from the acoustician as to whether the relevant speech interference is for indoors or outdoors, is for a distance of three feet or 20 feet, is for normal speaking levels or for low levels, etc.

In addition, though we can objectively describe each of these indicators we do not know what the relative importance of all the indicators is for the respondent. We do not know how the respondent weighs all these disturbances and thus how the objective indicators should be combined to represent the overall impact on an individual. In addition, the objective indicators still do not include some purely subjective judgment about how pleasant or unpleasant the sound is.

The annoyance measures, subjective though they are, provide important information because the respondent integrates all the effects to give an overall, balanced assessment of the total impact of the noise environment.

REFERENCES

(Note: The six-character abbreviation following many references is the identifier for the associated survey in a 2008 community response survey catalog.)

- Bullen,R.B.; and Hede,A.J.: 1983b. Time of Day Corrections in Measures of Aircraft Noise Exposure. *J.Acoust.Soc.Am.*, 5, vol. 73, pp. 1624-1630.
AUL-210
- Fields,J.M.: 1992. Effect of Personal and Situational Variables on Noise Annoyance: With Special Reference to Implications for En Route Noise. NASA CR-189676, FAA FAA-EE-92-03. Federal Aviation Administration, U.S. Department of Transportation, Washington D.C.
- Fields,J.M.; de Jong,R.G.; Gjestland,T.; Flindell,I.H.; Job,R.F.S.; Kurra,S.; Lercher,P.; Vallet,M.; Yano,T.; Guski,R.; Felscher-suhr,U.; and Schuemer,R.: 2001. Standardized General-Purpose Noise Reaction Questions for Community Noise Surveys: Research and a Recommendation. *J.Sound Vib.*, 4, vol. 242, pp. 641-679.

- Fields,J.M.; and Walker,J.G.: 1982b. The Response to Railway Noise in Residential Areas in Great Britain. *J.Sound Vib.*, vol. 85, pp. 177-255.
UKD-116
- Francois,J.: 1979a. Les Répercussions Du Bruit Des Avions Sur L'Equilibre Des Riverains Des Aéroports: Etude Longitudinal Autour De Roissy, 3ème Phase. (Effects of Aircraft Noise on the Equilibrium of Airport Residents: Longitudinal Study Around Roissy, Phase 3)(Translation Available in: Effect of Aircraft Noise on the Equilibrium of Airport Residents: Longitudinal Study Around Roissy-- Phase III. NASA TM-75906, 1981). IFOP/ETMAR, Paris.
FRA-150
- Griffiths,I.D.; Langdon,F.J.; and Swan,M.A.: 1980. Subjective Effects of Traffic Noise Exposure: Reliability and Seasonal Effects. *J.Sound Vib.*, 2, vol. 71, pp. 227-240.
UKD-157
- Guski,R.; Wichmann,U.; Rohrmann,B.; and Finke,H.O.: 1978. Konstruktion Und Anwendung Eines Fragebogens Zur Sozialwissenschaftlichen Untersuchung Der Auswirkungen Von Umweltlärm. (Translation Available in: Construction and Application of a Questionnaire for the Social Scientific Investigation of Environmental Noise Effects. NASA-TM-75492, May 1980). *Zeitschrift Für Sozialpsychologie*, vol. 9, pp. 50-65.
GER-134
- Hall,F.L.; and Taylor,S.M.: 1982. Reliability of Social Survey Data on Noise Effects. *J.Acoust.Soc.Am.*, 4, vol. 72, pp. 1212-1221.
CAN-168
- Hawkins,M.M.: 1979b. Subjective Evaluation of Noise in Areas With Low Ambient Levels. Institute of Acoustics, Spring 1979.
UKD-160
- ISO (International Standards Organization): 2003. Acoustics -- Assessment of Noise Annoyance by Means of Social and Socio-Acoustic Surveys (First Edition 2003-02-01). ISO/TS 1566.
- Kryter,K.D.; and Pearsons,K.S.: 1963. Some Effects of Spectral Content and Duration on Perceived Noise Level. *J.Acoust.Soc.Am.*, vol. 35, pp. 866-883.
- Langdon,F.J.: 1976b. Noise Nuisance Caused by Road Traffic in Residential Areas: Parts I, II. *J.Sound Vib.*, 2, vol. 47, pp. 243-282.
UKD-071
- McKennell,A.C.: 1963. Aircraft Noise Annoyance Around London (Heathrow) Airport. S.S.337. The Government Social Survey, Central Office of Information, London.
UKD-008
- McKennell,A.C.: 1969. Methodological Problems in a Survey of Aircraft Noise Annoyance. *The Statistician*, 1, vol. 19, pp. 1-29.
UKD-008

- **Fields, Existing Data: Community Noise-Response Surveys**

(Prepared by Jim Fields, March 16, 2010)

Summary

Over 628 social surveys of residents' reactions to environmental noise have been conducted. Some of the larger surveys' complete social survey data sets have been deposited in data archives where they have been accessed by researchers who did not conduct the original survey. The findings from the 628 surveys have been reported upon in over 1,300 publications (Bassarab, Sharp, and Robinette, 2009). Researchers have attempted to consolidate the information from multiple surveys in a number of ways besides traditional, unstructured literature reviews. Meta-analyses have been conducted that examine publications to count the number of surveys that support or oppose various hypotheses (for example whether men are more annoyed than women). Secondary analyses have been conducted that access the combined acoustical/social-survey-questionnaire, respondent-level data sets and conduct new, identical parallel analyses of all data sets. The approach used by Schultz in 1978 (Schultz, 1978) was a hybrid in which only two variables were estimated for each survey (DNL and some measure of reaction) and the respondents' answers had been previously averaged into a category of noise exposure.

Discussion about the community response surveys and their data sets have often been confusing because key terms have not been consistently defined. In the discussion below, each term appears in bolded font the first time it is introduced.

Introduction and Definitions

Community Noise-response Surveys (often labeled “community response” or “annoyance” surveys) are social surveys that administer questionnaires to residents to measure residents' feelings about noise in their residential environments. These social surveys often, but not always, are accompanied by an **acoustical survey** that estimates the noise exposure from a noise source at the social survey respondent's residence.

The **respondent-level social survey dataset** contains a separate record for each respondent's questionnaire. The **original acoustical survey dataset** contains the most basic information about the noise levels and other characteristics of the noise events in the environment. The contents of this dataset vary greatly from study to study depending upon the strategy that is followed for estimating the long-term noise environment. Some studies measure exposure with a noise monitor that records all the relevant noises in a location. Other studies obtain operational information about the number of noise events of different types and then use models or samples of measurements to specify the acoustical characteristics of each event. The **derived acoustical survey dataset** contains estimates of characteristics of the noise environment that are summarized for some period of time for a particular location (for example, LAeq 24hr for the previous year at the center of a postal code area). A **social-survey/acoustical-survey linking procedure** uses geographic information about the residential locations to match each

questionnaire with an estimated noise environment. The **combined respondent-level dataset** consists of a separate record for each respondent that has both the answers to that respondent's questionnaire as well as the estimated noise environment for that respondent's residence.

The information that has been captured in these studies is usually reported in one or more publications that discuss only the results from that study in a conference paper, journal article, or scientific report.

The Universe of Community Noise Response Surveys – A Survey Catalog

Several hundred noise response surveys, at least 628, have been conducted around the world since at least the 1940's. The most comprehensive list of these surveys appears in a series of successive catalogues that were supported by NASA (National Aeronautics and Space Administration) and then the FAA (Federal Aviation Administration) with the first catalog listing 200 surveys in 1980 (Fields, 1981) and the last catalog listing a cumulative total of 628 surveys through the year 2008 (Bassarab, Sharp, Robinette, 2009). The 628 surveys listed in the 2008 catalog are believed to represent all the surveys of residents' reactions to noise that were measured in a social survey and conducted in any language or country that produced reports in an English-language publication by December of 2008. Through the year 2000 catalog update (Fields, 2001) all such residential surveys were included. In the 2008 update, surveys of transportation noise sources continued to be added (e.g., aircraft, road, rail, etc.) but a smaller, unknown number of post-2000 surveys were not added which addressed industrial or other non-transportation noise sources.

The surveys vary greatly in the number of respondents, complexity, completeness of the reports and quality. The surveys vary enormously in the number of respondents with about 4% having fewer than 50 respondents and 40% having more than 1,000 respondents. Of the 628 surveys, approximately 78% estimated the noise exposure of their respondents' residences. The surveys also vary enormously in their complexity. The simplest are based on only 10 or 20 survey questions and included only a single noise metric (for example, DNL) while the more complex are based on 30-minute questionnaires that include over 100 survey questions that are combined with several 100 summary acoustical indices and, in some studies, observations about the characteristics of the residential environment (for example, housing conditions or relationship to a flight path). The survey publications range from four-page summary reports in Inter-noise conference proceedings (with little or no information about the survey data collection) to detailed several hundred-page reports which provide detailed methodological appendices. It is difficult to easily classify these studies by quality. Most are probably adequate for the purposes for which they were planned. However, uncertainties about details remain since the social surveys are often not conducted by social survey professionals and relevant statistics that link acoustical data to the estimates of the residential noise environment are not often reported.

The 2008 catalog of 628 surveys provides a convenient way to identify all the surveys for a given noise-source, country, year or sample size; to obtain some basic background on the methodological underpinnings; to locate all relevant methodological publications; and to determine whether publications are based on the same or different data sets. The main noise issues that were studied can also be identified for most surveys.

Storing Data from Surveys – Respondents – Archives – Multi-study Databases

Individual investigators analyze their respondent-level, combined social-survey/acoustical-survey data set to produce reports. Investigators differ in the extent to which they document their data sets and data set creation procedures for both the acoustical and social surveys. This in turn affects whether or not they could economically make their data sets available to others. Investigators also differ in whether or not they retain their respondent-level data file so that it can be used by others.

Different disciplines, including the social sciences, have tried to ensure that data will be available to others for future analyses. Several organizations have established **data archives** in which the respondent-level questionnaire datasets are deposited. For the social sciences such archives are expensive to maintain because they must not only store the information provided by investigators but also ensure that there is sufficient documentation for other researchers to understand and access the data. A number of large social survey archives operate around the world and, no doubt, contain some community noise-response surveys either with or without the accompanying derived acoustical summary measures which were not included in the questionnaire itself. An attempt was made in the 1980's to encourage noise researchers to deposit their combined social-acoustical-survey data sets in the SSRC Survey Archive in England, now named the UK Data Archive. There are currently 23 transportation-related noise surveys in the archive. However, the archive has not continued to acquire noise surveys – the most recent community noise-response survey in the archive was conducted in 1982. Data sets that are in an archive still require considerable effort to use since they are complex and may be difficult to understand.

If several surveys have been acquired, it is easier to conduct a unified analysis if a multi-survey data base is created. A **multi-survey database** is a single electronic file that contains data from multiple surveys with variables that are shared between the surveys. Such a multi-survey data base may contain only one or two variables or may contain a very large number of variables that are shared by many or all studies that are contained in the database. For social surveys generally, each record represents a separate respondent's questionnaire. These are more complex and information-rich data bases than Schultz and some others used with noise surveys where the each record represented an aggregate measure for a group of respondents.

- **The largest systematic, multi-survey database for community noise surveys has been constructed at TNO** [Netherlands Organization for Applied Scientific Research (Nederlandse Organisatie voor toegepast-natuurwetenschappelijk onderzoek)]. This database has data from more than 50 surveys for tens of thousands of respondents for over 50 variables. The database includes some data from all the surveys in the UK Data Archive. In order to create the data base the TNO researchers had to acquire the combined social/acoustical respondent-level data set from each country and thus, in effect, TNO also has a data archive. The TNO office is not, however, a public data archive and does not have the intake procedures, documentation, organization, staff, or budget to make data sets available to the public generally. It should be possible to work with TNO to utilize their data if a project was mutually agreed upon.

General Strategies for Extracting Information from Existing Surveys

All survey publications provide information about the characteristics of the respondents in their studied communities and address the specific issues for which they were designed. Most surveys contain information that can contribute to a general understanding of residents' responses to noise. If the original publications are limited in their geographical coverage or the topics they address, it is often possible to extract more general information by systematically reanalyzing the original, combined respondent-level data set or by consolidating the information from many surveys by either systematically examining the conclusions from their publications or by conducting coordinated analyses of several surveys data sets.

The most economical way to obtain information from previous surveys is to examine their publications. The most objective method for analyzing their publications is through a meta-analysis. A **meta-analysis** systematically summarizes the information from publications by examining a comprehensive inventory of studies, categorizing each study's findings using standardized objective protocols, controlling for differences by examining between-study differences, and quantifying the findings with a suitable statistic (Rosenthal, 1984; Wachter and Straf, 1990; Wolf, 1986; Rosenthal, 1984; Wolf, 1986; Wachter and Straf, 1990). Almost all of the publications from the 628 identified surveys are readily accessible and thus the materials are readily available if new meta-analyses were to be conducted.

When a publication does not report on a topic, the complete, combined respondent-level data set sometimes contains the necessary information to address the topic. A **secondary analysis** conducts new computer analyses of the combined acoustical/social-survey, respondent-level data set. It is possible but more difficult than usually expected for a new investigator to locate, obtain, understand and manipulate an adequately-documented data set from a previous study, especially when the study is several years old. Data archives partially overcome this problem by housing data sets in a central location. A multi-survey database that is created from such surveys is needed before secondary analyses can actually be conducted. The approach used by Schultz in 1978 (Schultz, 1978) was a hybrid of a meta-analysis and a secondary analysis in which only two variables were estimated for each survey (DNL and some measure of reaction), the data usually came from publications and the respondents' answers had been previously averaged into a category of noise exposure.

Assessment of the Place of Meta-analyses, Secondary Analyses, and Archives for Continuing Noise Research

Investigators should, of course, be encouraged to deposit their data sets in established social survey archives. Such deposits should include not only the social survey data, but as much noise data and other environmental and community data as possible. Acquiring such data is, however, such an expensive process that organizations which need to assess the current state of knowledge should carefully examine their knowledge requirements before acquiring data sets.

To avoid unproductive analyses the following steps are recommended for extracting information from previous studies:

Step # 1a: Identify the topic of study and the specific variables that are needed to conduct the statistical analyses for that topic. For most noise investigations, the statistical requirement is to determine how great an increase, if any, in annoyance (often “high” annoyance) is associated with the value of another variable. For example, some investigators have asked how much greater, if at all, annoyance is for home-owners than renters.

Step #1b: Contact the TNO archive to determine what data are available for their studies. This would include both the data that are in their data base and variables that are available for one or more individual studies but were not included in their multi-survey database. This step would be executed at the same time as Step #1a. This contact can also determine whether TNO has tried to identify data for the same topic in the past.

Step #2: Briefly search major acoustical publications, contact noise survey experts, and contact the TNO archive to determine whether there are previous meta-analyses or secondary analyses on the topic or whether TNO is aware of any of their data sets that may have relevant data. Most topics of interest in community reactions have been the subject of some more-or-less thorough summary at some time.

Step #3: Systematically search the text of the study publications in the 2008 survey catalog to determine which studies that are not in the TNO archive may have reported upon the issue. This search can locate recent studies and may provide a more balanced view of the evidence if some studies examined topics but did widely publicize their findings because their evidence was against the existence of a relationship. This systematic search will determine: 1) whether there is enough evidence to justify a meta-analysis and 2) how many studies may have originally gathered relevant data

Step #4: For identified studies, contact the relevant data archives or the original principle investigators to determine whether the documentation and respondent-level data are still available for the relevant variables on the datasets. If so, obtain the documentation and confirm that all of the needed variables are suitably defined for the study purposes. If possible, obtain a copy of the frequency distribution for the variables to determine whether there is missing data and the values appear to be reasonable.

Step #5: Determine whether sufficient data are available to justify some type of systematic analysis. If data are available from enough studies, decide whether to conduct a meta-analysis and/or a secondary analysis. Also, determine whether the data are likely to be strong enough to yield definitive findings or whether the analyses are more likely to be mainly exploratory and thus be most useful for planning new studies.

Step #6: Obtain the relevant data and conduct the analyses.

Prospects for Meta-Analyses or Secondary Analyses for Several Topics

The steps suggested above would help to determine whether any particular topic could be pursued in a new analysis. However, some generalizations can be offered about the primary considerations for different types of study topics and the likelihood of success.

Demographic and attitudinal characteristics of respondents: The interrelationships between the different characteristics of respondents have been the subject of both meta-analyses and large scale secondary analyses. More than 20 variables have been considered in several major meta-analyses and secondary analyses (Fields, 1992, Miedema and Vos, 1999). It seems unlikely that any new analyses would result in major revisions to previous findings. The TNO database contains many such respondent-level variables that have been subject of their analyses. New studies may have been added since their latest published analyses.

Characteristics of the source noise (for example aircraft): The relationship between DNL and reactions has, of course, been extensively studied. A secondary analysis of the relative impact of average peak noise level and number of events has been conducted (Fields, 1984; Fields, 1992). New data analysis techniques and new data sets might yield more definitive and useful results than did the previous analysis. The amount of effort required to conduct this analysis would depend upon the accessibility of the previous data.

Previously published secondary analyses of the relative effect of daytime and nighttime noise came to different conclusions about the feasibility of estimating a nighttime weighting (Fields, 1986; Fields, 1992, Miedema and Oudshoorn, 2001). The possibility of an additional secondary analysis should be explored after a careful examination determines whether there are obvious reasons for the discrepancies in the previous results.

The effects of duration, spectral frequency weighting, rise-time and other characteristics of aircraft noise can probably not be successfully studied with either meta-analyses or secondary analyses of survey data. The challenge for such studies is that the types of aircraft at different locations do not vary greatly within studies and subtle aircraft type differences are likely to be confounded with other variables between studies. This assumption could be tested with an examination of the 208 survey catalog. Similar challenges face studies of different types of aircraft (helicopters, jets, general aviation) unless several airports of each type can be located that were studied with similar methods. A comparison based on a single, for example, GA airport would have the GA traffic characteristic confounded with the other unique aspects of that GA airport's history.

Ambient noise level: A previous secondary analysis found no evidence that ambient noise level has a strong or important effect on reactions to a noise source (Fields, 1998). Additional studies have become available since the previous analysis and should be included in any new secondary analysis.

Characteristics of the residents' residences or property: Both acoustical and non-acoustical characteristics of residents' property have been studied and hypothesized to affect annoyance. Annoyance is presumed to be less for a given exterior noise level when attenuation of the structure could reduce indoor noise levels and when the orientation to the noise source results in a quiet side of a house and, in some cases, a relatively quiet space on one side of the dwelling. TNO hoped to conduct analyses on this topic with their archived data sets, but the present state of that project is unknown. Surveys almost never collect objective information from observers

about the attenuating characteristics of dwelling, layout of the property, or housing characteristics such as how well the property is maintained.

Characteristics of neighborhood and communities: Analyses of questionnaires show that there is considerable variation between neighborhoods in their reactions to equivalent noise levels (Fields, Ehrlich, and Zador, 2000; Fields and Hall, 1987). Social survey data have not usually been used to analyze this. Part of the explanation is that characteristics of entire neighborhoods or physical locations are almost never included in individual study data sets. Some characteristics such as distance from a flight path could be added for new secondary analyses for any studies for which the geographical position of the respondent's dwelling can be linked to the social survey questionnaire. Some data sets may have such a link.

Airport or city level characteristics: Meta-analyses or secondary analyses could be conducted of the effects of airport actions, community relationship programs, history of airport/community relationships, publicity, or other city-level characteristics on the dose-response relationship. This would, of necessity, compare different studies. Work would be needed to develop transfer functions to account for differences in survey question wording and other aspects of the studies' methodologies. Methods for objectively characterizing the airports and cities would also need to be developed as such analyses have not been conducted before.

REFERENCES

- Bassarab,R.; Sharp,B.; and Robinette,B.: 2009. an Updated Catalog of 628 Social Surveys of Residents' Reaction to Environmental Noise (1943-2008). DOT/FAA/AEE/2009-01; DOT-VNTSC-FAA-10-02; Wyle Report WR-09-18. p. -144, Washington DC.
- Fields,J.M.: 1984. The Effect of Numbers of Noise Events on People's Reactions to Noise: An Analysis of Existing Survey Data. J.Acoust.Soc.Am., vol. 75, pp. 447-467.
- Fields,J.M.: 1986. Cumulative Airport Noise Exposure Metrics: An Assessment of Evidence for Time-of-Day Weightings (1989 Revised Printing). DOT/FAA/EE-86/10. Federal Aviation Administration, U.S. Department of Transportation, Washington D.C.
- Fields,J.M.: 1992. Effect of Personal and Situational Variables on Noise Annoyance: With Special Reference to Implications for En Route Noise. NASA CR-189676, FAA FAA-EE-92-03. Federal Aviation Administration, U.S. Department of Transportation, Washington D.C.
- Fields,J.M.: 1998. Reactions to Environmental Noise in an Ambient Noise Context in Residential Areas. J.Acoust.Soc.Am., 4, vol. 104, pp. 2245-2260.
- Fields,J.M.; Ehrlich,G.E.; and Zador,P.: 2000. Theory and Design Tools for Studies of Reactions to Abrupt Changes in Noise Exposure. NASA CR-2000-210280. National Aeronautics and Space Administration, Washington, D.C.
- Fields,J.M.; and Hall,F.L.: 1987. Community Effects of Noise, Chapt. 3, in P. M. Nelson (ed), Transportation Noise Reference Book. pp. 3-1-3/27, Butterworths & Co, London. CAN-120
- Miedema,H.M.E.; and Oudshoorn,C.G.M.: 2001. Annoyance From Transportation Noise: Relationships With Exposure Metrics DNL and DENL and Their Confidence Intervals. Environmental Health Perspectives, 4, vol. 109, pp. 409-416.

- Miedema,H.M.E.; and Vos,H.: 1999. Demographic and Attitudinal Factors That Modify Annoyance From Transportation Noise. *J.Acoust.Soc.Am.*, 6, vol. 105, pp. 3336-3344.
- Rosenthal,R.: 1984. *Meta-Analytic Procedures for Social Research*. Sage Publications, Beverly Hills, CA.
- Schultz,T.J.: 1978. Synthesis of Social Surveys on Noise Annoyance. *J.Acoust.Soc.Am.*, vol. 64, pp. 377-405.
- Wachter,K.W.; and Straf,M.L.: 1990. *The Future of Meta-Analysis*. Russell Sage Foundation, New York.
- Wolf,F.M.: 1986. *Meta-Analysis: Quantitative Methods for Research Synthesis*. Sage publications, Beverly Hills CA.

- **Fields, Possible Future Research to Close Knowledge Gaps**

(Prepared by Jim Fields March 16, 2010)

PERSONAL IMPACT RESEARCH (Annoyance, etc.)

Substantial progress might be made on a number of issues in the immediate future by secondary analyses of previous, respondent-level data sets. However, the steering group and workshop participants need to decide whether these reanalyses will provide sufficiently strong evidence to guide policy before the analyses are conducted. In some cases new surveys might be conducted to follow the reanalyses.

It is assumed that annoyance and other types of personal impact are important issues for only residential environments. Other projects would be recommended if it is important to examine the effects in workplace or outdoor recreation settings.

1. **Increased sensitivity to noise.** As described in the various FAA roadmap documents, one issue is whether dose/response planning curves need to be adjusted because the population has become more sensitive to noise in the last few decades.
 - 1) **Project A:** A reanalysis could make carefully controlled comparisons between the DNL/response relationships at two or more points of time around the same airport using the same method. Data sets are available that would permit such analyses with existing data around at least a few major airports. The possibility of including road traffic studies that have been conducted at different times in the same country should also be considered.
 - 2) **Project B:** Any new survey that is conducted around an airport that was previously surveyed should include a methodology that permits close comparisons with the previous survey.
2. **Equal energy principle in noise indices.** Discussion continues about whether or not LAeq adequately represents the relative importance of noise levels of individual noise events and the numbers of those events. Several types of projects might help to resolve this issue.
 - a. **Project A:** Previously collected social surveys that measure both the numbers of aircraft and the levels (average levels) of the events could be reanalyzed. One major analysis was performed in the 1980's (Fields, 1984) but additional surveys have become available since then and new analysis techniques have emerged that are widely accepted. A part of such a project would be to develop a statistical tool that could determine whether a new survey could resolve this or other equal-energy index issues.
 - b. **Project B:** New surveys could be conducted at multiple airports to provide better tests of the equal energy principle. This might be especially important if there are other types of aircraft noise environments that were not represented in previous studies. If a large number of suitable environments were located, more complex acoustical indices might be examined. Of course these and other surveys should not

- be conducted unless a statistical planning tool indicates that accurate estimates can be obtained from community surveys.
3. **Ambient noise impact.** A review of ambient noise studies found little or no effect of ambient noise on reactions to other noises. (Fields, 1998) Since that time additional studies have been conducted. Only a small amount of evidence was available at that time about reactions in rural areas.
 - a. **Project A:** An updated meta-analysis of ambient noise studies could be conducted which would include an attempt to locate information about reactions in rural areas.
 - b. **Project B:** A new survey would be very likely to provide strong evidence on the effect of road traffic on reactions to aircraft noise. A survey might also be able to compare reactions to distant aircraft noise in remote suburban and urban environments.
 4. **Reactions to changes in noise exposure:** Strong evidence is not available about the impact of step changes in aircraft noise on residents' annoyance. (But see Irene van Kamp and Lex Brown, Information Brief Excess Response in Annoyance from Step Changes & Policy Relevance). A NASA report provides a guideline for how to design a new survey, if suitable change situations can be identified far enough in advance of the change. (Fields, Ehrlich, and Zador, 2000)
 - a. **Project A:** Plans for changes at airports could be monitored and new surveys could be conducted as opportunities arise. These studies should monitor both changes in annoyance and changes in public actions over the course of a noise-exposure change. If there will in fact be very few abrupt changes, it may be that studies should be conducted even if the changes are gradual and extend over several years.
 - b. **Project B:** Reanalyses could be conducted of previous surveys of reactions to changes in aircraft and road traffic noise. This may not yield very much improvement in estimates of change effects for aircraft noise, but could provide additional information about the extent to which existing or future road traffic noise studies could provide evidence that is relevant for aircraft noise change studies.
 5. **Aircraft-specific dose/response curve:** Reanalyses of existing survey data have consistently shown differences between reactions to different noise sources. (Fields and Walker, 1982, Miedema and Vos, 1998) Most comparisons show that aircraft are most annoying and railways least annoying, but Japanese studies display a different pattern. (Yano, Murakami, Kawai, and Sato, 1998; Yano, Sato, and Morihara, 2007) If it is concluded that new surveys in the United States are needed to update the aircraft relationship several projects would be useful.
 - a. **Project A:** Reanalyzing the data from previous surveys could provide direct estimates of aircraft impacts and statistical parameters that would guide the design of new surveys
 - b. **Project B:** New surveys around airports in the United States could provide convincing evidence for updating a dose/response relationship if the study was conducted in a large number of neighborhoods around many airports and the study examined characteristics of local areas that could affect reactions.

6. **Time-of-day weighting:** DNL has a nighttime penalty. If sleep disturbance were protected with another metric, it is not clear that a nighttime weighting can be justified on the basis of survey data. However, such weightings are so widely used in noise indices that the FAA may not want to consider alternatives, especially when the evidence is not likely to be definitive.
 - a. **Project:** At least two reanalyses of social survey data nighttime weightings have been conducted that came to different conclusions. (Fields, 1986; Fields, 1992, Miedema and Oudshoorn, 2001) Additional data have become available since those analyses. A new analysis might better evaluate the evidence for a time-of-day weighting and more clearly determine whether a new field survey would be useful.

CLEAR COMMUNICATION

7. **Communicating acoustical information:** This is a topic that has not been explored in previous noise research but might yield valuable results. It is sometimes assumed that the public cannot understand the equal energy principle and that the public will always be confused by DNL and other acoustical concepts. Communication experts who do not necessarily have acoustical expertise should direct or be heavily involved in defining such a project. Research perspectives from outside the acoustical community might discover that new, more effective approaches might be used such as some type of interactive, computer-based exercise. Communication experts might recommend programs such as the following:
 - a. **Project A:** If studies have not been performed before, it would be useful to carefully examine public meetings and other public discourse on acoustical regulations to try and understand the major communication problems and possible solutions. It would also be useful to compare different acousticians' approaches to these problems.
 - b. **Project B:** With the knowledge gained in Project A, new laboratory or small group research could be conducted to determine what types of presentations or other exercises are most effective at helping people understand acoustical concepts.

PUBLIC ACTION

8. **Comparison of annoyance (personal impact) and complaints (public action).** Some early surveys provided some evidence about the differences and similarities between personal impact and public action. New work could provide clearer and more definitive information.
 - a. **Project A:** A reanalysis of some existing social survey data sets could determine to what extent complaints may represent or misrepresent the underlying impact of noise on residents. This analysis would compare the characteristics of respondents who reported annoyance with the characteristics of the respondents who reported having made complaints or otherwise engaged in public action. This information would help to determine what the strengths and weaknesses of complaint information may be.
 - b. **Project B:** To further understand the relationship between complaints and underlying annoyance, the FAA might identify ongoing and previous annoyance surveys and then obtain records of complaint data for neighborhoods in the survey areas. This would provide another source of information about the conditions under which complaint actions are more or less accurate representations of the underlying annoyance experienced in a community.

9. Community and acoustical factors that explain public actions.

The factors that explain public actions against noise have not been systematically and scientifically studied. A frequently cited graph of community response by adjusted noise level from a 1950's Wyle study is not clearly based on sound scientific methods. (Wyle Laboratories, 1971) It is difficult to see just what objective, scientific coding scheme could have produced the graph. Nonetheless, a graph from this study is one of the most cited graphs in the entire noise control literature. It would be useful to design a scientifically sound, research project to relate these, or similar measures of public actions to noise level for a statistically sound sample of airports.

a. Project: As suggested above, new research could uniformly collect information about a wide range of community variables for all large airports in the United States and for a stratified random sample of smaller airports. This research would obtain community-level information from officials, knowledgeable informants, and documents. Acoustical data could also be examined, but it seems unlikely that this project would provide very much information about the effects of noise exposure itself because noise exposure varies greatly between subareas around airports while the actions themselves are not tied to a particular subarea. Research of this type requires very little acoustical knowledge, but should draw on areas of social science expertise that examine community conflicts and organization.

10. Community /airport interactions. Research projects have not systematically examined the methods for mediating community/airport conflicts.

- a. Project A:** Conducting case studies of airport community relations could identify hypotheses about procedures that would most efficiently manage airport/community conflicts.
- b. Project B:** Follow-on studies or real time monitoring of such conflicts might provide guidelines for managers' and communities' actions around airports. As with the previous topic, the primary expertise required for this work comes from the social sciences not from acoustics.

SLEEP DISTURBANCE**11. Relationship between sleep disturbance measures.** If possible, we need estimates of the relationships between the different measures of sleep disturbance. This might help in choosing metrics for a FAA study, but more importantly could provide a basis for linking previous studies.

- a. Project A:** Conduct meta-analysis of both noise studies and sleep disturbance studies generally to determine how accurately the values of different sleep disturbances can be estimated from other sleep disturbance measures. For example, what is the best estimate of ECG arousals from signaled awakenings (behavioral awakenings)?
- b. Project B:** Acquire data sets and conduct secondary analyses of the relationship between different metrics for any studies that did not fully analyze such collected data.

REFERENCES

(Note: The six-character abbreviation following some references is the identifier for the associated survey in a 2008 community response survey catalog.)

- Fields,J.M.: 1984. The Effect of Numbers of Noise Events on People's Reactions to Noise: An Analysis of Existing Survey Data. *J.Acoust.Soc.Am.*, vol. 75, pp. 447-467.
- Fields,J.M.: 1986. Cumulative Airport Noise Exposure Metrics: An Assessment of Evidence for Time-of-Day Weightings (1989 Revised Printing). DOT/FAA/EE-86/10. Federal Aviation Administration, U.S. Department of Transportation, Washington D.C.
- Fields,J.M.: 1992. Effect of Personal and Situational Variables on Noise Annoyance: With Special Reference to Implications for En Route Noise. NASA CR-189676, FAA FAA-EE-92-03. Federal Aviation Administration, U.S. Department of Transportation, Washington D.C.
- Fields,J.M.: 1998. Reactions to Environmental Noise in an Ambient Noise Context in Residential Areas. *J.Acoust.Soc.Am.*, 4, vol. 104, pp. 2245-2260.
- Fields,J.M.; Ehrlich,G.E.; and Zador,P.: 2000. Theory and Design Tools for Studies of Reactions to Abrupt Changes in Noise Exposure. NASA CR-2000-210280. National Aeronautics and Space Administration, Washington, D.C.
- Fields,J.M.; and Walker,J.G.: 1982. Comparing the Relationships Between Noise Level and Annoyance in Different Surveys: A Railway Noise Vs. Aircraft and Road Traffic Comparison. *J.Sound Vib.*, vol. 81, pp. 51-80.
UKD-116
- Miedema,H.M.E.; and Oudshoorn,C.G.M.: 2001. Annoyance From Transportation Noise: Relationships With Exposure Metrics DNL and DENL and Their Confidence Intervals. *Environmental Health Perspectives*, 4, vol. 109, pp. 409-416.
- Miedema,H.M.E.; and Vos,H.: 1998. Exposure-Response Relationships for Transportation Noise. *J.Acoust.Soc.Am.*, 6, vol. 104, pp. 3432-3445.
- Wyle Laboratories: 1971. Community Noise. NTID300.3. U.S. Environmental Agency, Office of Noise Abatement and Control, Washington DC, USA.
- Yano,T.; Murakami,Y.; Kawai,K.; and Sato,T.: 1998. Comparison of Responses to Road Traffic and Railway Noises. Noise Effects '98: Noise as a Public Health Problem (Seventh International Congress), vol. 2, pp. 582-585.
JPN-369 JPN-370
- Yano,T.; Sato,T.; and Morihara,T.: 2007. Dose-Response Relationships for Road Traffic, Railway and Aircraft Noises in Kyushu and Hokkaido, Japan. Inter-noise 2007, Istanbul, Turkey.
JPN-565

- **Van Kamp and Brown, Excess Response In Annoyance From Step Changes & Policy Relevance**

Irene van Kamp, RIVM, The Netherlands (irene.van.kamp@rivm.nl)
Lex Brown, Griffith University, Australia (Lex.Brown@griffith.edu.au).

The Issue:

An extensive review of studies of human response to a change in transport noise (Brown and van Kamp, 2009a) suggests that response to a step change in exposure includes both an exposure effect and a change effect. The change effect is manifest as an excess response to the new noise exposure additional to the response that is predicted from steady-state exposure-response relationships. The excess response (the excess disbenefit arising from an increase in exposure, or the excess benefit arising from a reduction in exposure) can be greater, often much greater, than that due to the change in noise levels itself (as estimated from the exposure-response curves). The available evidence is that the effect is persistent—even years after the change.

The studies reviewed included: road, air and rail sources; increments and decrements in level; the majority were step changes, but some were of gradual and even temporary changes. Many of the studies involved substantial changes in level (5 dB or more), though some considerably smaller changes. Part of the conflicting results from different analyses of change may result from the bundling together of studies in which the step change in level had been large and others where the changes has been minimal, temporary or gradual.

Significant change effects were observed in the roadway studies. These estimates of large excess responses to change have been confirmed in two large, recent studies around EU major airport, but overall no significant change effect was found in the airport studies. While this could be attributed to a difference in response to change between aircraft sources and roadway sources, the more likely explanation is that it is due to the limited nature of the changes available to date in most of the earlier airport studies (which have been small, gradual or temporary).

Policy Implications:

Should excess response to change be of concern to policymakers – and if so should it be addressed in environmental assessments of infrastructure projects? Secondly, are there implications of the different potential explanations of change effects for interpretation of existing exposure-response relationships for transportation noise?

Within the limitations of existing evidence that we have documented, the magnitude and persistence of a change effect over time (Brown and van Kamp, 2008a), and the existence of several plausible (though as yet inadequately tested) explanations for it (Brown and van Kamp, 2008b), suggest that it is a real effect that must be taken into account in assessing the response of communities where noise levels change. Communities that experience an increase in noise exposure are likely to experience much greater annoyance than is predicted from existing

exposure-response relationships, and communities that experience a decrease in exposure experience greater benefit than predicted. Policy makers need to be informed of the likelihood of a change effect, particularly as situations in which noise levels may increase as a result of infrastructure changes are generally always contentious. To do otherwise would be to deny them important scientific information regarding the way in which a community is likely to respond in situations of change in levels.

If changing attitudes to the source/authorities proves to be the explanation of the change effect, there is the potential for considered interventions to be used as an instrument to reduce noise annoyance of affected populations in situations of change. Transparent information/communication about the noise changes could positively affect attitudes and expectations of the community. Evidence of the existence of a change effect demonstrates that this should not be perceived merely as manipulative public relations, but a bona fide and positive contribution to managing the magnitude of the annoyance responses of the community subject to the change.

A differential response criteria explanation has much wider implications. It raises the question that there may be measurement error across the generalized exposure-response curves. The latter are always based on responses of people who have been exposed “in the steady-state” to particular noise levels. The explanation suggests that measurement error may be present in all steady-state situations, but revealed only in situations of change. The consequence, from the direction of the change effect, is that the gradient of an exposure-response curve adjusted for this purported error would be much steeper than that of currently used steady-state curves.

Further studies involving change at airports will be necessary to examine whether there might be any difference between response to change for different transport modes, although a difference in mechanisms is not deemed plausible. Our clarification of potential mechanisms for the change effect provides a structure for the design of future studies of change, and guidance as to what needs to be measured in longitudinal studies to overcome weaknesses in the existing set of studies/data in testing, not only to confirm the existence and durability of an excess-response change effect, but also the various hypotheses to explain it.

References (the following review papers cite an extensive list of relevant literature, including seven previous reviews of change studies):

Brown, A.L. and van Kamp, I. (2009a) Response to a change in transport noise exposure: a review of evidence of a change effect. *Journal of the Acoustical Society of America*. 125, 3018-3029.

Brown, A.L. and van Kamp, I. (2009b) Response to a change in transport noise exposure: competing explanations of change effects. *Journal of the Acoustical Society of America*, 125, 905-914.

- **Fidell, Brief on Aircraft Noise-Induced Annoyance**

Prepared by Sanford Fidell

Annoyance, a common reaction to the noise of aircraft operations, has been studied extensively for the last half century. Annoyance is known to be influenced by all of the primary physical characteristics of noise, such as sound level, duration, frequency content, and number and time of occurrence of noise events. Annoyance can also be influenced by a range of second-order characteristics (*e.g.*, tonality, impulsiveness, audibility, and rise time), not to mention by a range of non-acoustic factors, including novelty, control, and the identity and meaning of noise events.

In the laboratory, individual annoyance can be quantified by classical psychophysical and modern methods. In community – that is, residential – settings, transportation noise annoyance is assessed by self-report through social survey techniques. Relatively few of the hundreds of studies of the annoyance of transportation noise have been sufficiently well designed and documented to support systematic analyses of the annoyance of aircraft noise. Several well-known meta-analyses of these data have nonetheless been conducted, including those of Schultz (1978), Fidell *et al.* (1991), Miedema and Vos (1998), and Fidell and Silvati (2004).

Fields (1993) has shown that demographic factors such as age, sex, social status, income, education, home ownership, dwelling type, and length of residence have no reliable effect on reports of noise-induced annoyance. Brooker (2008) concludes that some indications can be found of increased sensitivity to transportation noise exposure over the last 25 years, but that the statistical evidence for an upward trend is weak, and may simply be due to sampling and/or methodological differences among studies.

In its 1992 report, the U.S. Federal Interagency Committee on Noise (FICON) identified annoyance as its preferred “summary measure of the general adverse reaction of people to noise,” and described “the percentage of the area population characterized as ‘highly annoyed’ by long-term exposure to noise” as its preferred measure of annoyance. FICON (1992) also endorsed a specific dosage-effect relationship between a measure of long term noise exposure (Day-Night Average Sound Level) and the prevalence of high annoyance. This relationship permits community response to transportation noise to be treated, for policy purposes, simply as a particular transform of DNL: $100/(1+e^{(11.13-0.141 L_{dn})})$.

FICON considered this relationship to be appropriate for assessing community noise impacts of all forms of transportation noise, and indicated that “the DNL methodology” (*i.e.*, its preferred dosage-effect relationship) was the basis for its judgments about the acceptability of noise exposure, as expressed in the agency’s “land use compatibility” recommendations.

Several limitations of FICON’s views have become evident in the years since publication of the FICON report. First, FICON’s fitting function systematically underestimates the prevalence of high annoyance due specifically to aircraft noise (Miedema and Vos, 1998; Fidell, 2003; Fidell and Silvati, 2004), particularly in the range of noise exposure levels of greatest practical interest for regulatory purposes. Second, the relationship accounts for relatively little of

the variance in the social survey data on which it is based (Fidell and Silvati, 2004). Third, it ignores the influences of non-acoustic factors on annoyance (Job, 1988; Fidell *et al.*, 1988). Further, because FICON's relationship lacks obvious inflection points, it is not self-interpreting for policy purposes. Definition of any particular value of noise exposure as a "significant" noise impact is thus inescapably arbitrary, and must be made on nontechnical grounds.

The International Standards Organization (ISO) is currently attempting to identify an improved method for predicting the prevalence of aircraft noise-induced annoyance. Two goals for this effort are 1) to increase the accuracy of prediction of annoyance prevalence rates, and 2) to quantify the precision of such estimates so that they can be used more appropriately in environmental impact assessment documents.

REFERENCES

Federal Interagency Committee on Noise (FICON) (1992). "Federal Agency Review of Selected Airport Noise Analysis Issues," Report for the Department of Defense, Washington, DC.

Fidell, S., Barber, D., and Schultz, T. J. (1991). "Updating a dosage-effect relationship for the prevalence of annoyance due to general transportation noise," *J. Acoust. Soc. Am.* 89, 221–233.

Fidell, S., Schultz, T.J., and Green, D.M. (1988) "A Theoretical Interpretation of the Prevalence Rate of Noise-Induced Annoyance in Residential Populations," *J. Acoust. Soc. Am.*, 84(6), pp. 2109-2113.

Fidell, S., and Silvati, L. (2004). "Parsimonious alternatives to regression analysis for characterizing prevalence rates of aircraft noise annoyance", *Noise Control Engineering Journal*, 52(2), 56 – 68.

Fields, J. (1993). "Effect of personal and situational variables on noise annoyance in residential areas," *J. Acoust. Soc. Am.*, 93, pp. 2753-2763.

Job, R. F. S. (1988). "Community response to noise: A review of factors influencing the relationship between noise exposure and reaction," *J. Acoust. Soc. Am.* 83, 991–1001.

Miedema, H., and Vos, H. (1998). "Exposure-response relationships for transportation noise," *J. Acoust. Soc. Am.* 104, 3432–3445.

Schultz, T. J. (1978). "Synthesis of social surveys on noise annoyance," *J. Acoust. Soc. Am.* 64, 377–405.

- **Woodward & Mestre, “Is the Schultz Curve Still a Useful Measure of Community Annoyance with Aircraft Noise?”**


(An extended discussion of this topic by Woodward and Mestre will be made at the March 4, 2010 workshop.)

Jon M. Woodward and Vincent Mestre
December 8, 2009

When Theodore Schultz developed his synthesis of the literature addressing the relationship between noise generated by transportation sources and human annoyance¹⁹, he was limited to studies conducted prior to 1976. Because the data was available in a variety of forms, using several different noise metrics, and different descriptions of the level of human annoyance found, Schultz normalized the data to provide a relationship between Ldn and percent of the population highly annoyed by noise. The resulting “Schultz curve” has become entrenched in the evaluation of aircraft noise impacts in US aviation evaluations since its publication in 1978. The Schultz data are presented in Figure 1 along with a second order polynomial curve fit (the original Schultz paper used a different curve fit to the data that is not shown here).

The Schultz curve incorporates data from aircraft, rail and highway noise sources. Consider that the noise data used in developing this dose-response relationship dates from the early 1960’s through the mid 1970’s. During this time the uncertainty associated with the noise exposure, whether by measurement or modeling, is unknown but would be quite large given the technology available at the time. When considering the Schultz curve, it is useful to keep in mind that the noise dose data may have uncertainty of 5 dB or greater.

Figure 1



¹⁹ Theodore H. J. Schultz, “Synthesis of Social Surveys on Noise Annoyance,” *Journal of the Acoustic Society of America*, Volume 64, pages 377-405 (August, 1978).

Research Questions Regarding Annoyance

Observation: Many decisions about noise abatement and management are being based on annoyance data that is more than 33 years old, does not reflect aviation noise exposure. When noise evaluations have been conducted in the last 30 years, only a few have evaluated the effect of noise at general aviation airports. Nonacoustics factors have been shown to have an influence on annoyance response^{20,21}. These non-acoustics factors, such as fear of an aircraft accident and distrust of government may be as important as noise level in determining annoyance response and may be the reason that dose – response data show such a large amount of scatter.

Concern: If United States noise abatement policy and federal tax dollars are going to be expended to manage noise at United States airports, what justification is there to base policy decisions on non-aviation data, drawn largely from studies conducted outside the United States. Shouldn't U.S. policy be driven by U.S. conditions when that policy addresses U.S. mitigation of locally based concerns?

Proposal: We propose that a comprehensive survey of persons residing around American airports be conducted to determine an unbiased level of annoyance with aircraft noise. The proposed survey should include areas around airports that have experienced controversial development, as well as areas that have had stable environments and little controversy over the past decade. The survey airports should include airports of several sizes and missions. Noise level and number of aircraft operations should be treated as independent variables in evaluating dose – response relationships.

²⁰ Fields, J., "Effect of Personal and Situational Variables on Noise Annoyance: With Special Reference to Implications for En Route Noise," NASA and FAA, CR-189676 and DOT/FAA/EE-92/03, 1992.

²¹ RIVM, "Geilenkirchen Air Base Perception Survey, Perceptions of Residents in The Netherlands," 2008.

- **Luz, Potential Role of In Situ Studies in the FAA Roadmap for Research on Aircraft Noise Annoyance**

George A. Luz

Introduction: The following paper has been written in response to issues raised during a workshop held by the FAA in Washington DC on December 10-11, 2009. The intent is (1) to share the author’s experience with *in situ* studies of noise annoyance and (2) suggest ways that an *in situ* study of aircraft noise annoyance could resolve questions which social surveys cannot.

Definition: An *in situ* study of noise annoyance differs from a social survey in that subjects are asked to provide feedback on the annoyance of individual sound events as they experience them (1) in their own home and (2) over a period of days. This paradigm differs from a social survey in which interviewees are usually asked to rate their annoyance of the past year. The paradigm differs from a laboratory study in which subjects provide feedback on the annoyance of individual events in an artificial setting.

Examples of In Situ Studies: I became interested in this type of study because my job with the U.S. Army required me to understand and predict community response to high intensity impulsive sound. This type of exposure differs from the exposure around airports in that (1) the daily number of intrusive sound events are fewer and (2) the day-to-day variability in the intensity of the sound events is greater. One of the early contributions to understanding this subject was a study of quarry blast annoyance funded by the U.S. Bureau of Mines to Bolt, Beranek and Newman (Fidell *et al.* 1982). In this report, the authors designed and tested a “real time annoyance study” in which instrumentation designed to measure the sound level of individual events was coupled with a computer-controlled interview. This concept was later picked up by U.S. Army researcher, Paul Schomer, in a study comparing the annoyance of helicopter noise with railroad noise among people exposed in their homes to both (Schomer and Wagner, 1996). I used this paradigm in a study of heavy weapons noise annoyance with four complainants living on the eastern shore of the Chesapeake Bay across from Aberdeen Proving Ground (Luz *et al.* 1994). Currently, the U.S. Army Construction Engineering Research Laboratory is conducting an *in situ* study of blast noise annoyance which corrects the shortcomings of my 1994 study.

Advantages of In Situ Studies: An option being considered as part of the FAA road map is the analysis of existing social surveys of aircraft noise annoyance. In the past, I have been a proponent of this approach. However, after reading a relatively recent aircraft noise annoyance survey from Korea (Lim *et al.* 2008), I have come to realize that this approach can lead us to ignore important information. In this example, the important information concerns the role of ambient noise.

In 1992, I represented the Army Medical Department on the Federal Interagency Committee on Noise (FICON). In the course of that role, I was asked to write the section of the FICON report dealing with the importance of ambient noise on the annoyance of a given level of day-night average sound level (DNL). As stated in Appendix D of the US Environmental Protection

Agency (USEPA) “Levels Document,” the ambient background accounts for a twenty (20) decibel range in community response to a given level of DNL (USEPA, 1974). Consistent with the predictions of the model put forward by the USEPA was the community response from rural areas of New Jersey and New York to the FAA’s Expanded East Coast Plan (Wesler, 1989).

As I was writing this section of the FICON report, I was also in possession of a draft meta-analysis of social surveys from Jim Fields in which the ambient background had little or no effect on annoyance. As stated in a later refereed publication of Fields’ analysis, “*57,000 interview responses to 35 noise sources in 20 social surveys and reviews of publication for over 12,000 additional responses to 16 noise sources in 13 social surveys show that residents’ reactions to an audible environmental noise source (a target noise) are only slightly reduced by the presence of another noise source (ambient noise) in residential environments.*” “*A 20 dB increase in ambient noise exposure has no more impact than a 1 dB increase in target noise exposure* (Fields, 1998)”.

Faced with this disparity between two measures of behavior – collective community action and personal annoyance – I wrote a section of the FICON report stating that ambient was important for community response but not important for annoyance. I then called the expert who had written Appendix D of the USEPA report, Ken Eldred, at his retirement home on the coast of Maine and read my proposed text for his approval. As a psychologist, I was uncomfortable with the disparity between community response and personal annoyance, but I had such great respect for the competence of both experts that I did not question the conclusion, at least not until the publication by Lim *et al.*, 2008). In this Korean survey of aircraft noise, ambient background did have a statistically-significant effect on annoyance.

From this experience, I have come to the conclusion that meta-analysis can be insensitive to the subtle variables underlying aircraft noise annoyance. In particular, the survey is a rather poor way to understand the dynamics of the psychological processes which distinguish the person who is up in arms about aircraft noise and leading the charge against any expansion of operations at their local airport from a person who is relatively unconcerned about noise from their local airport.

Proposal for an *In Situ* Study of Individual Differences. One of the important unknowns in the study of noise annoyance is the psycho-physiological process by which the individual remembers annoyance. From studies of step-wise changes in average daily exposure at three general aviation airports, it is known that people can make orderly judgments of their annoyance over the past week and past year (Fidell *et al.* 1985), and from the controlled study of helicopter noise published by Fields and Powell (1987), it is known that people can make orderly judgments of annoyance over the past day. What is not known, however, are the rules by which individuals integrate the annoyance of each intrusive aircraft sound during the day to arrive at an experience which they recall when a interviewer asks them to rate their annoyance.

Within the U.S., we continue to operate on the assumption that the best rule is equal energy, and the Fields and Powell study of the annoyance of 1 to 32 daily helicopter flights confirms this rule. Another rule which has been put forward by a group of researchers at the University of Gothenberg is that people keep an unconscious tally of the number of aircraft events greater than

69 dBA during the course of their day. In a study at an airport where the daily numbers of operations were less than seventy, Rylander and Björkman (1997) demonstrated the validity of this rule. Their curves are just as orderly as those of Fields and Powell (1987).

Where the difference in these psycho-physiological models occurs is with environments where the daily number of events in excess of 69 dBA exceeds seventy per day. The University of Gothenberg group believe that there is a breakpoint where the typical person stops tallying the number of events and just remembers the noisiest events (Rylander and Björkman, 1988). The equivalent level model has no place for a breakpoint. On the surface, it might seem reasonable to conduct a “round robin” test between these two models using data from noise surveys. In practice, any differences between these two models are likely to be undetectable through social survey data because of variability in personal and situational variables (Fields, 1993), variability in the times when interviewees are actually at home to hear aircraft noise, and difficulties in specifying the true interior acoustic environment for each interviewee. Because an *in situ* study looks at only one individual at a time, the error variance associated with individual differences can be eliminated.

Refinements of *In Situ* Study In choosing a location to conduct such a study, it would be advisable to avoid communities where there is already a controversy over existing or proposed operations. Beyond that, it would be desirable to conduct the study with people who fall at the extremes of noise-sensitivity. One of the unknowns about noise sensitive people is whether they experience all intrusive noise events as more annoying than others or whether they are just more reactive to the noisiest events.

Application of Findings The proposed research falls under the category of applied research. It is not being proposed simply to collect academic knowledge. As suggested in a previous paper, there is a weakness in the current practice of presenting the public with a “one size fits all” noise contour (Luz, 2004). The fact that a house is located in an area where aircraft noise exposure is below DNL65 does not mean that everyone will be satisfied with the acoustic environment. By understanding the process by which people become annoyed, government will be in a better position to provide citizens with the information which they need in order to decide on whether to live in a noisy neighborhood.

References

- S. Fidell, R. Horonjeff, T. Schultz and S. Teffeteller, Initial Field Studies of Community Response to Blast Noise and Vibration, BBN Report 4731, Bolt, Beranek and Newman (January 1982).
- J.M. Fields, “Effect of personal and situational variables on noise annoyance in residential areas,” *Journal of the Acoustical Society of America* 93, pp.2753-2763 (1993)
- J.M Fields, “Reactions to environmental noise in an ambient noise context in residential areas,” *Journal of the Acoustical Society of America* 194, pp. 2245-2260 (1998)
- J.M. Fields, and C.A. Powell, “Community reactions to helicopter noise: Results from an experimental study,” *Journal of the Acoustical Society of America* 82, pp 479-492 (1987)
- S. Fidell, R. Horonjeff, J. Mills, E. Baldwin, S. Teffeteller, and K. Pearson, “Aircraft noise annoyance at three joint air carriers and general aviation airports,” *Journal of the Acoustical Society of America* 77, pp. 1054-1068 (1985)

G.A. Luz, N.D. Lewis and W.A. Russell, Jr. "Homeowner judgements of the annoyance of individual heavy weapons blasts," Paper given at the 128th meeting of the Acoustical Society of America, Austin, TX, 28 Nov-2 Dec 1994.

G.A. Luz, "Alerting individuals about their noise-sensitivity before they move into a noise-impacted neighborhood," Paper given at Noise-Con 2004, Baltimore, MD, 12-14 July 2004

R. Rylander and M. Björkman, "Maximum noise levels as indicators of biological effects," *Journal of Sound and Vibration* **127**, pp. 555-563 (1988)

R. Rylander and M. Björkman, "Annoyance by aircraft noise around small airports," *Journal of Sound and Vibration* **205**, pp. 533-537 (1997)

P.D. Schomer and L.R. Wagner, "On the contribution of noticeability of environmental sounds to noise annoyance," *Journal of Noise Control Engineering* **44**, pp. 294-305 (1996)

USEPA, Information on Levels of Environmental Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety, Report 550/9-74-004, U.S. Environmental Protection Agency, Washington DC (March 1974)

J.W. Wesler, *Effects of the Expanded East Coast Air Traffic Plan on Noise over Northern New Jersey*, Report WR 89-2, Wyle Research Laboratories, Crystal City, VA (1989)

- **Hume, Rationale & Value for conducting research to develop a standardized complaint handling system (SCHS)**

9 Feb 2010 (Dr Ken Hume)

The problem of aircraft noise disturbance involves a complex interaction of a number of physical, biological, psychological and sociological processes. The public response to noise disturbance is an equally complex issue. Complaining is usually accepted to be a result of focused annoyance and has been interpreted as a coping strategy to deal with the actual or perceived psychological harm of the stressor. However not all complaints are formalized by transmission to authorities who are either responsible for the production of the stressor eg. Airports, or can act on behalf of the complainant, eg. Politicians, media or environmental health agencies.

Across the world many thousands of formal complaints are generated every year about noise due to transportation systems particularly aircraft noise but there is no single methodology available to capture and evaluate this freely provided data stream in order to better understand the issues and mitigate the impact. Complaints give direct insights into the impact of airport operations on its community neighbours, particularly in terms of the level of annoyance and tolerance. Usually the complaint rate is the first and most obvious index of public action in response to the noise impact of airports, particularly in response to change.

There has been limited complaint research work carried out compared with social surveys which give more representative data from the community but are time specific ie. Snap shots. It is surprising that complaint analysis is limited as the numbers of complaints are frequently a major consideration in planning applications and legal proceedings. However, the raw number of complaints on their own is of questionable value and frequently there can be many interpretations made of the data depending on the standpoint and motivation of the reporter.

The value of conducting research into complaints systems which could produce industry (airports) standards for protocols and formats for systematically gathering, analyzing and reporting complaints is listed below. In essence, it is an attempt to extract the most information from this freely provided data with an aim to further understand annoyance and complaint motivations:

- Provides a continuous index / timeline of the level of disturbance/tolerance of the community from a given airport
- Provides rapid feed-back on operational nuisance in a specific area
- Provides relatively cost-effective (complaints offered free) feedback, but setting-up and running costs

- New technologies (GPS/GIS) are available to identify locations and spatial patterns of particular concern, and changes in patterns
- Provides a time-course with trends and peaks so the affect of operational changes (eg. Continuous descent approach) and initiatives can be assessed
- Allows comparison of noise (and other) impact within and between airports with the application of standardized metrics (eg. Complaints per ANE (aircraft noise event) per population over-flown)
- Acts as a community 'pressure valve' to vent frustration besides a source of information - allows residents a behavior that may help them to cope with the impact/nuisance
- By applying a standardized general methods for receiving and dealing with complaints and utilizing metrics which control for variations in eg. Number of flights, serial complainers, time of day of flights, noise level at ground level and number of people over-flown it may be possible to meaningfully compare the tolerance levels and changes at different airports
- By appropriate design of the complaint report (or follow-up) it should be possible to ascertain what aspect of the noise (eg. Vibration & rattle) and /or what behavioral affects (eg. Wake-up from sleep, interference with communication) has the most negative impact
- Use the SCHS to improve relationships and dialogue with the surrounding communities

This work could involve:

- Review of aircraft noise complaint literature
- Formation of scientific team with inputs from all stakeholder experts
- Survey of key airports (eg. Large, medium, small) current methods to ascertain views and requirements and build examples of 'good practice'
- Develop model based on above
- Trial model and refine
- Monitor operation, appraise and revalue

- **Fidell, Information Brief on Aircraft Noise Complaints**

Prepared by Sanford Fidell

Large airports may receive thousands of annual aircraft noise complaints. Complaints typically concern acute or unusual noise events (*e.g.*, “extremely loud overflight”, “aircraft flying off-course/too low/too late/too early”, and the like). Complaints are also sometimes received, however, about cumulative noise exposure conditions (*e.g.*, “too much aircraft noise this morning”) as well.

On a day to day basis, airports are generally more concerned with this complaint behavior than with estimated annoyance rates. Nonetheless, the formal U.S. federal approach (*per* FICON, 1992) to assessing aircraft noise impacts is based on the predicted prevalence of noise-induced annoyance, as estimated from time-weighted average sound levels (DNL). The inconsistency between federal policy and local practice is exacerbated 1) by the lack of any predictive relationship between cumulative noise exposure and complaint behavior²², and 2) by frequent complaints received from residents of federally-defined areas of “compatible” land use. The majority of complaints lodged with many airports are made by people who live beyond the $L_{dn} = 65$ dB noise exposure contour that is considered for federal purposes as the threshold of significant noise impact (GAO, 2001).

In reality, complaints and annoyance may simply be two sides of the same coin, since in practice, both are forms of self-report of adverse aircraft noise effects. Complaints are usually immediate, unsolicited self-reports, often about acute conditions²³. Annoyance, as measured by questionnaire items which encourage respondents to consider cumulative exposure (as for example, by inquiring about annoyance “while you’ve been at home over the past year”), is a delayed form of solicited self-report.

Federal dismissal of complaints as a useful measure of adverse impacts of aircraft noise is based on FICON’s (1992) observation that “Annoyance can exist without complaints and, conversely, complaints may exist without high levels of annoyance.” It is just as true, however, that high levels of annoyance can exist at low levels of noise exposure, and low levels of annoyance can exist at high levels of noise exposure. Logically, the lack of a clear relationship between complaint rates and cumulative noise exposure is no more of an impediment than the great variability of annoyance prevalence rates for the same exposure levels to considering complaints as an indication of community response to aircraft noise.

Complaints are often regarded as unreliable indicators of community response to noise because small numbers of individuals can lodge large numbers of complaints. In reality, it has

²² Since the prevalence of annoyance is, for all practical federal purposes, merely a mathematical transform of DNL, the lack of any relationship between complaints and DNL seems to imply a lack of any relationship between annoyance and complaints.

²³ This distinction may be somewhat strained, however, because although a single noise event may serve as the trigger for lodging a particular complaint, complainants may also be chronically annoyed by aircraft noise.

long been known that chronic complaining is the exception rather than the rule. The modal ratios of complaints to complainants in large complaint databases are quite modest – often on the order of one or two annual complaints per complainant (Fidell and Howe, 1998). Large numbers of complaints from a few complainants are easily identified outliers that may simply be excluded from analysis.

Despite the importance of complaints to airport administrations, airports typically make little systematic use of complaint information beyond plotting the locations of complainants' homes and periodically summarizing numbers and types. Modern airport noise and operations systems permit more insightful uses of complaint information, such as drawing of complaint density contours (*cf.* Fidell, 2003). These same databases can also support a range of sophisticated analyses of the dependence of noise complaints on numbers, times, and types of aircraft operations and flight path distributions (*e.g.*, density, variability, altitude, *etc.*) with respect to geographically-weighted demographic information (*cf.* Fidell and Howe, 1998). Complaint information can also be used to independently estimate the non-acoustic component of reported annoyance with aircraft noise exposure, and to quantify the sensitivity of complaints and time constants of arousal and decay of complaints following operational changes that alter flight paths.

REFERENCES

Federal Interagency Committee on Noise (FICON) (1992). "Federal Agency Review of Selected Airport Noise Analysis Issues," Report for the Department of Defense, Washington, DC.

Fidell, S. (2003) "The Schultz curve 25 years later: A research perspective", *J. Acoust. Soc. Am.* 114 (6), Pt. 1, 1-9.

Fidell, S., and Howe, R. (1998) "Use of Airport Noise Complaint Files To Improve Understanding of Community Response to Aircraft Noise", NASA Contractor Report 207650, Contract NAS1-20101, NASA Langley Research Center, Hampton, VA.

Government Accounting Office (GAO) (2000). "Aviation and the environment: results from a survey of the nation's 50 busiest commercial service airports," GAO/RCED-00-222, Washington, DC, pp. 35–36.

• SLEEP DISTURBANCE

- **Vincent Mestre - Chapter 4: Sleep Disturbance and Aviation Noise, ACRP Synthesis 9 “Effects of Aircraft Noise: Research Update on Selected Topics”**

Most noise-exposed populations especially in the vicinity of airports cite sleep disturbance as a common complaint. Protection of a particular sleep period is necessary for overall quality of life. Sleep may be quite sensitive to environmental factors, especially noise, because external stimuli are still processed by the sleeper’s sensory functions, although there may be no conscious perception of their presence.

The large amount of research published during the last 30 years has produced considerable variability and often controversial results. For example, in establishing the effect of aviation noise on health, the absence of one internationally accepted exposure-effect or dose-response relationship is largely the result of a lack of one obvious “best choice” research methodology, as well as to the complex interactions of many factors that influence sleep disturbance, including the differences of the noise source and the context of the living environment. Current exposure-response relationships use either awakenings or body movements to describe sleep disturbance.

Several studies suggest that either sound exposure level (SEL) or maximum noise level (L_{max}) are better predictors of sleep disturbance than long-term weighted averages [equivalent sound level (L_{eq})], day-evening-night average noise levels (L_{den}), community noise equivalent level (CNEL), DNL, or equivalent noise level for night (L_{night}). A survey of the literature also shows large differences between results from numerous laboratory studies and those from epidemiological or experimental studies made in real, in-home situations. The landmark study by Ollerhead et al. (1992) clearly identified a difference between laboratory and in-home studies of sleep disturbance, with the in-home data showing it takes considerably more noise to awaken people than data collected in the laboratory studies, and that the agreement between actimetrically determined arousals and electroencephalogram (EEG)-measured arousals were very good (Ollerhead et al 1992). It summarized by stating that “once asleep, very few people living near airports are at risk of any substantial sleep disturbance resulting from aircraft noise, even at the highest event noise levels.”

Later studies by Horne et al. (1994) document a landmark in-home field study that demonstrated dose-response curves based on laboratory data greatly overestimated the actual awakening rates for aircraft noise events. In 1995, Fidell found that SELs of individual noise intrusions were much more closely associated with awakenings than long-term noise exposures (Fidell et al. 1995). These findings do not resemble those of laboratory studies of noise-induced sleep interference, but agree with the results of other field studies. Importantly, the study also concludes the relationship observed

. . . between noise metrics and behavioral awakening responses suggest instead that noise induced awakening may be usefully viewed as an event-detection process. Put another way, an awakening can be viewed as the outcome of a de facto decision that a change of sufficient import

has occurred in the short-term noise environment to warrant a decision to awaken (Fidell et al. 1995).

This is an important observation that leads to suspicion of any assumption about the independence of noise events made in the pursuit of estimating total awakenings.

In 1989, a comprehensive database representing 25 years of both laboratory and field research on noise-induced sleep disturbance was the basis for an interim curve to predict the percent of exposed individuals awakened as a function of indoor A-weighted SEL (Finegold et al. 1992). This curve was adopted by FICON in 1992. Since publication of the FICON report (Federal Interagency Committee on Noise 1992), substantial field research in the area of sleep disturbance has been completed. The data from these studies show a consistent pattern, with considerably less percent of the exposed population expected to be behaviorally awakened than laboratory studies had demonstrated. As a result, the Federal Interagency Committee on Aviation Noise (FICAN) published a new recommendation in 1997. Interestingly, the FICAN curve does not represent a best fit of the study data, but rather is constructed to represent the out boundary of the data (FICAN 1997).

In summary, although the most common metrics for assessing the impacts of DNL, Lden, or CNEL already contain a 10-dB penalty for night-time noises, there are circumstances where a separate analysis of the impacts of night-time transportation noise is warranted. There are, however, different definitions of sleep disturbance and different ways to measure it, different exposure metrics that can be used, and consistent differences in the results of laboratory versus field studies. At the present time, very little is known about how, why, and how often people are awakened during the night, although it is generally acknowledged that the “meaning of the sound” to the individual, such as a child crying, is a strong predictor of awakening. Although different models can estimate various metrics, there is substantial controversy associated with how to apply and interpret these studies. Current research has focused on measuring in-home sleep disturbance using techniques not available in 1985. In-home sleep disturbance studies clearly demonstrate that it requires more noise to cause awakenings than was previously theorized based on laboratory sleep disturbance studies. Recent studies have cautioned about the over-interpretation of the data. This is contrasted with recent efforts to estimate the population that will be awakened by aircraft noise around airports. Research may not yet have sufficient specificity to estimate the population awakened for a specific airport environment or the difference in population awakened for a given change in an airport environment.

- **Griefahn and Basner, Aircraft noise effects on sleep**

Prepared by Barbara Griefahn and Mathias Basner

1. Aircraft noise effects on sleep

- a) Describes *evidence that aircraft noise affects sleep (i.e., sleep intensity, continuity, and/or duration) and models that have been developed to establish relationship between aircraft noise exposure and sleep; states sufficiency and policy relevance.*

Continuity. There is sufficient evidence shown in laboratory and in field studies due to which single aircraft noise events (ANE) evoke autonomic, motoric (movements) and cortical arousals, sleep stage changes and awakenings. Respective reports are numerous and go back to the 60s (e.g. Basner, Griefahn, Lukas, LeVere, Muzet, Passchier-Vermeer).

Several dose-response curves describing the probability in relation to the noise load expressed in L_{Amax} or SEL were calculated. They are congruent insofar that increasing levels (SEL, L_{Amax}) cause higher percentages of the effects in question. The steepness of the ascents of the dose-response curves deviate, however, in a wide range due to the various effects considered (EEG-awakening, behavioural awakening, motility) and the large variety of variables moderating the effects of noise on sleep. Nevertheless, as far as these curves are based on a sufficient number of observations (Basner - EEG awakenings, Passchier-Vermeer - motility) the dose-response relations can be taken as a basis for the definition of exposure limits. In the past these decisions were primarily done on the basis of the noise load. This is problematic as shown by Basner et al. (for example see Figure 1). If protection limits refer primarily to the effects i.e. the probability of awakening, than the protection areas differ considerably from those defined by integrated measures such as the equivalent noise level.




Figure 1: Protection areas defined by equivalent noise levels (L_{Aeq} : 50 dB, 55 dB) and by one additional awakening (Basner et al.).

Sleep intensity. The term 'sleep intensity' is here certainly understood as sleep depth. Alterations of sleep depth were more or less regularly reported in several studies. Deep sleep (slow-wave-sleep, SWS), that in young healthy adults amounts to about 20 % of the sleep

period time is reduced due to nocturnal noise. The loss is, however, usually rather moderate, amounts to not more than a few minutes, and does not necessarily show a strict dose-response relation. In nights with indoor levels of aircraft noise varying between 39 and 50 dBA the average loss was for instance 2.5 minutes (see Table below, Griefahn et al.) This small decrease is in accordance with reports of other authors (e.g. Basner et al.).

Methodological remarks: The alterations of sleep depth as a criterion for the limitation of nocturnal noise are problematic. First, a major reason for this small effect might be related to the rules for sleep staging (Rechtschaffen & Kales). Deep sleep (sleep stages S3 and S4) is by definition reached if at least 20% of an epoch (30-s-period) consists of low frequency waves (≤ 2 cps) of high amplitudes (≥ 75 μ V). So, if a person produces 100% of these Delta waves, a reduction of 80% would be dramatic but would not count as an alteration of sleep depth. (These alterations would be detected by alternative evaluation methods that base on frequency-amplitude analyses.) Second, deep sleep decreases with increasing age, meaning that aged people cannot loose much deep sleep due to nocturnal noise.

Sleep duration. Sleep duration as indicated by the time between sleep onset and final sleep offset (Sleep Period Time, SPT) is usually moderately affected. The difference is due to the increase of intermittent wakefulness somewhat greater when considering Total Sleep Time (TST = SPT minus intermittent wakefulness) but again rather moderate (Table 1).

Table 1: Alteration of some sleep parameters due to aircraft noise with L_{Aeq} from 39 to 50 dB (24 participants, 18-28 yrs. Griefahn et al.)

Variable	quiet	Noise	difference
Sleep period time (SPT, min)	455.3 \pm 19.6	457.2 \pm 7.7	-1.9 min
Total sleep time (TST, min)	425.3 \pm 23.5	418.8 \pm 21.4	-6.5
Slow wave sleep (SWS, min)	73.3 \pm 25.6	70.8 \pm 27.7	-2.5
REM-Sleep (min)	101.4 \pm 16.7	103.1 \pm 16.5	-
Sleep disturbance index	0.03 \pm 0.95	0.57 \pm 1.05	0.54

Though sleep intensity and sleep duration were ascertained in most studies on the effects of nocturnal noise on sleep, there are no dose-response relations that would allow a definition of protection limits.

Methodological remarks: Alterations of whole-nights sleep are difficult to interpret. In most laboratory studies, the time in bed (TIB) is eight hours which is more than the participants usually sleep at home (representative studies on sleep duration show usually not more than 7.5 hours sleep at home). Thus, the reduction of sleep duration is difficult to interpret and certainly less important than the same reduction in the field situation. On the other hand alterations of sleep structure (including sleep duration etc.) are difficult to evaluate in the field due to the fact that there is often no control situation, i.e. at airports with nocturnal traffic nights without any air traffic are rare. Moreover, it is conceivable to assume that bedtimes and rising times of residents near airports are in an attempt to cope with noise influenced by the schedule of air traffic.

- b) *Describes noise metrics used in models that establish relationship between aircraft noise exposure and sleep; states strengths and weaknesses of different metrics.*

Models that relate noise metrics with the effects on sleep concern the prediction of EEG-awakenings (Basner et al., Marks et al.), of behavioral (signalled) awakenings (FICAN, Elias & Finegold, Anderson & Miller) or motoric arousals (body movements, Passchier-Vermeer). Noise metrics used in these models were either Lmax (Basner et al., Marks et al.) or SEL (FICAN, Elias & Finegold, Ollerhead, Passchier-Vermeer). It is difficult to discuss the strengths and weaknesses of both these acoustic measures as they were used for the prediction of different effects. Moreover, the moderator variables differ between studies.

Lukas (1975) was the first who tried to summarize the results from a few studies and came to the conclusion that the EPNdB would be the best predictor of sleep disturbances caused by aircraft noise. Pearsons et al. (1995) who pooled the data from various studies related awakening frequencies to LMax and SEL and found that the ascent for SEL was lower than for LMax, whereas the p-values were similar. This means that both measures can be almost equally applied. However, when it comes to explaining this to the residents in the vicinity of airports, it might be advantageous to use a metric than can be 'heard', namely the LMax, and thereby better understood.

- c) *Compares severity of aircraft-noise-induced sleep disturbance relative to other known causes of sleep disturbance.*

There are only a few attempts to compare sleep disturbances caused by aircraft noise with those related to other reasons (apart from noise).

Two attempts were made to compare noise-induced sleep disturbances with sleep disturbances of other reasons quantitatively. For this, the Sleep Disturbance Index was applied (SDI: this measure considers sleep structure by integrating 7 sleep parameters, Griefahn et al.). The index increases – as expected – gradually with age in noise-free nights as shown in Figure 2 (192 persons, 18-68 years). This figure shows also the SDI calculated for nights with equivalent noise levels of 44 (orange line) and of 50 dBA (green line) of young persons (18-28 years). The elevation of the SDI (as compared to the regression line showing the increase of the SDI with age) corresponds to an SDI that would be found in about 10 years older persons.




Figure 2: Sleep disturbance index in persons 18 to 68 years old (red circles). The orange and green lines indicate the SDI in noisy nights with LAeq of 44 and 50 dB in 18-28 years old persons. The cut-points with the regression line indicate the age range for which this sleep behavior would have been expected during quiet nights.

Another comparison based on the SDI concerned patients with Obstructive Sleep Apnea (OSA-patients). Figure 3 shows the SDI of healthy young persons in nights with equivalent noise levels of 39, 44, and 50 dBA and of OSA-patients in noise-free nights. The SDI increases with the severity of the OSA symptoms (Apnea-Hypopnea-Index AHI).




Figure 3: Sleep Disturbance Index (SDI) in quiet and in noisy nights and in persons with Obstructive Sleep Apnea of different severity.

These observations clearly indicate that nocturnal noise might have adverse effects and contribute in the long run to the genesis of health disorders. These findings are, however, certainly not enough to state a chronic health effect or to define protection limits.

2. Short-term after-effects of sleep disturbances

- a) *Describes evidence of short-term effects of sleep disturbance (irrespective of cause) and whether relationships have been established between effects and indicators of sleep disturbance such as continuity, intensity, duration; states its sufficiency and policy relevance.*

A precise differentiation between 'short-term' and 'long-term' effects is almost impossible. Both indicate after-effects (secondary effects) to noise induced sleep disturbances (primary effect) where the short-term effects certainly contribute to the development of long-term effects. Short-term after-effects occur immediately or soon after nights with noise exposure and usually disappear after the cessation of nocturnal noise exposure. These effects comprise (1) subjectively assessed alterations (sleep quality, mood, annoyance, sleepiness), (2) objectively assessed alterations (sleepiness, performance) and (3) coping strategies (closing windows etc.).

Subjectively assessed alterations

- Subjective sleep quality. This parameter has been ascertained in almost all studies on the effects of noise on sleep and was usually found to be worse after noisy than after quiet nights. Sleep quality is as a rule related to some sleep parameters of the previous night (time to fall asleep, intermittent wakefulness etc). Significant but rather low correlation coefficients ($p \leq 0.01$) were found in several studies (usually $r < 0.3$).

Though the decrease of subjective sleep quality is a consistent finding in almost any study on noise-induced sleep disturbances and though sleep quality decreases systematically with increasing nocturnal noise load, the results are not easy to pool for meta-analyses because sleep quality is differently ascertained. Some authors merely ask a single question, others have several indicators integrated to a single value (Griefahn et al.). Dose-response relations based on several laboratory studies were only presented for road traffic noise (Öhrström). Corresponding relations are not yet available for aircraft noise.

- Sleepiness. The best instruments to measure sleepiness are the Stanford Sleepiness Scale (SSS) and the Karolinska Sleepiness Scale (KSS) that correlate significantly with each other. These variables are only occasionally ascertained but seem to increase with nocturnal noise exposure. In a recently performed, however, not yet published study (Griefahn and Marks) it has been shown that sleepiness remains after noisy nights higher throughout a consecutive 8-hour experimental work shift than after sleep in quiet conditions (Figure 4). This has been shown for surface transport but the same is expected for aircraft noise as well.




Figure 4: Sleep quality and sleepiness due to traffic noise.

- Annoyance. In studies designed to investigate the effects of nocturnal noise annoyance was rather occasionally than systematically ascertained. Annoyance has, however, been shown to increase gradually with the equivalent noise level (see in Figure 5, Quehl and Basner).




Figure 5: Annoyance related to the equivalent noise level.

Whether annoyance is - as assumed by the partners in the HYENA project - taken as a surrogate for sleep quality is not clear, though both variables increase with noise load (Babisch).

Methodological remark: Subjective assessments (sleep quality, sleepiness, annoyance) might be particularly problematic in field studies where the participants are still exposed to noise while they rate these parameters. This might disturb them more than during sleep and might thus influence the judgement, in particular as air traffic becomes heavier in the morning as compared to the night.

Subjective assessments (sleep quality, sleepiness, annoyance) are usually systematically related to noise load. However, dose-response relations were apart from only one study concerning annoyance not systematically published in the context of aircraft noise. Here, it would be advantageous to pool the data from as many studies as possible and to perform a meta-analysis that, however, has to take in account that these variables are often ascertained with different methods.

Objectively assessed alterations

- Sleepiness. Where subjective sleep quality is on the physiological level verified by sleep parameters that are recorded with the polysomnogram (PSG), sleepiness can be verified with the Pupillographic Sleepiness Test (PST). There is, however, only one study (Basner et al.) where this method was successfully applied and where a dose-response relation with nocturnal noise was found. Another objective method for the verification of sleepiness is the Multiple Sleep Latency Test (MSLT) that, however, has not yet been applied in studies on the effects of noise on sleep. The current knowledge is, however, insufficient to justify the derivation of applicable limits.
- Performance. According to numerous studies on partial or on complete sleep deprivation it was generally hypothesized that performance degrades after nocturnal noise exposure. Therefore, many studies included at least one performance test that was executed soon after getting up in the morning. However, there are only a few studies where one and the same performance test was applied (LeVere - Öhrström, Basner - Griefahn) and the majority of studies did not reveal any alteration due to noise applied in the previous night. Whether the tests were inadequate or whether the extent of sleep disturbances was insufficient to cause performance decrements is uncertain. Also sleep inertia, a state of dizziness and disorientation within the first minutes to even one hour post-awakening, may play a decisive role and determine actual performance. Most stable are performance decrements that show up as prolongations of reaction times by, however, only a few milliseconds (Basner, Marks) and if a task demands a high amount of working memory (LeVere, Öhrström). Relations to previous sleep were scarcely calculated (an attempt was made by Griefahn who calculated significant correlations between reaction time and SWS: $r = -.38$ and with the SDI: $r = 0.26$). A recently performed not yet published study showed that performance in terms of reaction time in several tests was prolonged throughout a consecutive experimental 8-hour work shift. A dose-response relation was found by Basner but this does not yet allow the derivation of thresholds or upper limits.

Other sources. Degraded performance has been shown in numerous experiments where sleep was at least partially deprived. The extent of sleep loss in these studies is, however, much greater than the disturbances evoked by aircraft noise and thus comparisons are not useful.




Figure 6: Annoyance related to the equivalent noise level.

Coping strategies

- Closing windows, using ear plugs
- Consumption of sleeping pills, tranquilizers, alcohol etc.

Though it is conceivable to assume that coping strategies are applied the more often the greater the nocturnal noise load is, this behavior has not yet been sufficiently studied.

- b) *Describes evidence of short-term effects of aircraft-noise-induced sleep disturbance and places it in context with other causes of sleep disturbance.*
This is already included in topic with a) (irrespective of cause)

3. Long-term effects

- a) *Describes evidence of long-term effects of sleep disturbance (irrespective of cause) and whether relationships have been established between effects and indicators of sleep disturbance such as continuity, intensity, duration; states its sufficiency and policy relevance.*

Long-term effects appear with a certain delay after the onset of long lasting (chronic) nocturnal noise exposure and they outlast even the cessation of noise exposure. Long-term effects concern health disorders as well as chronic alterations of behavior.

- Hypertension and myocardial infarction (including medication prescriptions)
- Behavioral alterations
- Chronic alterations affecting the immune and endocrine system

The majority of studies on the effects of noise on health concerned daytime exposure or 24-h exposures. None of the studies performed so far were designed to evaluate the relation between nocturnal noise and long-term effects (LARES, NAROMI-Study, Spandauer Gesundheitssurvey, HYENA-Study). Nocturnal noise was only occasionally regarded insofar that the effects in question were correlated with noise loads of different time periods during the day and during the night.

These studies are without exception cross-sectional and thus can merely reveal statistical associations, however, not causalities. Further, the data ascertained in these studies are usually rather weak. Noise loads were usually not measured in or calculated for the individuals' homes but measured or calculated for representative places around which these homes are located. Moreover, the effect variables are often not well quantified. Interviewees e.g. report whether they have a diagnosed disease or not, or whether they are on medication etc. Concerning the individual medications as documented by the health insurance companies the individual consumption of the remedies is not known (Greiser). Another weakness of some of these studies is that the authors correlate the effect data with as many noise indicators as possible until a significant correlation occurs (which is the more likely the higher the number of calculations is). The great value of these studies is, however, that they contribute to the formulation of solid hypotheses for future research. The latter must focus on individual data (individual noise load, quantified individual effects).

None of these epidemiological or field studies provide either thresholds or upper limits for nocturnal noise exposure.

- b) *Describes evidence of short-term effects of aircraft-noise-induced sleep disturbance and places it in context with other causes of sleep disturbance.*

4. Methodological aspects

Describes options for assessing sleep and acquiring corresponding aircraft noise exposure; assesses relative suitability for different study applications from small laboratory to large-scale field study.

Methodological aspects were discussed in many papers since the earliest studies performed by Lukas, Griefahn, and Muzet and were recently summarized by Basner et al. and already presented within the context of the FAA initiative. Moreover, methodological aspects were considered under the topics 1 to 3.

5. Analyses of existing data.

- a) *Summarizes data sets from research on sleep-related effects of aircraft noise.*
- b) *Describes prospects for conducting meta-analysis of data from existing data sets.*
- c) *Identifies ongoing sleep research with potential for incorporating addition of aircraft noise effects; assesses feasibility.*

Since the 60s many studies have been performed on the effects of noise. A meta-analysis is certainly desirable but seems not to be very promising

6. Research gaps

Describes aircraft-noise-induced sleep disturbance research needs and study approaches not discussed at August 2009 international forum or December 2009 roadmap, explains needs and policy relevance.

- **McGuire, Sleep Disturbance Information Brief**

Sarah McGuire, Ray W. Herrick Laboratories, Purdue University

Existing Data

a) *Summary of data sets from research on sleep-related effects of aircraft noise*

A literature search was conducted in order to identify studies that examined the effects of aircraft noise on sleep. While not exhaustive, the result was that 12 laboratory [1-12] and 12 field studies [1,6,13-22] were identified. The reports for each study were examined to determine what methods were used to measure awakenings and what additional measurements were made; the results are in Table 1. Most field studies had more than 20 subjects. However, a wide variety of methods for measuring awakenings was used. Few field studies used polysomnography, the most sensitive measure of awakenings. All of the recent U.S. field studies [17,18] measured disturbance using behavioral awakenings.

Table 1: The number of studies out of 12 laboratory and 12 field studies that used the listed measurement techniques and measured the listed variables

	Laboratory	Field
> than 20 subjects	3	11
Social Survey	0	5
am/pm Questionnaires	7	7
Behavioral Awakenings	3	4
Actimetry	3	6
Motility-Other	1	1
Polysomnography	12	3
ECG	7	2
Blood Pressure	1	1
Hormone Levels	3	1
Objective Sleepiness	2	0
Subjective Sleepiness, Fatigue or Tiredness	6	8
Performance	5	3

b) *Prospects for conducting a meta-analysis*

It would be useful if, in addition to the many literature reviews conducted on noise and sleep, a more systematic analysis were performed. Due to the limited number of studies, in order to conduct a meta-analysis, it would likely be necessary to also examine studies on the effects of road and train noise on sleep. However, sound characteristics for each type of transportation mode are different, which causes different degrees of sleep disturbance [2,12]. This may affect the results of any combined analysis.

One topic in which a meta-analysis would be useful is on next day effects such as sleepiness. While it would be preferable to examine objective measurements of sleepiness, only two laboratory studies were found to perform these measurements. Both studies also used different methods. One measured sleepiness using the Multiple Sleep Latency Test which involves measuring the time it takes for an individual to fall asleep [6]. The other study used the Pupillographic Sleepiness Test (PST). PST involves measuring the oscillations in pupil size, which will be small for alert subjects and large for sleepy subjects [23].

Due to the limited number of studies which measured sleepiness objectively, for a meta-analysis subjective measures would need to be examined. Many studies have used morning questionnaires or social surveys. Eight out of the 12 field studies that were identified did ask questions on sleepiness, tiredness or fatigue. Also some subjective measures have been found to correlate to objective measures of sleepiness [24]. Due to the differences in study designs and the use of different questions the results between studies though may not be comparable. In addition to sleepiness, other possible topics for a meta-analysis on short-term effects would be to examine subjective responses on mood, or annoyance caused by sleep disturbance.

It would also be desirable to examine whether there is consistent evidence that nighttime noise causes a change in blood pressure, hormone levels or other physiological measurements other than awakenings. These parameters may be useful when trying to determine whether sleep disturbance caused by noise could lead to health effects. From the small literature review that was conducted, few studies examined these effects. For example, out of the 24 studies that have been identified only 4 measured hormone levels and only 2 measured blood pressure.

Overall the primary challenges in conducting a meta-analysis on noise-induced sleep disturbance are that there are a limited number of studies, and there are large differences in methods that were used. It seems that the most promising topics would be to examine subjective responses on next day effects due to the larger quantity of data that may be available. However, until a detailed list is compiled of studies that examined each effect and the methods used, it is difficult to determine whether a meta-analysis, that would improve the current state of knowledge, could be conducted.

Research Gaps

Short Term Objective: To understand the number of awakenings that occurs in communities around U.S. airports and the resulting next-day effects

a) *Given the current state of knowledge examine the impact of noise on sleep in communities around U.S. airports*

The degree of sleep disturbance that has been found needs to be placed in context in terms of DNL. While the same DNL level could result in different numbers of awakenings, it would be useful to use the model developed by Basner et al. [25] to create contours for U.S. airports indicating the area in which 1 additional awakening will occur and compare them to the 65 dB(A) DNL contours. An estimate of the populations that are within the awakening contour and not the 65 dB(A) DNL contour should also be made. Similarly it would be useful to calculate L_{night} contours around several airports and examine the difference in the 55 dB(A) L_{night} contour and the 65 dB(A) DNL contour. Above an outdoor L_{night} level of 55 dB(A), health effects caused by noise may often occur as stated in the Night Noise Guidelines for Europe [26].

b) *Examine literature on existing studies to determine whether a meta-analysis can be conducted on next day effects such as sleepiness, mood, or performance*

In order to determine whether there is sufficient data to examine these effects, a literature review of all studies on noise-induced sleep disturbance needs to be performed. A list of information contained in each study should be created. While it is questionable whether a useful meta-analysis can be conducted this review would provide a more complete picture of the research that has been done. If it is determined that an analysis can be conducted, models on sleepiness, performance or other next day effects should be developed.

Long Term Objective: To understand the effect of noise-induced sleep disturbance on health

a) *Determine whether aircraft noise impacts sleep enough to lead to long term health effects*

From the studies that have been conducted it is evident that the number of awakenings increase with noise level however, what is not well understood is what the effects of these additional awakenings are. To improve the understanding of the effect that nighttime noise has on health, one topic that should be further investigated is the non-dipping of blood pressure. A person is classified as a “dipper” if blood pressure during the night drops by more than 10%. The non-dipping of blood pressure may increase the risk for developing cardiovascular problems. An association between blood pressure level and the number of arousals has been found [27]. In order to determine whether nighttime noise around U. S. airports could lead to non-dipping, a literature review should be conducted to determine the number of arousals that is associated with non-dipping and compare it to the number of arousals caused by aircraft noise.

b) *Develop and verify models to predict changes in sleep that may lead to long-term health effects*

Most sleep disturbance models are based on behavioral awakenings and only predict the percent awakened. It needs to be determined which changes in sleep (e.g. time awake, reduction in rapid eye movement sleep, reduction in slow wave sleep) are the best indicators of long term health effects and then develop and validate models to predict these changes.

c) *Conduct additional studies*

There is a limited number of existing field studies in which the data could be used to develop and validate more complex sleep models. Also there is a need for additional studies to examine the link between nighttime noise and health. Therefore new studies should be conducted around U. S. airports. Research into the design and feasibility of conducting these studies should be completed.

References

1. M. Basner, H. Buess, D. Elmenhorst, A. Gerlich, N. Luks, H. Maaß, L. Mawet, E. W. Müller, U. Müller, G. Plath, J. Quehl, A. Samel, M. Schulze, M. Vejvoda and J. Wenzel. Effects of nocturnal aircraft noise, Volume 1, Executive summary. German Aerospace Center (DLR), Institute of Aerospace Medicine, Cologne, Germany, 2004.
2. M. Basner, E. M. Elmenhorst, H. Maass, U. Müller, J. Quehl and M. Vejvoda. Single and combined effects of air, road and rail traffic noise on sleep. *9th International Congress on Noise as a Public Health Problem (ICBEN)*. Foxwoods, Ct., July, 2008.
3. N. L. Carter, S. N. Hunyor, G. Crawford, D. Kelly and A. J. M. Smith. Environmental noise and sleep, a study of arousals, cardiac arrhythmia and urinary catecholamines. *Sleep*. 17(4): 298-307, 1994.
4. N. Carter, R. Henderson, S. Lal, M. Hart, S. Booth and S. Hunyor. Cardiovascular and autonomic response to environmental noise during sleep in night shift workers. *Sleep*. 25(4): 444-451, 2002.
5. J. Dinisi, A. Muzet, J. Ehrhart and J. P. Libert. Comparison of cardiovascular responses to noise during waking and sleeping in humans. *Sleep*. 13(2): 108-120, 1990.
6. H. Flindell, A. J. Bullmore, K. A. Robertson, N. A. Wright, C. Turner, C. L. Birch, M. Jiggins, B. F. Berry, M. Davison and N. Dix. Aircraft noise and sleep, 1999 UK trial methodology study. ISVR Consultancy Services, Institute of Sound and Vibration Research, University of Southampton, U. K., 2000.
7. T. E. LeVere, R. T. Bartus and F. D. Hart. Electroencephalographic and behavioral effects of nocturnally occurring jet aircraft sounds. *Aerospace Medicine*. 43(4): 384-389, 1972.
8. T. E. LeVere and N. Davis. Arousal from sleep: The physiological and subjective effects of a 15 dB(A) reduction in aircraft flyover noise. *Aviation, Space, and Environmental Medicine*. 48(7): 607-611, 1977.
9. J. S. Lukas and K. D. Kryter. Awakening effects of simulated sonic booms and subsonic aircraft noise on six subjects, 7 to 72 years of age. NASA/CR-1970-1599, National Aeronautics and Space Administration, Washington D.C., 1970.
10. J. S. Lukas, M. E. Dobbs and K. D. Kryter. Disturbance of human sleep by subsonic jet aircraft noise and simulated sonic booms. NASA/CR-1971-1780, National Aeronautics and Space Administration, Washington D.C., 1971.

11. J. S. Lukas and M. E. Dobbs. The effects of aircraft noises on the sleep of women. NASA/ CR-1972-2041, National Aeronautics and Space Administration, Washington D.C., 1972.
12. A. Marks, B. Griefahn and M. Basner. Event-related awakenings caused by nocturnal transportation noise. *Noise Control Eng. J.* 56(1): 52-62, 2008.
13. N. Borsky. Sleep interference and annoyance by aircraft noise. *Sound and Vibration.* 10(12): 18-21, 1976.
14. M. Brink, P. Lercher, A. Eisenmann and C. Schierz. Influence of slope of rise and event order of aircraft noise events on high resolution actimetry parameters. *Somnologie.* 12: 118-128, 2008.
15. Aircraft noise and sleep disturbance: final report. *DORA report no. 8008.* Directorate of Operational Research and Analysis, Civil Aviation Authority, U.K., 1980.
16. S. Fidell and G. Jones. Effects of cessation of late-night flights on an airport community. *J. Sound. and Vib.* 42(4): 411-427, 1975.
17. S. Fidell, K. Pearsons, B. Tabachnick, R. Howe, L. Silvati and D. S. Barber. Field study of noise-induced sleep disturbance. *J. Acoust. Soc. Am.* 98(2): 1025-1033, 1995.
18. S. Fidell, K. Pearsons, B. Tabachnick and R. Howe. Effects on sleep disturbance of changes in aircraft noise near three airports. *J. Acoust. Soc. Am.* 107(5): 2535-2547, 2000.
19. A. S. Haralabidis, K. Dimakopoulou, F. Vigna-Taglianti, M. Giampaolo, A. Borgini, M. L. Dudley, G. Pershagen, G. Bluhm, D. Houthuijs, W. Babisch, M. Velonakis, K. Katsouyanni and L. Jarup. Acute effects of night-time noise exposure on blood pressure in populations living near airports. *European Heart Journal.* 29: 658-664, 2008.
20. K. I. Hume, F. Van and A. Watson. Effects of aircraft noise on sleep: EEG-based measurements. Manchester Metropolitan University, 2003.
21. J. B. Ollerhead, C. J. Jones, R. E. Cadoux, A. Woodley, B. J. Atkinson, J. A. Horne, F. Pankhurst, L. Reyner, K. I. Hume, F. Van, A. Watson, I. D. Diamond, P. Egger, D. Holmes and J. McKean. Report of a field study of aircraft noise and sleep disturbance. Department of Safety, Environment, and Engineering, Civil Aviation Authority, 1992.
22. W. Passchier-Vermeer, H. Vos, J. H. M. Steenbekkers, FD van der Ploeg and K. Groothuis-Oudshoorn. Sleep disturbance and aircraft noise exposure: Exposure-effect relationships. *TNO Report 2002.027*, TNO, Leiden, the Netherlands, 2002.
23. M. Basner. Nocturnal aircraft noise exposure increases objectively assessed daytime sleepiness. *Somnologie.* 12:110-117, 2008.
24. M. W. Johns. A new method for measuring daytime sleepiness: the Epworth Sleepiness Scale. *Sleep.* 14(6): 540-545, 1991.
25. M. Basner, A. Samel and U. Isermann. Aircraft noise effects on sleep: application of the results of a large polysomnographic field study. *J. Acoust. Soc. Am.* 119(5): 2772-2784, 2006.
26. Night Noise Guidelines (NNGL) for Europe. World Health Organization (WHO). Bonn, Germany, 2007.
[http://ec.europa.eu/health/ph_projects/2003/action3/docs/2003_08_frep_en.pdf]
27. J. S. Loreda, S. Ancoli-Israel and J. E. Dimsdale. Sleep quality and blood pressure dipping in obstructive sleep apnea. *American Journal of Hypertension.* 14(9): 887-892, 2001.

• **Basner, Information Brief - Sleep Disturbance – Methodology**

Prepared by Mathias Basner

This information brief describes options for assessing sleep and acquiring corresponding aircraft noise exposure. It assesses the relative suitability for different study applications from small laboratory to large scale field studies.

The human organism recognizes, evaluates and reacts to environmental sounds even while asleep [1, 2]. Traffic noise may therefore disturb or fragment sleep and impair recuperation. Arousals of the central nervous system (CNS) occur frequently throughout the night and they are not specific for noise, i.e. many internal and external stimuli other than noise may induce an arousal (termed 'spontaneous' in Figure 1).




Figure 1: Different degrees of central nervous system arousal induced by stimulation of the Ascending Reticular Arousal System (ARAS) through internal or external stimuli and methods suitable for assessing the different arousals. Red numbers represent spontaneous frequencies for different reactions in a noise-free night with eight hours' time in bed.

Polysomnography, i.e. the simultaneous recording of the electroencephalogram (EEG), the electrooculogram (EOG), and the electromyogram (EMG) remains the gold standard for measuring sleep. According to specific conventions [3, 4], the night is divided into wake and different stages of sleep (light sleep stages S1 and S2, deep sleep stages S3 and S4, and rapid eye movement (REM) sleep). Deep and REM sleep seem to be very important for restoration and memory consolidation during sleep [5]. Wake and S1 are typical indicators of disturbed or

fragmented sleep, and they do not (or only very little) contribute to the recuperative value of sleep [6]. Even shorter activations (≥ 3 s) in the EEG and EMG, so-called *arousals*, that would not qualify to be scored as an awakening can be detected with the polysomnogram [3, 7]. These arousals are usually accompanied by cardiac activations (see below) that may be responsible for long-term adverse health effects of noise on the cardiovascular system [8, 9, 10]. Polysomnography is very sensitive in detecting even subtle physiological changes induced by traffic noise. However, polysomnography also has some disadvantages. EEG, EOG, and EMG electrodes and wires are somewhat invasive and may therefore influence sleep. The instrumentation of subjects is cumbersome and cannot be done by the subjects themselves. Finally, sleep stage classification requires trained personnel, and is known to have high inter- and intra-observer variabilities [11, 12]. Hence, only a few polysomnographic noise effects studies have been conducted with relatively small sample sizes in the past [13].

Several other methods can be used to measure sleep and the influence of noise on sleep. The easiest way to gather information on sleep is via *questionnaires*. However, the validity of this method is at least questionable, as during most of the night the sleeper is unconscious and not aware of the surroundings. Only the process of falling asleep and longer wake periods during the night contribute to subjective estimates of sleep quality and quantity, which may therefore differ substantially from objective measures [14]. Also, subjective assessments are prone to manipulation. Nevertheless, subjective measures of noise induced sleep disturbance are still important, as both objective and subjective criteria should be addressed by noise mitigation measures.

Several studies investigated the influence of traffic noise on *signaled awakenings* (also called *behavioral awakenings*) [15, 16]. Here, the subject has to give an agreed-upon signal (e.g. pressing a button) to indicate the awakening. The method is easy to use and very inexpensive. However, it also has a low sensitivity and reliability, and the results depend strongly on what instructions were given to the subjects how. Consciousness is only regained during prolonged wake periods, and relevant activations of the CNS may be missed. By demanding an active cooperation of the subject, the importance of the signal, reaction probability, and sleep itself may be altered [17, 18]. On the other hand, subjects may forget to give the signal or they may be too tired or languid to give the signal.

Actigraphs are watch-sized accelerometers that record body movements during sleep and are usually worn at the wrist of the non-dominant arm. They are easy to use and less invasive and expansive than polysomnography. They have been widely used for the assessment of sleep-wake patterns [19]. However, both hardware and analysis algorithms are poorly standardized, and therefore the comparability of results derived from different actigraphs is restricted. Actigraphy has been used to measure body movements during sleep in noise-effects research [20, 21]. Although the number of EEG awakenings and the number of body movements are correlated, prolonged periods of wakefulness without body movements and awakenings not accompanied by body movements may be wrongly classified as sleep, whereas body movements without relevant activations of the central nervous system (CNS) may be wrongly classified as wake or a sleep disturbance, limiting the validity of actigraphy.

Noise induces *activations of the autonomic nervous system*, like increases in blood pressure and heart rate, which can be measured easily with electrocardiography (ECG) or plethysmography [22, 23]. Repeated noise induced autonomic activations may play a key role in the genesis of

hypertension and associated cardiovascular diseases. However, as of today there is no generally accepted convention on what exactly constitutes a cardiac arousal, e.g., how strong a heart rate increase must be in order to be classified as a relevant cardiac activation. Although Martin et al. [24] suggest that daytime functioning may be impaired by increases in the number of subcortical arousals alone, this has been questioned by Wesensten et al. [6], as the procedure used by Martin et al. inevitably also induced cortical arousals and changes in sleep structure beside autonomic activations. Recent findings of a carefully designed experiment by Guilleminault et al. [25] support the thesis that EEG arousals are a prerequisite for the detrimental effects of sleep fragmentation on daytime functioning. Basner et al. developed an ECG-based algorithm for the automatic detection of cortical arousals, and validated it in a laboratory study on the effects of aircraft noise on sleep [10, 22]. After further validation, this inexpensive, objective, and non-invasive method may facilitate large scale field studies on the effects of traffic noise on sleep.

In conclusion, there is no consensus on what is the 'best' or 'preferred' method to investigate noise effects on sleep in general. It is absolutely legitimate to use methods other than the gold standard polysomnography in order to gather information on the effects of noise on sleep. All methods differ in instrumentation and data analysis expense, but also in their sensitivity and specificity for detecting noise-induced arousals of the CNS (see Figure 1). The choice of method therefore crucially depends on the research goal, the investigated population, and on the available funds. In the future, the research community should try to increase the knowledge on the interrelations of different measures of noise-induced sleep disturbance.

Acoustic measurements

Traffic densities are usually low during the night, and the sleeper reacts to single noise events rather than to a constant background noise. The reaction of the sleeper will therefore depend on the acoustic properties of single noise events (beside other moderating factors). In order to establish an event-related analysis [10], it is advantageous to record both acoustic and physiologic signals using a common timeline (or trigger signals to establish a common timeline). If this is not possible, the internal clocks of all measurement equipment should be re-adjusted before each measurement period, and the time-drift of each device should be established.

Acoustic measurements should always be performed with suitable and calibrated equipment (e.g. class-1 sound level meters). Inside sound pressure levels (SPL) should preferentially be measured, as the sleeper primarily reacts to the sound levels inside the bedroom. If this is not feasible, they may be calculated from SPL measurements made outside the bedroom, if the outside-inside SPL attenuation is known. The placement of the microphones should always be documented.

Literature

1. Cote, K.A., L. Etienne, and K.B. Campbell, *Neurophysiological evidence for the detection of external stimuli during sleep*. *Sleep*, 2001. **24**(7): p. 791-803.
2. Oswald, I., A.M. Taylor, and M. Treisman, *Discriminative responses to stimulation during human sleep*. *Brain*, 1960. **83**: p. 440-453.
3. Iber, C., et al., *The AASM manual for the scoring of sleep and associated events: rules, terminology and technical specifications*. 2007, Westchester, Illinois: American Academy of Sleep Medicine.

4. Rechtschaffen, A., et al., *A manual of standardized terminology, techniques and scoring system for sleep stages of human subjects*. 1968, Public Health Service, U.S. Government, Printing Office: Washington, D.C.
5. Stickgold, R., *Sleep-dependent memory consolidation*. *Nature*, 2005. **437**(7063): p. 1272-1278.
6. Wesensten, N.J., T.J. Balkin, and G. Belenky, *Does sleep fragmentation impact recuperation? A review and reanalysis*. *J.Sleep Res.*, 1999. **8**(4): p. 237-245.
7. Bonnet, M.H., et al., *The scoring of arousal in sleep: reliability, validity, and alternatives*. *J Clin.Sleep Med.*, 2007. **3**(2): p. 133-145.
8. Muzet, A., *Environmental noise, sleep and health*. *Sleep Medicine Reviews*, 2007. **11**(2): p. 135-142.
9. Babisch, W., *Transportation noise and cardiovascular risk. Review and synthesis of epidemiological studies. Dose-effect curve and risk estimation*. 2006, Federal Environmental Agency (Umweltbundesamt): Berlin, Germany.
10. Basner, M., et al., *Aircraft noise effects on sleep: a systematic comparison of EEG awakenings and automatically detected cardiac activations*. *Physiol.Meas.*, 2008. **29**(9): p. 1089-1103.
11. Lored, J.S., et al., *Night-to-night arousal variability and interscorer reliability of arousal measurements*. *Sleep*, 1999. **22**(7): p. 916-920.
12. Drinnan, M.J., et al., *Interobserver variability in recognizing arousal in respiratory sleep disorders*. *Am.J.Respir.Crit Care Med.*, 1998. **158**(2): p. 358-362.
13. Basner, M., U. Isermann, and A. Samel, *Aircraft noise effects on sleep: Application of the results of a large polysomnographic field study*. *J.Acoust.Soc.Am.*, 2006. **119**(5): p. 2772-2784.
14. Silva, G.E., et al., *Relationship between reported and measured sleep times: The Sleep Heart Health Study (SHHS)*. *J.Clin.Sleep Med.*, 2007. **3**(6): p. 622-630.
15. Fidell, S., et al., *Field study of noise induced sleep disturbance*. *J.Acoust.Soc.Am.*, 1995. **98**(2): p. 1025-1033.
16. Fidell, S., et al., *Effects on sleep disturbance of changes in aircraft noise near three airports*. *J.Acoust.Soc.Am.*, 2000. **107**(5 Pt 1): p. 2535-2547.
17. Born, J., et al., *Timing the end of nocturnal sleep*. *Nature*, 1999. **397**(6714): p. 29-30.
18. Williams, H.L. *Effects of noise on sleep: a review*. Washington, D.C.
19. Ancoli-Israel, S., et al., *The role of actigraphy in the study of sleep and circadian rhythms*. *Sleep*, 2003. **26**(3): p. 342-392.
20. Horne, J.A., et al., *A field study of sleep disturbance: effects of aircraft noise and other factors on 5,742 nights of actimetrically monitored sleep in a large subject sample*. *Sleep*, 1994. **17**(2): p. 146-159.
21. Passchier-Vermeer, W., et al., *Sleep disturbance and aircraft noise exposure - exposure effect relationships*. 2002, TNO: Netherlands. p. 1-245.
22. Basner, M., et al., *An ECG-based algorithm for the automatic identification of autonomic activations associated with cortical arousal*. *Sleep*, 2007. **30**(10): p. 1349-1361.
23. Pitson, D., et al., *Changes in pulse transit time and pulse rate as markers of arousal from sleep in normal subjects*. *Clin.Sci.(Colch.)*, 1994. **87**(2): p. 269-273.
24. Martin, S.E., et al., *The effect of nonvisible sleep fragmentation on daytime function [see comments]*. *Am.J.Respir.Crit Care Med.*, 1997. **155**(5): p. 1596-1601.

25. Guilleminault, C., et al., *The effect of CNS activation versus EEG arousal during sleep on heart rate response and daytime tests*. Clin.Neurophysiol., 2006. **117**(4): p. 731-739.

- **Fidell, Brief on Noise-Induced Sleep Disturbance**

Prepared by Sanford Fidell

Self-reported, behavioral, and physiological measurements of noise-induced sleep disturbance (such as those of Basner and Samel, 2006, and of Fidell *et al.*, 2000, among many others) have been made in both laboratory and field settings. The practical implications of these measurements for aircraft noise regulation are uncertain for several reasons. For example, matters as basic as what constitutes sleep disturbance, and the relative amounts of sleep disturbance attributable to noise and to other factors, remain unsettled. Further, the findings of sleep disturbance studies are difficult to compare systematically and to interpret in consistent ways. If, upon awakening, people declare they had a good night's sleep, can their reports be trusted if their brain wave and motility responses seem to indicate otherwise?

Sleep is a complex physiological process affected in both subtle and obvious ways, not only by noise, but by many other factors as well. Some effects of disturbed sleep remain noticeable the next day, and seem linked to the degree of sleep disturbance during prior nights. Unfortunately, useful quantitative understanding of noise-induced sleep disturbance does not extend much beyond these generalities. In particular, although the acute health consequences of extreme sleep deprivation are clear, the meaningfulness of health effects of occasional intrusions of aircraft noise into sleeping quarters remains debatable.

At a non-conscious level, nighttime noise may affect brainwave, cardiovascular, and endocrine activity. However, very short arousals occur routinely and frequently throughout the night, even in the absence of noise. These do not rise to the level of full waking consciousness, and are unlikely to be remembered the next morning. Further, shifts from one sleep stage to another, as well as slight, transient elevations in heart rate and blood pressure, may simply be signs of normal autonomic responses to ever-changing environmental conditions.

Noise in sleeping quarters can also create more readily observable effects, such as bodily movements and behaviorally-confirmed awakenings. They occur much less often than shifts in sleep stages and short term physiological arousals, and not solely during or shortly after noise intrusions.

Recent reviews of the noise-induced sleep disturbance literature (*e.g.*, that of Michaud *et al.*, 2007), conclude that findings about noise-induced sleep disturbance differ considerably both with respect to measures of sleep disturbance and by study. They also indicate that non-aircraft related awakenings are more common than aircraft noise-induced awakenings in airport neighborhoods, and that only small percentages of habitually exposed people in familiar sleeping quarters are regularly awakened by aircraft noise intrusions.

Half a dozen relationships between indoor sound exposure levels of nighttime noises and predicted awakening, such as that of ANSI (2008), have been derived in recent years. They account for little variance in the association between sleep disturbance and behaviorally-confirmed awakening, and have very shallow slopes. They are therefore not very reliable, and

offer little guidance for regulatory purposes. Attempts to predict the probability of at least one awakening per night from numbers, times of occurrence, and sound levels of intruding noises also account for very little variance, depend on questionable statistical assumptions, and are more sensitive to total time spent in bed and customary airport operating schedules than to the sound levels of aircraft overflights.

Additional laboratory and field studies of the usual sort (*cf.* those of Basner and Samel, 2006; Fidell *et al.*, 2000; Ollerhead *et al.*, 1992; Pearsons *et al.*, 1995) are not likely to greatly improve understanding of the extent and meaning of aircraft noise on health. Due in part to their expense, such studies tend to be of relatively small scale, short duration, and simple design. New field studies and analytic approaches of greater sophistication must systematically account for non-acoustic influences on sleep (including as the source and meaning of noise intrusions and sleepers' familiarity with them), and must provide a context for distinguishing between incidence rates of spontaneous (non-noise related) and prevalence rates of *bona fide* noise-induced sleep disturbance.

REFERENCES

American National Standards Institute (ANSI) (2008). "Quantities and procedures for description and measurement of environmental sound—Part 6: Methods for estimation of awakenings associated with outdoor noise events heard in homes," ANSI S12.9–2000/Part 6.

Basner, M., and Samel, A. (2006) "Aircraft noise effects on sleep: application of the results of a large polysomnographic field study", *J. Acoust. Soc. Am.*, 119(5), 2772-2784.

Fidell, S., Pearsons, K., Tabachnick, B. G., and Howe, R. (2000). "Effects on sleep disturbance of changes in aircraft noise near three airports," *J. Acoust. Soc. Am.* 107, 2535–2547.

Michaud, D., Fidell, S., Pearsons, K., Campbell, K., and Keith, S. (2007) *J. Acoust. Soc. Am.*, Vol. 121 (1), 32-42.

Ollerhead, J. B., Jones, C. J., Cadoux, R. E., Woodley, A., Atkinson, B. J., Horne, J. A., Pankhurst, F., Reyner, L., Hume, K. I., Van, F., Watson, Al, Diamond, I. D., Egger, P., Holmes, D., and McKean, J. (1992). "Report of a field study of aircraft noise and sleep disturbance," Department of Safety, Environment and Engineering, Civil Aviation Authority, London.

Pearsons, K., Barber, D., Tabachnick, B. G., and Fidell, S. (1995). "Predicting noise-induced sleep disturbance," *J. Acoust. Soc. Am.* 97, 331–338.